







2022 - 2024

SAFETY SIGNS CATALOGUE

Welcome to our 2022 - 24 Catalogue

This catalogue includes hundreds of new products, innovations, updates, redesigns and range extensions, making it our most comprehensive catalogue to date. We are confident that you will find the sign that you are looking for, but if you can't, we are more than happy to offer a bespoke solution to meet your requirements.

As ever we have kept an eye on changes to legislation and have developed innovative and practical products to ensure we continue to offer a comprehensive range of Health and Safety Signs and safety related products.

You can find more information about our most popular materials, along with details on how to order our signs, on pages 2 - 5.

Wherever possible all signs shown within this catalogue have been designed to display an approved ISO 7010 symbol. On the rare occasion where a symbol has yet to be adopted by International Standardisation, but has proven comprehension levels under BS 5499, these signs will be manufactured to BS 5499 Standards. Our signs also meet the required colorimetric and photometric properties as specified in BS ISO 3864 to provide a consistency in colour and design at all times and ensuring our customers receive a "technically correct" safety sign that meets all relevant UK legislation.

New and Featured Products

We offer a wide range of unique and innovative products throughout this catalogue. Below is a small sample of our latest and featured products. If you believe there's a popular range of products we don't currently provide please contact us and remember, if you don't find the item you require please let us know and we'll do our best to find a solution.

Eco-Friendly Signs

90 - 91

PPE Stations

72

Electric Vehicle Signs

Coronavirus Signs

105

43

138 - 141

131 - 135



We are pleased to be able to offer customers an eco-friendly option when choosing their safety signage.

To help our customers identify signage that can be recycled, we have included a recycling logo on pages where signs can be recycled and have dedicated a section to some of our more popular signs in eco-friendly materials.

Store and display essential PPE and help ensure all personnel and visitors have instant access to mandatory personal protective equipment.

Each station includes strong black polypropylene hooks from which to hang the relevant personal protective equipment, helping keep it safely stored in a prominent position. Customised versions are available upon request.



Prevent unauthorised vehicles from parking in spaces specifically reserved for the charging of electric vehicles and raise awareness of the correct use and locations of electric car charging points

Easily identifiable using the official DoT (Department of Transport) symbol but in safety green to highlight the environmental benefits of electric cars



Research revealed that 80% of people in the UK feel safer and are more likely to shop in stores / visit premises with clear, professional COVID-19 signage.

The findings also indicate that stores and brands risk reputational damage from inadequate COVID-19 signage, with 40% of people saying inadequate signage makes them feel the business isn't taking their safety seriously.

79 Farm Safety Signs



Highlight areas where it is vital that dogs are kept on the lead. Ensure that both livestock and pets remain safe by warning members of the public of potential risks.

Additionally using safety signs is necessary to meet legal requirements and protect the landowner from liability if someone is injured on their property.

Report Book Holders



Overcome the frequent issue of books being misplaced by ensuring that important log books are clearly visible and easily accessible with our wall mounted book holder stations.

Stations are pre-drilled for easy mounting and include a printed "missing" message to show when the log book has been removed.

First Aid Station

45



This first aid station ensures that life saving information and equipment is clearly visible at all times and is easy to access in case of an emergency.

The First Aid Station can save time in the event of an emergency by overcoming the frequent issue of first aid boxes being lost or misplaced.

Good to Go Safety



Regular equipment inspections can help identify potential faults before they develop into costly defects and /or hazardous to user welfare.

Using the Good to Go Safety system will help you improve safety, reduce maintenance costs and enable you to comply with the relevant legislation.

Other New and Featured Products

Fire Extinguisher Range Extension Tamper Proof Tags Fire Equipment Directional Arrows Stairway, Level & Dwelling Signs Industrial Vehicles / Robotics

Tool Tether Signs

7 First Aid Directional Arrows 8 First Aid PPE Station

17 Safety Quote Posters 28 Spill Kit Range

37

41 **Near Miss Products** 43 **New Floor Graphics** 51 Cleaning Stations 57 Littering and Disposal

Magnetic Document Frames 60 64

66 **72** Lock Out Tag Out Verge Sign Extension

Adapt-a-Signs Additional Braille Signs **Engraved Signs**

88 89 95 96

104

Stencil Update 107 Re-Flex Update 110 Worker ID Tags 123 Barrier Tape Post

130 Photoluminescent 131

Table of Contents

This product catalogue contains thousands of safety signs and products designed to help improve workplace safety. Use the table of contents below to quickly navigate to relevant section or use the index on pages 149-152 to narrow down your search further.

Introduction		First Aid		Farming & Agriculture		Road Traffic	
How to Order Standards	2	First Aider Signs	41	Slurry / Silo / Private Land / Dogs	79	RA2 Signs (Permanent)	10
Viewing Distances	2	AED / Equipment Signs	41			RA1 Signs (Temporary)	108 - 10
Code Explanation	2	Mental Health and Wellbeing Signs	41 - 42	Security		Re-Flex Frame / Signs	11
Printing Processes	3	Emergency Wall Panel Guides	42	Guards / Intruder Prevention Signs	80	Cone Signs	11
How to Order Customs	3	Projecting Signs	42	Vehicles / Equipment Signs	80	Fold Up Signs	11
Material Information	4-5	Miscellaneous First Aid Products	42-43	Property Signs	80	Sign Frames	11
		Safe Condition Signs	43	CCTV Signs / Visitation Products	81	Non Reflective Signs	114-11
Fire		Posters		Amenities & Information		Construction Sites	
Fire Extinguisher Signs	6-7	First Aid	44 - 45	Room Signs	82	Mandatory Signs	11
Fire Warden / Marshal Signs	8	Document / Book Holders	45	Toilet & Bathroom Signs	83	Warning Signs / Prohibition Signs	11
Fire Equipment Signs	8-9	Construction Site	46	Alcohol / Food Allergy Signs	84	Custom Multi-Message Boards	11
Fire Alarm Signs	9	GHS / Hazardous Substances	47	Office Do's & Don'ts / Zero Tolerance	85	Lost Time / Site Safety Boards	119-12
Fire Action Signs	10-12	Work Safety	48	GDPR / Privacy Signs	85	Site Safety Sign Kits	12
Fire Door Signs	12-13	Equipment Safety	49	School Signs	86	PPE Information Boards	12
Miscellaneous Fire Safety	14	Construction Site / PPE	50-51	Coaches & Buses / MOT Signs	87	Scaffolding Signs / Banners / ID Tags	12
		GDPR Posters / Frames / Dry Wipe	52 - 53	Adapt-a-Signs	88	Information Signs	12
Emergency Escape		Roller Banners	53	Braille & Tactile / Ramp Access Signs	89	Notice Boards	12
Directional Emergency Escape Signs	15					Site Saver Signs (Recyclable)	126 - 12
Emergency Escape Signs	16-17	Multi-Message		Eco-Friendly		Banners	128 - 12
Stairway / Floor Level / Dwelling Signs	17	Substances / Asbestos Signs	54	Fluted Polypropylene (Recyclable)	90	Barriers / Barrier Tapes Eco Friendly Signs (Recyclable)	13 13
Disabled / Refuge / Hospital Signs	18	Emergency Shut Off Signs	54	PET (Recyclable)	91	Eco Friendly Signs (Recyclable)	13
Intermediate Marking / Tapes	19	Construction Site / Quarry Signs	55	. , ,			
Assembly Point Signs	20	Confined Spaces Signs	55	Deluxe		Good to Go Safety	
		Fragile Roof Signs	55	Engraved Aluminium & Brass Signs	92	Daily / Weekly Inspections	13
Designated Smoking Areas		Vehicle / Machinery Signs	56	Door Sliders	92	Components / Accessories	13
		Flammable Substances Signs	57	Acrylic Signs	93	Information Boards / Document Holders	
Smoking Area Signs	21	Spill Kit Signs	57	Aluminium Signs	93 - 94	Equipment Inspection Posters	13
Shelter / Cigarette Bins	21	Large Format Signs	58	Engraved Tags & Signs	95		
Prohibition		Factories & Warehouses		Lock Out Tag Out		Sign Fixings	
No Smoking Signs	22	Safe Working Load Signs	59	Hasps / Padlocks / Equipment	96	External Sign Fixings	13
Restricted Access Signs	23	Racking Protection & Signs	59	Stations / Tags / Signs	97	Internal Sign Fixings	13
Animal Prohibition Signs	23	Wipe Clean Signs	60				
Railway / Vehicle / Machinery Signs	23 - 24	ID Letters & Numbers Quality Control Signs	60 61	Hazard		Coronavirus	
General Prohibition Signs Water Safety Signs	25 25	Shipping Labels & Signs	61				
vuter surety signs	20	Pipeline ID / Directional Flow Markers	62	GHS / COSHH Signs	98	Construction Site Signs Information Signs	13 13
Warning		Mirrors	63	Hazardous Substances Signs	99	PPE / Hygiene Signs	14
•		Near Miss Reporting	64	Vehicle Marking / Placards	100 - 101 102	Floor Graphics	14
Harmful / Explosive Substances Signs	26 - 27	Multi-Lingual Signs	65 65	Internal / External Vehicle Signs	102		
Temperature Signs Vehicles / Robotics / Machinery Signs	27 28	Floor Safety Tapes & Marking	00				
Security Signs	28	Floridation		C. D. I		Maria Lanca	
Construction Site Signs	29	Floor Safety		Car Park		Photoluminescent	
Electricity Signs	30 - 31	Floor Graphics	66-68	Speed Restriction Signs	103	Stairway / Floor Level / Dwelling Signs	14
Lock Out Tag Out Signs / Safety Tags	32	Tapes	68	Directional Way Finding Signs	103	Emergency Escape Signs	142 -14
Noise / Vibration / Allergy Signs Glass Highlighting / Impact Protection	32 33	Stencils / Paint / Line Marking	69	Verge Signs	104	Fire Equipment Signs	14
Overhead / Access Signs	33	Floor Graphic Frames	69	Electric Vehicle Signs	105	Fire Extinguisher Signs	144 - 14
Water Safety Signs	33	Barrier Posts & Chains	70 - 71	Pavement / Cone Signs	105	Fire Door Signs	14
Free Standing Signs / Cones	34 - 35			Security / Caution Signs	106	Fire Action Signs	146 -14
Surface Safety Signs	35	Janitorial & Environmental		Bicycle Signs Ice Detector Signs	106 107	Carlo Hall	
Mandatory		PPE Stations / Cleaning Stations Shadow Boards	72 73	Stencils	107	Custom Made	44
Personal Protective Equipment Signs	36-38	6S Posters & Signs	73 74			Custom Sign Options	14
Machinery / Vehicles Signs	39	Spill Kit Signs / Document Holders	75			Index	
General Mandatory Signs	39	Recycling Signs	76-77				149 - 15
Hygiene / Catering Signs	40	Door Screens / Free Standing Signs	78			Alphabetical Index	

Custom Made

Despite the thousands of signs available in this catalogue we appreciate that there will always be a time when you need something unique, branded or designed to specific guidelines. This is where our **Custom Made** options come in handy. When you need something printed on a material such as Rigid Plastic, Self Adhesive Vinyl, Foam Board, Aluminium, PET, Acrylic, Aluminium Composite, Fluted Polypropylene, Synthetic Paper, PVC Banner or Reflective Aluminium navigate to **page 148** where you'll find a variety of options that may suit your needs.

We also provide bespoke versions of the following products:

Free Standing Signs	34	Cover-Up Signs	78	Engraved Tags / Key Fobs	95	RA1 Zintec Signs	109	Site Safety Boards	118
Roller Banners	53	Engraved Signs	92	Projecting Signs	97	Re-Flex Signs	110	Hooped Banners	123
Floor Graphics	66	Vacancy Door Sliders	92	Hazchem Placards	101	Cone Signs	111	Site Saver Signs	126
Scaffolding Roll Tops	77	Custom Composite Signs	92	Verge Signs	104	Traffic Supplementary Text	112	Eyelet Banners	129
Door Screens	78	Acrylic / Aluminium Stand-offs	93	Pavement Car Park Signs	105	Reversible Arrow Sign	115	Document Holders	134

How to Order

Each product within this catalogue has its own unique product code. To help you understand the meaning of our codes, please follow the guidance below:

Step One

Find the sign you require by using the index page, contents page or by simply browsing the catalogue.



Step Two

When you find the sign required, use the material grid (on every double page spread) to find which materials are available for your chosen sign. Materials available are highlighted as BOLD **NUMBERS** at the start of every code.



Step Three

The **LOTOERS** at the end of the code identify the available size options. To help choose the best size for your situation you should also take into account our recommended viewing distances (below) for safety signs.



Step Four

Once you've identified the sign, material and size required, use fold-out price list (or request a copy) to find the price.

Products which begin with 5 are listed on a page-by-page basis.

mm	13.76	28.50 23.10 23.10
mm	29.35	ESP-15 255-01 404-01
mm	£12.45	28.49 10.152 00.83
mm	£18.34	1
)mm)mm	€21.€	1
0mm 0mm	€25	00.82 00-
mm	1	4.07 <u>62.09</u> <u>64.15</u> <u>62.99</u>
omno	n 1	22.43 [23.63] [13.67]
SOM	m	£4.15 E3.00

Code Example

The forklift sign to the right is available in four standard material options '1, 2, 7 & 8' you can refer to pages 4 - 5 for more detailed material information.

The unique design code is '3407'

Each letter identifies an available size option for the sign. **SQUARE** letters represent

landscape orientations. **GORGOGS** represent portrait orientations.

5 codes refer to products with miscellaneous materials / sizes and therefore have the details required beside the code. (e.g. Floor Graphic 400 x 600mm)

If the sign you require doesn't come in the material / size you're after, don't worry we can manufacture any design to your exact specifications.



1 3407 **GM&P** 2 3407 G(S 7 3407 😧 8 3407

400 x 600mm **5** 8737 5 Series

Floor Graphic


Size Codes **Design Code Material Codes**

Viewing Distances

There are many factors that can influence a person's ability to view a sign, all of which are covered in depth by BS ISO 3864-1, these factors should be considered when deciding on your choice of sign size. The maximum distance a person will be required to view the sign, the angle they are viewing the sign from, lighting, and vision impairment can all have significant influences on the ability to read and comprehend a safety sign.

It is also worth considering the room layout to ensure signs are not obscured by furnishings.

Situating signs at a suitable height maximises their potential to be seen.



These distances are for guidance purposes only. Please refer to BS ISO 3864-1:2011 for specific calculations.

The example above shows an estimate viewing distance for three of our most popular sign sizes depending on conditions of light.

Material Codes

1 Rigid Plastic

2 Self Adhesive Vinyl

3 Photoluminescent Rigid Plastic

4 Photoluminescent Self Adhesive

5 Miscellaneous

6 Aluminium

7 PET

8 Quick Fix

Landscape Sizes

A 100 x 75mm **B** 80 x 80mm C 150 x 150mm

D 150 x 100mm

E 200 x 150mm

E 200 x 200mm

G 300 x 100mm

H 300 x 250mm

J 400 x 200mm

K 400 x 300mm 450 x 150mm

M 600 x 200mm N 400 x 400mm

P 600 x 400mm 600 x 450mm S 200 x 75mm

V 300 x 150mm **W** 900 x 600mm **G** 150 x 150mm

X 200 x 100mm **(3**) 150 x 200mm

U 100 x 100mm

a 200 x 200mm **G** 100 x 300mm 250 x 300mm

① 200 x 400mm

300 x 400mm

150 x 450mm

@ 200 x 600mm

400 x 400mm **2** 400 x 600mm

Q 450 x 600mm **6** 75 x 200mm

2

Portrait Sizes

A 75 x 100mm **3** 80 x 80mm

100 x 150mm

① 100 x 100mm

♥ 150 x 300mm

© 600 x 900mm

3 100 x 200mm

Printing Processes

We have several printing processes which we use regularly. The choice is dependent upon volume, sign environment or content. Below are some of our more popular options:

Screen Print

This method is used for printing the majority of the safety signs within our catalogue. It ensures a high quality print, consistency of colour and a flawless finish.



Digital Print

This method of printing is ideal for short production runs, custom designs or signs that require full colour images to be included. We are able to digitally print directly onto a wide range of materials.



Engraving

Precision routing from computer generated designs provide a tactile, prestigious finish to a sign. The use of layered substrate materials allows the top surface to be cut away to uncover the coloured lower layer.



Vinyl Graphics

Computer cut vinyl graphics can be applied to a substrate (such as Rigid Plastic, Aluminium etc) or pre-cut, ready to apply vinyl lettering or graphics can be applied directly to almost any flat, dry and clean surface.



Custom Signs

If you cannot find the message, size or material that you require then give us a call and, wherever possible, we will be happy to quote for anything outside our standard range.

Whether it's for a prestigious hotel or an after school club, our custom made signs allow you to get creative and provide a truly unique signage solution. Once you know how you want your sign to look, simply follow the steps below to begin the process of creating a bespoke sign.

1. Sketch & Snap / Scan



Mock up your desired sign, take a picture of it on your phone and send it to us via email. Please don't worry if you're not artistically inclined just remember to include material, colour, text and sizes.

2. Snap & Email



If you've seen a sign you require simply take a photo of it on your phone and send us the picture. We'll then mock up the design based on your instructions and send you a proof to approve, following receipt of your order.

3. Send a Link

Price



Seen a sign you like on a website? Send us the link or a screenshot, along with any additional comments relating to the size, material, or any alterations and we'll provide you with a quote. Please be aware, there may be copyright restrictions.

When ordering a sign, consideration should be given to the environment it will be located within - is it internal or external? Is it for display in a warehouse or a prestige hotel? Select the required material from the grid below. This grid is not exhaustive so if you can't see the material or size you require please contact us and we will be happy to quote.

Materials	Codes	Details Required for a Custom Sign Quote
Rigid Plastic	CUST001	
Self Adhesive Vinyl	CUST002	
Photoluminescent Rigid Plastic	CUST003	Size: Please refer to our "Popular Size"
Photoluminescent Self Adhesive Vinyl	CUST004	chart or specify your own
0.9mm Aluminium	CUST005	,
2mm PET (Polyethylene Terephthalate)	CUST006	Orientation: Landscape or Portrait
Rigid PVC with SAV Backing (Quick Fix)	CUST007	·
3mm Foam PVC	CUST008	Quantity: Please state your required quantity
5mm Foam PVC	CUST009	
3mm Aluminium Composite	CUST010	Content: Please specify or provide artwork
0.9mm Reflective Aluminium	CUST011	. , .
PVC Banner with Eyelets	CUST012	
4mm Fluted Polypropylene	CUST013	

Size: Please refer to our "Popular Size" chart or specify your own	
Orientation: Landscape or Portrait	Supplied on Request
Quantity: Please state your required quantity	oquosc
Content: Please specify or provide artwork	

Popular Size Choices		
80 x 80mm	400 x 200mm	
100 x 75mm	400 x 300mm	
100 x 100mm	400 x 400mm	
100 x 150mm	450 x 150mm	
150 x 150mm	600 x 200mm	
200 x 75mm	600 x 400mm	
200 x 100mm	600 x 450mm	
200 x 150mm	800 x 600mm	
200 x 200mm	900 x 600mm	
210 x 297mm	1050 x 750mm	
300 x 100mm	1200 x 800mm	
300 x 150mm	1200 x 1200mm	
300 x 250mm	2400 x 1200mm	

Image & Logos

Please ensure all images / logos you send are high resolution to acheive a quality print finish. A high resolution file JPEG, PDF, EPS or Ai file of your company logo is ideal. Taking a logo from a home page of a website will not do. Low-resolution images are the main reason for slow production of custom specials. Have your logo ready prior to order to ensure quick order turnaround.

If you are finding it difficult to find a high-resolution version of your logo you can sometimes find it via **images.google.com** simply drag your low-resolution logo file into the search bar and Google will search the internet for images that are similar. If there are any higher resolution logos found on the internet they will load. If all else fails we can reproduce your logo so it prints correctly - additional charges will apply.



Material Information

The first number you see on our product codes identifies the material the sign is made from, an overview of which can be found in this section. Deciding on your sign message is only the first step. When ordering a sign thought should also be given to where that sign is going to be displayed. Consider the environment it will be located within – is it indoor or outdoor? Is it for display in a warehouse or a prestige hotel? Our guide below will help you to decide which material is best for your location and covers our most popular sign materials – this list is not exhaustive so if you can't see the material you require please contact our sales team and we will be happy to quote in a material of your choice.

1. Rigid Plastic

Easily drilled, white, glossy, rigid plastic. A lightweight material with high impact strength, suitable for indoor and outdoor use. Rigid Plastic is the main material used for Quick Fix signs.



2. Self Adhesive Vinyl

High gloss, flexible PVC with self adhesive backing. Suitable for most smooth, dry and clean surfaces. Ideally suited for indoor use such as warehouse labelling.





6. Aluminium

Aluminium with gloss white powder coating. Ideal for both indoor and outdoor applications. Excellent weathering and UV resistance. A long-life product.



7. PET

2mm Thermoplastic Polyester (known as PET) is high quality, recyclable, durable, impact, fire and vandal resistant which makes it ideal for harsher environments.



8. Quick Fix

A white rigid plastic surface provides a durable finish, whilst a strong self adhesive backing removes the need for drilling, screws or additional fixings.

5. Miscellaneous Material Information

Any product outside of our standard choice of material or size ranges begins with a 5. This may include items such as rolls of tape, sign frames, banners, or any sign requiring bespoke designs. It may include products using (but not limited to) the following materials:



PVC Banner

Flame resistant, 440gsm PVC banner for indoor and outdoor applications. Digitally printed for eye catching displays.



Fluted Polypropylene (4mm)

Lightweight, waterproof, strong and 100% recyclable (Class PP5) making it ideal for temporary signage such as site safety signs.



Synthetic Paper

HDPE

110gsm high density polyethylene. A highly durable, recyclable, tear, water and grease resistant material which is ideal for eye catching posters.



Foam PVC

Available in 3mm, 5mm or 10mm. Bright white, lightweight & waterproof. Easily drilled for fixing. Ideal for outdoor site safety boards.



Acrylic (5mm)

High quality, non-shatter, cast acrylic with a good resistance to weather, discolouring and most chemicals. 100% recyclable.



Aluminium Composite

3mm white aluminium skin with a polyethylene core. A lightweight and weather resistant material which is ideal for outdoor signage due to its non existant scrappage value.



Reflective

Available on various materials (aluminium, zintec & aluminium composite) with a choice of reflective finishes. RA1 reflective (engineering grade) for temporary traffic signs. R2 reflective (high intensity) for permanent traffic signs (CE marked).



Braille & Tactile

2-ply ABS thermoplastic material for both indoor and outdoor use. It offers a durable, scratch resistant, glossy surface. Available in various colours and surface finishes. Laser and routing capabilities offer a high quality finish.



3. Photoluminescent Rigid Plastic

4. Photoluminescent Self Adhesive Vinyl

Photoluminescent signs, tapes and markers work by storing energy from either a natural or artificial light source. If the light source is no longer available in the case of a blackout due to a fire or other emergency, then the "charge" in the sign releases light in the form of protons to produce a greenish luminant glow, also known as phosphorescence. The strength and quality of this glow can vary greatly between manufacturers and for this reason we have introduced the Ultra Bright brand to give assurance that all our photoluminescent signage exceeds PSPA (The Photoluminescent Safety Products Association) Class C ratings, making it one of the best in the UK market and ensuring our signs stay brighter for longer to give the maximum chance for a

Photoluminescent signage is charged by light which allows it to glow in the dark if there is a sudden loss of light due to a power outage or if thick smoke from a fire is obstructing vision. Using this type of signage in a building can assist employees or members of the public to a safe refuge area away from the danger.

Ensuring that signage is clearly visible in blackout conditions can prove the difference between life and death during an emergency evacuation, helping guide people to exits and to essential equipment. The real beauty of photoluminescent products, in the context of a Safety Way Guidance System, is that they do not need electricity to glow in the dark if properly sited and maintained. In an emergency situation where a mains failure has occurred, they will immediately light the way to safety even in smoky conditions.

All Safety Way Guidance Systems (SWGS) must conform to the standards set out in BS ISO 16069. This stipulates requirements that need to be met with regard to the design, installation and performance for both photoluminescent and electrical SWGS. The benefit of these systems is that they are coherent and understood by all, regardless of culture or language. Occupants within your premises can be guided safely out of the building to a designated assembly/refuge point, in the event of an emergency. This is ensured as symbols on the signs must be compliant with BS EN 7010 and sign design must meet the requirements of BS ISO 3864 parts 1-4, to conform to BS



To achieve high performance in low light conditions and conform to ISO 16069 we recommend using Ultra Bright. Ultra Bright range exceeds Class C and the table below indicates how Ultra Bright stays brighter for longer in comparison to PSPA classifications, with our signage remaining visible even after an hour in darkness.

Specifications & Benefits:

- 1. Exceeds Class C photoluminescent PSPA rating
- 2. Afterglow testing in accordance with DIN 67510-Pt1
- 3. Compliant with ISO 16069:2017 Safety way guidance systems (SWGS)
- Maximises visibility of signs during smoky / black-out conditions. Provides clear guidance to exits and emergency equipment which helps significantly reduce evacuation times
- 5. Self re-chargeable and maintenance free No power source / batteries required
- 6. Instant and long lasting visibility of signage in blackout conditions. It takes over 48 hours to totally fade from fully charged
- 7. Cost effective and easy to install
- 8. Non-toxic or radioactive pigments (REACH / RoHS compliant)

Luminance mcd/m2	2min	10min	30min	60min	
Class A	108	25	7	3	
Class B	210	50	15	7	
Class C	690	140	45	20	
Ultra Bright	957	199	59	26	

The classification system is calculated on luminance decay after a given time which complies to ISO 17398:2004, ISO 16069:2017 and DIN 67510-Pt1

Ultra Bright Rigid Plastic

1.2mm rigid plastic with photo luminescent pigmentation

Ultra Bright Self Adhesive Vinyl

0.35mm flexible self adhesive vinyl with photo luminescent pigmentation.

Recyclable Materials



We firmly believe in, and are committed to monitoring and improving environmental performance, pollution prevention and environmental protection during the manufacture of our safety signage. We implement a systematic waste minimisation programme to achieve objectives and targets to reduce waste, avoiding the use of terminal waste treatment and dealing with it as far as possible at source.

We pursue continuous improvement in environmental performance, where reasonably practicable, by setting objectives and targets, especially in addressing the areas of resource use, by reducing energy and water consumption, increasing reuse and recycling and improving solid and liquid waste management methods.

To help our customers identify which of our signage materials can be recycled, we have included the recycling logo on pages where signs can be recycled and have dedicated a section to some of our more popular signs in eco-friendly materials.

In addition, to help encourage an environmentally friendly approach to signage we now include the appropriate recycling logo on the sign to help identify when a sign can be recycled and to help recycling centres correctly identify and process the materials efficiently without the need to send them into landfill.

Although we only offer this feature on our two main recyclable materials, our acrylic and aluminium signs are also suitable for recycling.

G



With so many eco-friendly materials available, we're extremely happy and proud to provide more opportunities than ever for customers to take an eco-friendly choice when buying their safety signage.



PET signs are ultra durable, impact, fire and vandal resistant making them ideal for harsher environments. High quality finish.

Fluted Polypropylene



(Fluted) Polypropylene Plastic, known as PP, is appropriately marked by the number five and the acronym PP. This is one of the safer types of plastic making it ideal for ketchup and medicine bottles. It is also increasingly being accepted in curb-side recycling programs.

Fluted polypropylene signs are strong, lightweight and waterproof making them perfect for temporary installations.

We have access to many more alternative "green" materials so if you have a specific requirement please let us know and we will endeavour to provide the perfect solution to meet your specification.

Material Codes

1 Rigid Plastic

2 Self Adhesive Vinyl

3 UltraBright Rigid Plastic

4 UltraBright Self Adhesive

5 Miscellaneous

6 Aluminium

7 PFT 8 Quick Fix

Landscape Sizes

A 100 x 75mm **B** 80 x 80mm

С **D** 150 x 100mm

300 x 100mm

H 300 x 250mm

K 400 x 300mm 150 x 150mm 450 x 150mm **I** 200 x 150mm **E** 200 x 200mm

M 600 x 200mm N 400 x 400mm P 600 x 400mm 600 x 450mm

S 200 x 75mm

J 400 x 200mm

U 100 x 100mm **V** 300 x 150mm **W** 900 x 600mm

X 200 x 100mm

Portrait Sizes

A 75 x 100mm **B** 80 x 80mm

G 150 x 150mm **1**00 x 150mm

3 150 x 200mm

200 x 200mm **G** 100 x 300mm **2**50 x 300mm

Q 400 x 600mm **Q** 450 x 600mm **6** 75 x 200mm

1 200 x 400mm

© 300 x 400mm

150 x 450mm

@ 200 x 600mm

Q 400 x 400mm

① 100 x 100mm **V** 150 x 300mm **©** 600 x 900mm **3** 100 x 200mm

Fire Extinguisher Identification

The Regulatory Reform (Fire Safety) Order 2005 places responsibility of fire safety on employers to ensure that a fire risk assessment has been conducted to establish fire risks and that appropriate actions are taken to reduce them. Failure to comply could lead to severe legal penalties. Under the Regulatory Reform (Fire Safety) Order 2005, any non-automatic fire fighting equipment should be positioned and signed in accordance with BS EN ISO 7010:2020- to ensure maximum levels of comprehension. By positioning an appropriate fire equipment sign at a height between 1.7m - 2m from the floor it helps to locate and identify essential fire equipment in the event of it being obscured by furnishings in the room.



Anodised Aluminium 75 x 200mm **5** 9186

Brass 75 x 200mm **5** 9182



Anodised Aluminium 75 x 200mm **5** 9184

Brass 75 x 200mm **5** 9180



Anodised Aluminium 75 x 200mm **5** 9183

Brass 75 x 200mm














6 **8** 1244





Photolum Acrylic 200 x 150mm **5** 1253 Brass

5 9484

Anodised Aluminium 200 x 150mm Frosted Acrylic 200 x 150mm **5** 1237

200 x 150mm

Anodised Aluminium



DE Frosted Acrylic DΕ **2** 1235 **3** 1235 200 x 150mm DE **5** 1235 **4** 1235

DIE 8 1235 DE 200 x 150mm **5** 1254

Brass

200 x 150mm

Photolum Acrylic

Anodised Aluminium 200 x 150mm 200 x 150mm **5** 9486

4 1233



200 x 150mm DE DIE 8 1233 DE

5 1233 Photolum Acrylic 200 x 150mm

5 1256 Brass 200 x 150mm **5** 9490



D E **1** 1234 **2** 1234 **3** 1234 200 x 150mm DE **5** 1234 **4** 1234 DE Photolum Acrylic DΕ

8 1234 200 x 150mm **5** 1255 Anodised Brass Aluminium 200 x 150mm **5** 9488 200 x 150mm

SAFE FOR: equipment up to 1kV at a minimur distance of 1m.





1 1257 DE 2 1257 DE 3 1257 DE 4 1257 DE **8** 1257 DE

3 1249

4 1249





2 1240 D 3 1240 DES 4 1240 DES 8 1240 **8** 1240





1 1119 DE 2 1119 DE 3 1119 DE 4 1119 DE





Display this sign in communal areas. Do not place directly above extinguishers.



Fire Extinguisher Signs



Braille 150 x 225mm 5 6179



1 1009 **G** 2 1009 **G**

For use



1 1004 **3** 2 1004 **3**



1 1074 **3** 2 1074 **3**



extinguisher

Fire

1 1023 GL 2 1023 GL

Anodised Aluminium 175 x 175mm **5** 9103

Brass 175 x 175mm **5** 9102



Not for use on electrical fires **2** 1046 **3**

on flammable liquid fires 1 1005 **3** 2 1005 **3**



1 1006 **2** 1006 **3**



1 1030 **3** 2 1030 **3**



Identify the locations of fire extinguishers from several angles. Face: 150 x 200mm

Rigid Plastic Photo Rigid **5** 8002 **5** 8011



English & Polish



1 1058 **3** 2 1058 **3**



1 1001 & 2 1001 &



1 1055 **V**



1 1056 **V** 2 1056 **V**



1 1243 **9** 2 1243 **9**



1 1222 **3** 2 1222 **3**

Fit this sign behind any extinguisher to highlight when a fire extinguisher has been moved, misplaced or used and not replaced.





Face Adhesive Labels

Apply to glass and view from the other side.



Face Adhesive Vinyl 300 x 50mm

Rolls of Labels

Supplied ready to peel and apply.



Roll of 100 Self Adhesive Vinyl 100 x 100mm

Tamper Proof Tag

Tamper proof tags can be attached to fire extinguishers or first aid kits, quickly and easily to ensure that the contents inside are kept safe. The tags deter misuse but also offer easy access in case of an emergency. Once broken, the tag cannot be re-closed which helps to identify unauthorised use. The bright yellow design ensures it's easily seen.

300mm Length




Fire Extinguisher Pocket Guides



These handy fire extinguisher pocket guides provide on the spot guidance to users in emergency situations



350GSM Rigid Card (Laminate) Pack of 10 5 8101




350GSM Rigid Card (Laminate) 75 x 90mm Pack of 10 **5** 8120

Extinguisher Inspection Tags

Monthly inspection of all fire extinguishers should be completed as per BS5306.

Attach one of these single sided inspection tags to a fire extinguisher to display findings and to remind employees to complete monthly fire extinguisher checks. Having a visual reminder on each extinguisher enables employees to quickly view when the item was last inspected.



Matt PVC 50 x 80mm Pack of 10



Matt PVC 80 x 150mm Pack of 10 Includes cable ties 5 1080



Matt PVC 80 x 150mm Pack of 10 Includes cable ties 5 1102



Material Codes

- 1 Rigid Plastic 2 Self Adhesive Vinyl
- **3** Photoluminescent Rigid Plastic **4** Photoluminescent Self Adhesive

5 Miscellaneous 8 Quick Fix

C 150 x 150mm **D** 150 x 100mm

Landscape Sizes

450 x 150mm 100 x 100mm **2**00 x 150mm **G** 300 x 100mm

Portrait Sizes

⚠ 150 x 200mm **(1)** 250 x 300mm 300 x 400mm **6** 75 x 200mm

▼ 150 x 300mm 3 100 x 200mm

Fire Hose Signs



1 1007 **3** 2 1007 **3** 3 1007 **3** 4 1007 **3**



1 1221 **3** 2 1221 3



1 1024 **G 2** 1024 **G**



1 1221 D 2 1221 D 3 1221 DE 4 1221 E



2 1016 **C**




1 1019 C 2 1019 C



Supplied ready to peel and apply.

Roll of 100 Labels Self Adhesive Vinyl 100 x 100mm **5** 9702



1 1072 E 2 1072 E 3 1072 E 4 1072 E







The nearest fire warden is Located

1 1036 **E 2**1036 **目**

> The nearest fire marshal is

Located

1 1063 **E** 2 1063 **E**



Adapt-a-Sign Holds A4 Sheet 215 x 310mm **5** 1037



1 1060 **目** 2 1060 **目**



1 1061 **G**



Adapt-a-Sign Holds A4 Sheet 215 x 310mm **5** 6079

> Adapt-a-Signs enable you to update details easily. See page 88 for more info



2 1053

Adapt-a-Sign Holds A4 Sheet 215 x 310mm **5** 1053



1 1052 **(1)** 2 1052

Adapt-a-Sign Holds A4 Sheet 215 x 310mm **5** 1052



1 1035 **(3 2** 1035 **3**

Adapt-a-Sign Holds A4 Sheet 215 x 310mm **5** 1035



1 1065 **(1)**2 1065 **(1)**



Fire Point Signs





1 1048

5 3430

1 1049

Fine Line Marker Pen

Permanent black marker pen with a 0.6mm line width





1 1032 **(3)** 2 1032 **(3)**

Projecting Sign




Identify the location of a fire point from several viewing angles with this double sided projecting sign. Available ready to install in Rigid Plastic or Ultra Bright Photoluminescent Rigid Plastic.

Each Face: 150 x 200mm

Rigid Plastic **5** 8004

Photo Rigid **5** 8013



1 1026 G L 2 1026 G L



1 1021 C 2 1021 C



7 1014 **3**

Supplementary arrows may be used in combination with fire safety signs to communicate the location of equipment. To avoid confusion with directional emergency escape signs, ISO 7010 fire exit arrows should not be used to indicate the direction of equipment.







Fire Door Signs

A fire door's purpose is to enable an emergency escape route through a property whilst compartmentalising a fire and preventing the spread of smoke and flames. This range of signs highlights a fire door and advises of its proper use.









Fire Alarm Signs



1 1017 BCU 2 1017 BCU 3 1017 CU **4** 1017 **GU 8** 1017 **GU**

Anodised Aluminium 175 x 175mm **5** 9105

5 9104



1 1010 **G**(\$\frac{1}{2}\$ 1010 **G**(\$\frac{1}{3}\$ 1010 **G**(\$\frac{1}{3}\$) Braille 150 x 225mm **5** 6178 4 1010 **G** 7 1010 **G**

8 1010 **(3**

Fire alarm call point



Warning

Call

1 1051 **H**

point



1 1041 **B 2** 1041 **B**



In the event of a fire, lift the cover and activate alarm

1 1079 BGGUUG 2 1079 BGGUUG 3 1079 BGGUUG 4 1079 **BCGUUG**

Fire Alarm Test

1 1040 GL

Enables you to update details easily. See page 88.

More multi-lingual signs like this one on page 65.



3mm PVC 215 x 310mm



1 1057 **3** 2 1057 **3**

Rolls of Labels



Supplied ready cut to peel off and apply.

Roll of 100 Self Adhesive Vinyl 100 x 100mm **5** 9701

Projecting Signs



To identify locations of fire alarms from several viewing angles.

Rigid Plastic Face: 150 x 200mm **5** 8003

Photo Rigid Face: 150 x 200mm **5** 8009

Desktop Sign

Fire

alarm

panel

1 1039 E

control



Ideal for reception areas to inform of planned fire alarm tests. Write the time of the test in the space and display when required.

3mm Acrylic Face: 300 x 210mm **5** 8062

Extinguishing Equipment



Anodised Aluminium 75 x 200mm **5** 9185

Brass 75 x 200mm 5 9181



1 1246 DE 2 1246 DE 3 1246 DE **4** 1246 **DE 8** 1246 **DE**



1 1204 **S** 2 1204 **S**

blanket

telephone

1 1068



1 1067 **(3)** 2 1067 **(3)**

Projecting Sign

Identify locations of fire fighting equipment with this projecting sign.



Rigid Plastic Face: 150 x 200mm 5 8040



Fire bucket



1 1103 **E** 2 1103 **E**



1 1105 **目** 2 1105 **目**



1 1107 **E** 2 1107 **E**



1 1106 **国** 2 1106 **国**



1 1020 C

Sprinkler Signs

Sprinklers are seen as the only system which detects a fire, suppresses a fire and raises an alarm, making them vitally important as part of a fire safety programme. This range of signs helps identify and highlight the locations of important sprinkler equipment within a building.



1 1452 🕒 2 1452



1 1451 **QG** 2 1451 **(A)**



1 1445 **目** 2 1445 **目**



1 1447 **日** 2 1447 **日**



1 1446 **E 2** 1446 **目**



1 1449 **目** 2 1449 **目**


BS3251 Hydrant Marker

Manufactured to BS3251 from non-fade, durable injection moulded plastic. Information is displayed using snap fit, anti vandal number inserts.

6 x numbers / blank tiles supplied with each marker plate - please specify when ordering. Fixing screws not included.



180 x 205mm





25mm (H) - Self Adhesive Vinyl

Budget Hydrant Marker Fconomical

temporary hydrant marker 178 x 203mm

Rigid Plastic 5 1212



Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 3 Photolum Rigid Plastic

7 PET

Landscape Sizes **B** 80 x 80mm

□ 150 x 100mm

G 300 x 100mm Portrait Sizes 25 x 100mm

100 x 150mm **1**250 x 300mm **1**375 x 200mm

(300 x 400mm (300 x 400mm (300 x 200mm)

Residential Fire Action

Houses of multiple occupancy (HMO) have strict regulations for fire safety and must always have a fire action plan in place.











DM

LIFT







LIFT









Adapt-a-Sign	DM
Holds A4 Sheet	
215 x 310mm	
5 1423	
	Holds A4 Sheet 215 x 310mm



90 90	Adapt-a-Sign Holds A4 Sheet 215 x 310mm 5 1432
9 (1)	
	90 90 90 90



Multi-Lingual Fire Action Signs





1 1440 **GG** 2 1440 **GG**

3 1440 **3 10 4** 1440 **3**
















Fire Action Signs

Legislation requires that all staff and visitors are aware of the fire procedure for work premises. Fire action signs advise the actions to be taken in case of fire.

















2 in 1 - Fire Action & Call Point Symbol

These 2 in 1 signs are designed with an aperture to accommodate regulation size fire alarm call points, simply pop out the call point symbol and apply the main sign over the call point alarm box then position the "popped out" symbol on the wall above the alarm at a height of between 1.7 and 2 metres from the floor. Self Adhesive Photoluminescent - Fire Action: 150 x 330mm - Call Point Symbol: 100 x 100mm


















Lift Warnings











Fire Action Key:

Lift in the Building

DA Fire Service Dialled Automatically

DM Fire Service Dialled Manually

Fire Action Signs



LIFT

90 90 2 1419 150 x 200mm **3** 1419 **5** 9538

4 1419 **3 1 8** 1419 **3 1** Brass 150 x 200mm **5** 9539



90 90 90 Rigid Plastic A5 (148 x 210mm) **2** 1420 **3** 1420 **5** 8318 4 1420 **G** 8 1420 **G** Self Adhesive Vinyl

A5 (148 x 210mm) **5** 8319



1 1428 **G 1** 1428 **G 3** 1428 **G 6 4** 1428 **8** 1428 **Ö**

DA LIFT



2 1429 **3** 1429 **4** 1429

7 1429 **8** 1429

Fire alarm Fire Action

DM

1 1427 **3 1** 1427 **3 1** 427 **3 1** 427 **3 1**

4 1427 **8** 1427 **3**



1 1426 **2** 1426 **3** 1426

4 1426 **8** 1426 DM

DM

LIFT

Fire Door Inspection Record

It is recommended that fire doors in flats be routinely checked at least every three-months to ensure they are in good working order.

Place this next to fire doors and update throughout the year. See page 88 for more Adapt-a-Signs.




1 1108 K 2 1108 K Adapt-a-Sign 215 x 310mm **5** 1108

Peel & Stick Labels



Self adhesive labels are supplied ready cut to peel off and apply. If you cannot find the label you need we will be happy to quote for your requirements. Contact our sales desk for further details.





Self Adhesive Vinyl Roll of 100 - 100mm Square 5 9704




Self Adhesive Vinyl Photoluminescent 6 x 80mm Square 6 x 65mm Dia **5** 9693 **5** 1681



Self Adhesive Vinyl Roll of 100 - 100mm Square **5** 9703



Self Adhesive Vinyl 6 x 65mm Dia **5** 1637



Self Adhesive Vinyl Roll of 100 - 100mm Square **5** 9705



Photoluminescent

6 x 80mm Square

5 9690

shut

Self Adhesive Vinyl 6 x 65mm Dia **5** 1660



Deluxe Fire Door Signs

5 9691

Self Adhesive Vinyl

6 x 65mm Dia

5 1679

These deluxe fire door signs are ideal for environments requiring a high quality finish. 76mm Dia - Fixings included - Pre drilled











Brass **5** 9124 Stainless Steel 5 9127 Aluminium **5** 9130

Fire Door Signs

Every fire door should have a "Fire door Keep shut" sign fitted. When doors can be used from both sides a sign is required on both sides. Doors that open on to a fire escape corridor should be locked shut and signed accordingly. The window stickers are all double sided and designed for use on glass doors. They ensure the message is visible from both directions.



Anodised Aluminium **1** 1610 **BU** 2 1610 BU 3 1610 B 70 x 70mm 4 1610 B **5** 9075 **7** 1610 **B** 8 1610 **B**

Window Sticker 100 x 100mm **5** 9247



1 1606 BEN | Window Sticker 2 1606 B F N 3 1606 B F 100 x 100mm **5** 9246 4 1606 BE **7** 1606 8 1606 **B**



1 1605 **F.N.U** Window Sticker 2 1605 **F.N.U** 100 x 100mm **5** 9248 **4** 1605 **7** 1605 **B F** 8 1605 **B E**

Automatic fire door keep clear **1** 1618 **BU** Anodised

2 1618 BU 3 1618 B Aluminium 70 x 70mm 4 1618 **B** 5 9099 **7** 1618 **B 8** 1618 **B**

Fire door keep closed

Fire door keep locked



This door must be kept closed

1 1608 **B E** 2 1608 B F 3 1608 B 4 1608 B



1 1611 **B** 2 1611 **B** 3 1611 **B** 4 1611 **B**



1 1609 B Anodised **2** 1609 **B** Aluminium 8 1609 B 70 x 70mm 5 9097

Smoke door keep shut

1 1054 B 2 1054 **B**



1 1612 **B** 2 1612 **B**

Fire door keep clear

1 1636 U 2 1636 U

FIRE NOTICE This area must be kept clear of all obstructions

1 1613 FN 2 1613 FN

This staircase and exit to be kept ear of goods, bins rubbish and obstructions

1 1601 E 2 1601 **E**

Escape route keep clear

1 1623 BF 2 1623 BE

This door to be kept locked shut when not in use

1 1602 BE 2 1602 BE

Keep clear **Exit from** emergency escape route

1 1604 FN 2 1604 EN

Staircase must be kept clear of all obstructions

1 1607 **2** 1607

This door must remain unlocked when premises are occupied

1 1619 B 2 1619 B 7 1619 B

To be kept unlocked during working hours

1 1614 **E** 2 1614 **E**

Automatic fire door Keep clear Close at night

1 1617 BU 2 1617 BU

Keep clear for emergency vehicles

1 1633 **FN**

T Keep locked shut

1 1625 **B** 2 1625 **B**

Fire door keep shut

1 1626 **B D 2** 1626 **B D**

Fire escape keep clear

1 1631 FN 2 1631 FN



Rigid Plastic A4 (210 x 297mm) **5** 8362

Self Adhesive Vinyl A4 (210 x 297mm) **5** 8363



Rigid Plastic A4 (210 x 297mm) **5** 8396

Self Adhesive Vinyl A4 (210 x 297mm)



Self Adhesive Pads Pack of 4



Keep fire exit

clear and free

of rubbish

1 1634 **E 2** 1634 **E**

7 PFT

1 1632 **FN** 2 1632 **FN**



Automatic

fire door

keep clear

1 1649 **FN** 2 1649 **FN**



1 1628 **B** 2 1628 **B**



1 1630 **B** 2 1630 **B**



Do not place a fire door edge sign over a fire door's intumescent strip.



Self Adhesive Vinyl



45 x 400mm

5 1643

Fire Action Key:



Lift in the Building



DA Fire Service Dialled Automatically

1 1629 **BD 2** 1629 **BD**

Pire Service Dialled Manually

Material Codes

1 Rigid Plastic 3 Photoluminescent Rigid Plastic 2 Self Adhesive Vinyl 4 Photoluminescent Self Adhesive

5 Miscellaneous

8 Quick Fix

Landscape Sizes B 80 x 80mm

150 x 100mm

E 200 x 200mm N 400 x 400mm **K** 400 x 300mm **U** 100 x 100mm **Portrait Sizes**

150 x 200mm

250 x 300mm

Fire Extinguisher Location Boards

Extinguisher brackets (*not supplied) should be fixed through the panel and onto the wall



Select the relevant Extinguisher ID sign (size on page 6) and apply to top of board in the space provided.

Sign of choice should be ordered separately.



3mm Photolum Foam 300 x 800mm 5 1029



3mm Foam 900 x 900mm **5** 8020

Specify the required fire extinguisher IDs when ordering.



450 x 900mm - 3mm Foam Water 5 8014 ABC 5 8016

Foam **5** 8015 Co2



Fire Extinguisher Location Stand

This stand suits all types of extinguishers.

3mm Foam PVC

300 x 800mm

5 1028

The design allows multiple stands to be interlinked together.

Includes smooth mountin area for fire extinguisher ID signs - sold separately. Supplied in a two

part flat pack. *Available in grey on

Shatterproof Polypropylene 295W x 270D x 665Hmm 5 8200



Fire Safety Signs Kit

Our most popular fire safety signs in a kit. Ideal for new builds or a freshen up.

Rigid Plastic

- 2 x Fire alarm (300 x 100mm)
- 3 x Fire exit Left (300 x 100mm)
- 3 x Fire exit Right (300 x 100mm) 3 x EEC Fire action (150 x 200mm)
- 3 x Fire extinguisher (300 x 100mm)
- 2 x Push bar to open (300 x 100mm)
- 1 x Fire assembly point (450 x 600mm)
- 2 x Your assembly point is (150 x 50mm)
- 2 x Fire exit Straight on (300 x 100mm)
- 2 x Fire exit Keep clear (300 x 100mm)

Self Adhesive Vinyl

5 1724

18 x Fire door keep closed (65mm Dia)









Fire Log Book

Maintaining a fire log book demonstrates that fire safety responsibilities are being managed within the workplace. It also provides fire engineers with dates and times of service history and ensures compliance with BS 5839-1: 2017.



Fire Document Holder

Keep important fire safety documents

clearly displayed and

readily available in

This sign comes with

a durable polystyrene

document holder

for storing A4 ring binders and folders.

440 x 600mm

10mm Foam Board **5** 8213

a central location.

Includes contents / logs for:

User responsibilities Premises details Fire fighting equipment Hose reels Fire alarm testing Alarm activations Fire alarm servicing Fire alarm system certification Emergency lighting Fire doors and escape route inspection Fire instructions and drills

Safety

Documents

5 8061

Fire Log Book Holder

This wall mountable station ensures that fire log books are clearly visible at all time and is easy to access by fi engineers needing to view service history. The station helps to overcom the log book being misplaced or no close to hand. The station is pre-drill for easy mounting and includes a printed "missing" message to show when the log book has been remove

3mm Rigid Plastic 360 x 220 x 15mm 5 8203

Fire Safety Posters

Eye catching safety posters made on wipe-clean synthetic paper.



Synthetic Paper 510 x 760mm 5 9820



Synthetic Paper 510 x 760mm 5 8189

Reflective Armbands

Enable staff and visitors to quickly identify fire personnel.

Adjustable hook and loop fastening. One size fits all, can be adjusted to fit 90 - 130mm dia



Fire Warden

Fire Marshal

Glow Sticks

Simply bend the glow stick until you feel and hear the internal vessel snap, then shake until it emits a bright glow (glows for approx. 12 hrs). Supplied with suspension cord to wear around the neck. 150mm Long



Blue Green Red **5** 8587 **5** 8588



Directional Emergency Escape Signs

Emergency escape signs are designed to guide you from wherever you are in a building, via a place of relative safety (the escape route) to the place of ultimate safety (the assembly area). It must not be assumed that everyone will know all safe routes through the building. Emergency escape signs should comply with BS EN ISO 7010:2020 to ensure maximum levels of understanding. The old EC Directive (92/58/EEC) designs should no longer be used due to their low comprehension credentials.

We have a range of emergency escape signs available in photoluminescent materials (signs which start with a 3 or 4).

The strength and quality of photoluminescent materials can vary greatly between manufacturers and for this reason we have introduced the Ultra Bright brand to give assurance that all our photoluminescent signage exceeds PSPA (The Photoluminescent Safety Products Association) Class C ratings, making it one of the best in the UK market and ensuring

our signs stay brighter for longer to give the maximum chance for a successful evacuation (see page 5 for details).

Ensuring that signage is clearly visible in blackout conditions can prove the difference between life and death during an emergency evacuation, helping guide people to exits and to essential equipment in an emergency situation where a mains failure has occurred. Ultra Bright signs will help lead the way to safety even in smoky conditions.





1 2004 G L M	Rigid Plastic			
2 2004 G L M	A4 (297 x 210mm)			
3 2004 G L M	5 8390			
4 2004 G L M	Self Adhesive Vinyl			
7 2004 G L	A4 (297 x 210mm)			
8 2004 G L	5 8391			
5mm Foam PVC	Anodised Aluminium			
1200 x 400mm	300 x 100mm			
5 2138	5 5923			
Photolum PVC	Brass			
900 x 300mm	300 x 100mm			
5 2126	5 9517			
Floor Graphic	Braille			
600 x 200mm	450 x 150mm			
5 8815	5 6186			



Rigid Plastic A4 (297 x 210mm) 5 8394
Self Adhesive Vinyl A4 (297 x 210mm) 5 8395
Anodised Aluminium 300 x 100mm 5 5922
Brass 300 x 100mm 5 9516
Braille 450 x 150mm 5 6185



1 2007 GLM	Rigid Plastic
2 2007 GLM	A4 (297 x 210mm)
3 2007 GLM	5 8388
4 2007 G L M	Self Adhesive Vinyl
7 2007 G L	A4 (297 x 210mm)
8 2007 G L	5 8389
5mm Foam PVC	Anodised Aluminium
1200 x 400mm	300 x 100mm
5 2129	5 5925
Photolum PVC	Brass
900 x 300mm	300 x 100mm
5 2125	5 9519
Floor Graphic	Braille
600 x 200mm	450 x 150mm
5 8811	5 6187



Section 1	
1 2008 GLM	Rigid Plastic
2 2008 GLM	A4 (297 x 210mm)
3 2008 GLM	5 8392
4 2008 G L M	Self Adhesive Vinyl
7 2008 G L	A4 (297 x 210mm)
8 2008 G L	5 8393
5mm Foam PVC	Anodised Aluminium
1200 x 400mm	300 x 100mm
5 2139	5 5924
Braille	Brass
450 x 150mm	300 x 100mm
5 6199	5 9518







1 2005	GLM
2 2005	GLM
3 2005	GLM
4 2005	GL
8 2005	GL





1 2006	GLM
2 2006	GLM
3 2006	GLM
4 2006	GL
8 2006	GL









1 2010	GLM
2 2010	GL
3 2010	GL
4 2010	GL



_	
1 2014	GLM
2 2014	GL
3 2014	GLM
4 2014	GL







1 2011	GILIM
2 2011	GLM
3 2011	GLM
4 2011	GLM
8 2011	GL

PVC Banner 1270 x 610mm Includes Eyelets 5 2011

5 9521

800 x 400mm **5** 2127



12009 GLM 2 2009 G L 3 2009 G L 4 2009 G L



1 2013 GLM 2 2013 GL 3 2013 GLM 4 2013 GL



_	
1 2015	GLM
2 2015	GLM
3 2015	GLM
4 2015	GLM
Q 2015	GП



1 2033	JLVX
2 2035	J L V X
3 2033	J L V X
4 2033	J A X
7 2033	V
8 2033	LV
3 2033 4 2033 7 2033	7

Anodised Aluminium 200 x 100mm **5** 9527

5mm Foam PVC 800 x 400mm **5** 2105 200 x 100mm Photolum PVC

Floor Graphic 400 x 200mm **5** 8809



1 2056 JVX 2 2056 JVX 5mm Foam PVC 800 x 400mm 3 2056 JVX **5** 2106 **4** 2056 **JVX 8** 2056 **V**



JVX 2 2057 4 2057



1 2036 JLVX 2 2036 JLVX 3 2036 JLVX **4** 2036

Material Codes

- 1 Rigid Plastic 2 Self Adhesive Vinyl
- 3 Photoluminescent Rigid Plastic 4 Photoluminescent Self Adhesive

5 Miscellaneous 7 PET


8 Quick Fix

Landscape Sizes

G 300 x 100mm J 400 x 200mm M 600 x 200mm

X 200 x 100mm

Emergency Escape Signs



G L **1** 2062 **2** 2062 3 2062 GL 4 2062 GL **4** 2062 **G L 8** 2062 **G L**

Floor Graphic 600 x 200mm **5** 8807

Double Sided Sticker 300 x 100mm **5** 8255



1 2047 G L 2 2047 G L 3 2047 G L 4 2047 G L 8 2047 GL



1 2052 1 2052 G L 2 2052 G L 3 2052 G L Aluminium 300 x 100mm **5** 5926 **4** 2052 **4** 2052 **G L 8** 2052 **G L** Brass 300 x 100mm



3 2099 J 4 2099 J Place behind a push bar so that the blank panel shows the bar location.



1 2051 **2** 2051

G L **3** 2051 GL 4 2051



1 2049 G L 2 2049 G L 3 2049 G L 4 2049 G L



5 9520

G L **1** 2048 **2** 2048 **3** 2048 4 2048



1 2050 **2** 2050 G L 3 2050 GL 4 2050



1 2061 GL 2 2061 GL **3** 2061 4 2061



1 2065 G L 2 2065 G L 3 2065 G L 4 2065



1 2045 **2** 2045 G L **3** 2045 4 2045



1 2046 G L 2 2046 G L **3** 2046 **4** 2046



1 2072 **FU 2** 2072 **FU** 3 2072 FU



1 2060 FU 2 2060 FU 3 2060 FU



1 2043 FU 2 2043 FU 3 2043 FU



1 2044 F.U 2 2044 F.U 3 2044 FU



1 2034 CFU 2 2034 CFU 3 2034 CFU 4 2034 CU



1 2037 CFU 2 2037 CFU 3 2037 CFU 4 2037 CU



1 2064 G L 2 2064 G L 3 2064 G L





1 2040 CF 2 2040 CF CF 3 2040 4 2040 C



1 2038 CF **2** 2038 CF 3 2038 CFU 4 2038 CFU



1 2035 C F 2 2035 C F 3 2035 CFU 4 2035 C

e

it





1 2122 **E** 2 2122 **E**3 2122 **E**4 2122 **E**



ISO 7010 regulations state that "text only" signs should be used alongside a running man graphic and, where appropriate, a directional arrow. They should not be used on their own.



1 2063 **GQ** 2 2063 **GQ** 3 2063 **GQ** 4 2063 **@**



1 2069 **G 1** 2069 **G 1** 3 2069 **G 1** 4 2069 GA



1 2053 **G 1** 2 2053 **G 1** 3 2053 **G 1** 4 2053 **G 1**



1 2058 **© (1)** 2 2058 **© (1)** 3 2058 **© (1)** 4 2058 **Ö**Ü

Fire

exit



2 2071



1 2067 **AG** 2 2067 **AG**



5 **Press** switch to open

2 2080 **(A)**



5 8103 600 x 75mm Self Adhesive Vinyl





Stairway, Floor Level & Dwelling ID Signs

To assist the fire and rescue service in identifying each level of a building, storey identification signs identify the level by "Floor Number" and should be located on every landing of a fire-fighting stairway and every fire-fighting lobby (or open access balcony) into which a fire-fighting lift discharges. Storey ID signs should be supplemented by dwelling indicator signs (positioned directly below the Storey ID sign), which provide information as to the dwellings (flats or maisonettes) located on the storey in question.







3 2179 **4** 2179 **4**



32171 **4**2171 **4** Floor

32174 **4**2174 **4**

Stairway

32178 **□ 4**2178 **□**

Stairway D

3 2180 **4** 2180 **4**



Floor

3 2175 L 4 2175 L

Floor

3 2176 **□ 4** 2176 **□**

Flats

Rigid Plastic Photoluminescent 450 x 150mm **5** 2181

Self Adhesive Photoluminescent 450 x 150mm



Please specify the range of flat numbers to be included. (e.g. 1-9 or 1A-5C).

Large Double Sided

5mm Foam PVC - 1200 x 400mm - Ideal for factories / warehouses where lighting may be poor and / or there may be large open areas where emergency escape signs are required to be viewed from a distance. These signs are easily drilled which means you can suspend them from a ceiling using a suspension kit.







5 2160

Large Photoluminescent Directional

Photoluminescent Rigid Plastic - 900 x 300mm - Easily drilled for wall fixing / suspending from a ceiling





5 2126

No Escape Sign

Branded Site Saver Signs

Fluted Polypropylene - 600 x 400mm

Low-cost, lightweight and durable making them perfect for temporary site signage. Add your company logo at no extra cost.



5 5789

-ire YOUR LOGO HERE

YOUR LOGO HERE

YOUR LOGO HERE

5 5792

Double Sided Stickers

No escape

These double sided stickers allow application to the inside of a glass window / door.



300 x 100mm **5** 8255



5 5790

300 x 100mm **5** 9544

Sign Suspension Kits

5 5791



Hook Suspension Kit

Easy attachment of lightweight signs to a ceiling

2 x 150mm Wire Hooks

2 x Self Adhesive Ceiling Buttons **5** 8100

Chain Suspension Kits

Polished chain for an impressive ceiling fixing

- 2 x 500mm Brass Chain 2 x 500mm Chrome Chain
- 4 x Brass Hooks 2 x Ceiling Buttons
- 4 x Chrome Hooks
- 2 x Ceiling Buttons

- **Material Codes**
- 1 Rigid Plastic 2 Self Adhesive Vinyl
- 3 Photolum Rigid Plastic 4 Photolum Self Adhesive
- 5 Miscellaneous
- **Landscape Sizes** C 150 x 150mm 200 x 200mm
- G 300 x 100mm J 400 x 200mm
- 450 x 150mm U 100 x 100mm

Portrait Sizes

🛕 75 x 100mm **1**50 x 200mm

Emergency Escape for Disabled People

This range of signs is specifically designed to assist the safe evacuation of physically disabled people in the event of an emergency. These signs meet the requirements of BS9999:2017 - Code of practice for fire safety in the design, management and use of buildings.



1 2089 GL 2 2089 GL 3 2089 GL



1 1227 G L 2 1227 G L 3 1227 G L



exit

1 2087 GL 2 2087 GL 3 2087 GL



1 2098 G L 2 2098 G L 3 2098 G L



1 2091 GL 2 2091 GL 3 2091 GL



1 2147 G L 2 2147 G L **3** 2147



1 2085 **3 2** 2085 **3**

Emergency Refuge Signs



1 2146 GL 2 2146 **G** 3 2146 **G L**



Braille 300 x 150mm **5** 6176



1 2096 **3** 2 2096 **3** 3 3 2096 **(3)**

Floor Graphic 400 x 600mm **5** 8823



1 2095 **(3)** 2 2095 **(3)** 3 2095 **(3)** 4 2095 **(3**



1 1430 **3** 1430 **3** 1430 **3 1**



Inclusive Emergency Escape Signs

This range is a truly inclusive design and an excellent alternative sign solution. Although not currently ISO 7010 registered the combined 'Running Man' and 'Man Using Wheelchair' are working together to escape the building; They move in unison; They display the same urgency, motion, and appear to be travelling at the same speed. *Registered designs reproduced under license ©®



1 2164 G L 22164 GL 32164 GL 42164 GL



1 2165 G L 2 2165 GL 3 2165 GL 3 2165 GL 4 2165 GL



1 2162 G L 2 2162 G L 3 2162 G L 4 2162 G L



1 2163 G L 2 2163 GL 3 2163 G L 4 2163 G L

Hospitals and Health Services

Some health services still display fire exit signs with flames, however, NHS organisations are now expected to comply with the standard ISO 7010 signage, as found on pages 15 - 17.



1 2092 GLM 2 2092 GL 3 2092 GLM 4 2092 GL



1 2108 GLM 2 2108 GL 3 2108 GL



1 2107 GLM 2 2107 GL



1 2081 J V 2 2081 J V 3 2081 V 4 2081 J V



1 2109 C 2 2109 C 3 2109 F



1 2084 GLM 2 2084 GL 3 2084 GLM 4 2084



1 2121 GLM 2 2121 GL 3 2121 GL

3 2083



1 2090 GLM 2 2090 GL 3 2090 GLM 4 2090 G L



1 2082 J V 2 2082 J V 4 2082 JV



1 2110 C 2 2110 C 3 2110 F



1 2120 **2** 2120 GL 3 2120 GL





1 2088 GLM 2 2088 GL 3 2088 GLM 4 2088 GL



1 2086 GLM 2 2086 GL 3 2086 GLM 4 2086 GL

Intermediate Markers

ISO 16069:2017 describes the principles governing the design and marking for Safety Way Guidance Systems. In addition to the requirement for installing exit signs at 1.7m - 2.2 metres from the ground, this standard recommends that additional intermediate and low location markings may also be required. Position at a maximum height of 400mm from the floor for low level marking. Subject to a full risk assessment, additional escape guidance should be provided through the use of both continuous guidance lines and safety signs to ensure there is an uninterrupted safety sign system to aid an efficient and safe evacuation from a building. Fire fighting equipment, hazards along an escape route, boundaries, stairs and ramps should also be identified.







4 2151



3 2152 X V 4 2152 X V



3 2153 X V 4 2153 X V



3 2154 X V 4 2154 X




3 2155 X V 4 2155 X

Door Plates

These door plates are manufactured from Photoluminescent Rigid Plastic and are complete with a self adhesive backing.

Plates should be installed to reinforce the exit message. They should not be installed instead of an exit/fire exit sign above the door.

75 x 300mm



Projecting Signs

Visible from a number of angles, these projecting signs help in the quick identification of suitable exit or fire exit routes. Includes drilling guide for simple installation. Designed to conceal fixings for a neat finish.



Rigid Plastic Face: 150 x 200mm **5** 8005



Photolum PVC Face: 150 x 200mm 5 8008



Rigid Plastic Face: 150 x 200mm **5** 8006



Photolum PVC Face: 150 x 200mm **5** 8007

Photoluminescent Safety Tapes

10 Metre Roll - Self Adhesive Vinyl - Perfect for highlighting door frames and / or the location of fire fighting equipment.



5 8647 40mm width



5 8641 40mm width 5 8642 80mm width



5 8644 40mm width



5 8653 40mm width



5 8650 40mm width



5 8656 40mm width 5 8657 80mm width



5 8658 20mm width **5** 8659 40mm width **5** 8660 80mm width





Marking Strips

Perfect as a low level repeater message to compliment your fire escape strategy.



Rigid Photoluminescent with Self Adhesive Backing 900 x 80mm 5 8666



Rigid Photoluminescent with Self Adhesive Backing 900 x 80mm **5** 8667

Floor Markers

Photoluminescent way finding floor markers are an effective method of marking escape routes. These floor markers have an anti-slip surface, strong adhesive backing and come in packs of 20.



Class D Deluxe Floor Markers

Aluminium back provides extra strength and durability in high traffic areas. Antislip surface. Photoluminescent Class D aluminium with adhesive backing.





Emergency Lighting Fascias

Replace the front of an emergency light with an ISO 7010 compliant graphic



Fire exit

When ordering please state the x and y dimensions, wording and the arrow direction you require. e.g. 58308, 400 x

200mm, Fire Exit Up

Self Adhesive Overlay

This overlay enables you to tear-off symbols and text and place over emergency lighting. Choose clear version for fluorescent bulbs or white vinyl for LED light units.





Rigid Plastic **5** 8308

1 Rigid Plastic 2 Self Adhesive Vinyl

5 Miscellaneous

Landscape Sizes C 150 x 150mm E 200 x 200mm

G 300 x 100mm H 300 x 250mm

J 400 x 200mm 450 x 150mm

M 600 x 200mm

X 200 x 100mm

Portrait Sizes 150 x 200mm (a) 250 x 300mm

Assembly Point Signs

It must not be assumed that, once outside a building, people will know how to get to an assembly area. Signs directing to the assembly area may be required.







①(0) ①(0) **1** 2054 **2** 2054 6 2054 8 2054



1 2055 **(1) (2)** 2 2055 **(1) (2) (3) (3) (4) (4) (4) (5) (4) (4) (5) (5) (4) (6) (6) (6) (7)**



Rigid Plastic 600 x 400 mm **5** 2111



В

C

Rigid Plastic 250 x 300 mm **5** 2115

Rigid Plastic 450 x 600 mm **5** 2116




For a full range of posts, clips and fixings see pages 136 137.

Assembly Point Signs for Posts









Directional Assembly Point Signs





2 2141 **6** 2141 **(1) 8** 2141 **(1)**



2 2142 **(1)** 6 2142 **(1)** 8 2142 **(1)**





1 2143 **4 2** 2143 **4 6** 6 2143 **(1)** 8 2143 **(1)**




Rigid Plastic 150 x 50mm **5** 2158 Rigid Photoluminescent 150 x 50mm **5** 8661 Rigid Plastic 450 x 150mm Rigid Photoluminescent 450 x 150mm **5** 2159 **5** 8662

Directional Assembly Point Verge Signs

A quick and easy solution for indicating the location of external assembly points. Can be simply sunk into the grass verge using the pole spike for temporary use or can be set into concrete for extra stability and permanent fixtures. When ordering customised verge signs please state the message, logo or number you wish to display.







Assembly point

Assembly point

We have a large range of verge signs suitable for many purposes.

You can find the full range on page 104.

Need a different size of verge sign? Don't worry we can manufacture the verge signs to suit your requirements.

Contact us now for a quote.

Mobile Assembly Point Sign





a fire evacuation. Ideal for built up areas where there is no fixed assembly point such as city centres. Collapsible pole enables easy storage until required.

Aluminium 450 x 600mm 2.4m Pole Collapsible **5** 2123

Evacuation Procedures: Choosing an Assembly Point.

5 6592

Fire assembly points should be far enough away from the building to avoid interference with the fire brigade and danger from falling debris caused by the fire. Providing clear and visible signage will help ensure all evacuees know where to gather in the event of a fire or fire drill. They must be easily accessible and have an unobstructed pathway leading to them. Larger sites may require multiple assembly points that can be identified with allocated numbers/letters.

Designated Smoking Area Signs

Whilst we actively endorse and, wherever possible, adhere to the relevant Standards, we feel in this specific instance signs permitting smoking should under no circumstance be deemed as "safe" (Under BS EN ISO 7010 and BS 5499 signs relating to Designated Smoking Areas are deemed as "Safe Condition" signs. Safe Condition signs would normally use white text on a green background, alongside a tick or appropriate symbol). In acknowledgement of the damaging effects of smoking, please note our range of signs utilise the colour black to clearly differentiate these signs from Safe Condition signs.



1 3256 **G** 2 3256 **G**



1 3089 G 2 3089 G



1 3257 **G** 2 3257 **G**



Place all cigarette ends in the bin provided

1 3251 **G** 2 3251 **G**



Extinguish your cigarettes here

2 3253 G



3084 **G** 2 3084 G







1 3246 HK 2 3246 H





2 3247 EHK 8 3247 K





1 3250 **H**

E-Cigarettes / Vaping Signs



2 3059 GA



Electronic cigarettes permitted in this

1 3259 **G** 2 3259 **G**



1 3249 K

1 3085 G 2 3085 G



1 3086 G 2 3086 G

Shelter

The shelter provides users with protection from the elements, whether you wish to use it as a company smoking shelter, shuttle bus point or even as a fire assembly point. It's durable and sturdy and will keep users safe from the wind and rain.

Made from high quality components, in a powder coated finish for lasting protection from rust, water, impact and it is also fire resistant. Domed roof prevents water pooling. Includes a cigarette bin with mounting plate. Supplied flat packed with full assembly instructions and drawings.

*Additional carriage charges may apply.

Fire resistant powder coating 2 x 1 metre **5** 3034

Standing Cigarette Bin Keep your designated Manufactured to be rust, restricting, helping reduce ignition of waste.





use or set into concrete for permanent fixtures.

YOUR MESSAGE HERE

2mm Aluminium 800mm Pole **5** 6543

smoking area tidy and free from discarded cigarettes with this floor standing bin.

chip and dent resistant this cigarette bin is ideal for outdoor locations.

The design is oxygen

Stainless Steel 800 x 200 x 200mm **5** 3083

Wall Mountable Cigarette Bin

Keeps designated smoking areas tidy and free from discarded cigarettes.

Exterior quality / weatherproof with an attractive satin stainless steel finish.

Simple convenient solution for cigarette ends features an internal tray for easy emptying.

Fixings and keys (x2) for locking the bin are included.

Stainless Steel 260 x 320 x 80mm **5** 3036

Cigarette Bin Signs

Keep your designated smoking area tidy by highlighting cigarette bins with these smoking area safety signs.



1 3258 **①** 2 3258 **①**



1 3081 **(3** 2 3081 **(3** 8 3081

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl

6 Aluminium

5 Miscellaneous

7 PET 8 Quick Fix **Landscape Sizes 2**00 x 150mm **G** 300 x 100mm

⊞ 300 x 250mm K 400 x 300mm

450 x 150mm

0

H

Ħ

Portrait Sizes **A** 75 x 100mm **D** 100 x 150mm

250 x 300mm 300 x 400mm

♠ 450 x 600mm

No Smoking Regulations

The Smoke-free (Signs) Regulations 2012 state that at least one legible no smoking sign is displayed in smoke free premises.

England and Northern Ireland: You must display signs at each public entrance to any work or public place. Signs should also be displayed in public / business vehicles.

Wales: Any work or public area must display the 'Law' sign at each entrance. General, dual language 'No smoking' signs should also be on display in public and business vehicles.

Scotland: Signs should be displayed at each public entrance to any work or public place. Signs should also be displayed in public / business vehicles.

Self Adhesive Vinyl

A5 (148 x 210mm)

Single: **5** 3045

Pack of 5: 5 3061

Self Adhesive Vinyl A4 (210 x 297mm)

Face Adhesive Vinvl

A5 (148 x 210mm)

5 3046

5 3020

England and Northern Ireland



1 3027 **3** 2 3027 **3**

NO SMOKING It is against the law to smoke in these

Rigid Plastic A5 (148 x 210mm) Single: **5** 3043 Pack of 5: **5** 3060 Rigid Plastic

A4 (210 x 297mm) **5** 3042 Aluminium A5 (148 x 210mm) **5** 3062

Rrace A5 (148 x 210mm) Scotland



Rigid Plastic A4 (210 x 297mm) **5** 3031

NO SMOKING

Rigid Plastic A4 (210 x 297mm) **5** 3033



Face-adhesive vinyl **5** 3032

A face-adhesive vinyl sign allows application to the inside of a glass window / door.

It will then show the appropriate message on both sides of the glass.

Wales



1 3025 **G** 2 3025 **③**

Rigid Plastic 160 x 230mm **5** 3039

Self Adhesive 160 x 230mm

No smoking

Polish



1 3302 **G**



1 3301 **3 3 2** 3301 **3**

Labels



Roll of 100 Adhesive Vinyl 50mm (Square) **5** 9706

Roll of 100 Adhesive Viny 75mm Circles **5** 9763

No smoking

within 20 metres

of this entrance



Adhesive Vinyl 75mm Circles **5** 3040



Frosted Vinvl **5** 3041

No Smoking Signs



1 3017 BEN 2 3017 BE 83017 BE

Anodised Aluminium 140 x 140mm **5** 9049

GMG@P 1 3003 2 3003 **GM GO** 3003 GIM 8 3003 **G**

300 x 150mm **5** 6168

Rigid Plastic A4 (210 x 297mm) **5** 8378

Self Adhesive A4 (210 x 297mm)



Thank you for not smoking

No smoking in

this entrance

1 3024 **2** 3024



1 3023 GM 2 3023 G

1 3236 **G** 2 3236 **G**



No smoking beyond this point

1 3004 GM B (CP) 2 3004 GM (3

Floor Graphic 400 x 600mm 5 8741



1 5619 **G 2** 5619 **G**



This is a no smoking area

No smoking

3002 **2** 3002

Table Cards

These double sided table cards are ideal for outdoor seating, picnic benches and other dining areas with restricted smoking areas.



Rigid Plastic 150 x 50mm Pack of 5 **5** 8401



Rigid Plastic 150 x 50mm Pack of 5

<u>د</u>



No drugs

1 3668 **BG** 2 3668 **BG**

No smoking in the toilets

1 3080 **3** 2 3080 **3**

No smoking

outside the school gates

1 5462 **93** 2 5462 **93**



or naked lights 1 3006 GM BK 2 3006 GM BK



No naked lights

1 3005 **GM**(2) 2 3005 **G**(3)



Made from a waterproof, light but strong material ideal for temporary signs.



Fluted Polypropylene 300 x 600mm **5** 8510

Fluted Polypropylene 300 x 600mm 5 8526



1 3262 **EK** 2 3262 **EK**

Children's play area No smoking

1 5468 **EK**

No smoking No mobile phones

1 3013 EK 2 3013 EK



1 3012 **国**K 2 3012 **国**K

Vehicle Labels

Drivers are banned from smoking in their cars if they have passengers under the age of 18 years in the UK.



2 3008 GA







2 3669 **S**

22

Restricted Access for Persons



No unauthorised persons allowed beyond this point

1 3202 GMG&P 2 3202 GMG&P 8 3202 GG&

Floor Graphic 400 x 600mm **5** 8740



1 3201 GM G P 2 3201 GM G P 7 3201 GMP



1 3207 **GM G (P** 2 3207 **G**(3)



No unauthorised persons allowed in these stores

1 3204 GM & 2 3204 GM



Do not sit here



incomplete Do not use

1 6443 **Q**

No admittance

work permit

1 3263 **3** 2 3263 **3**

1 3212 **G 3** 2 3212 **G 3** 3212 **G 3**

o all unauthorise

No exit

1270 x 610mm **5** 3215

No access

for unauthorised

personnel

No access for pedestrians

No admittance

without protective

clothing

Do not step on this surface

Fnglish & Polish

1 3215 **GB**(3 2 3215 **GB**(3

1 3205 **GMB&P** 2 3205 GM B & 8 3205 GB

1 3208 GMP 2 3208 GM

1 3209 GM (\$ 2 3209 G(\$

For their own

Do not feed the pigeons

1 1770 **(3)** 2 1770 **(3)**

1 1774 **(3)** 2 1774 **(3)**

1 1772 **(3)** 2 1772 **(3)**

Intoxicated Persons

Do not feed the gulls

This

13674 **(3)** 23674 **(3)**

No dog

fouling

It is an offence not to clean up after your dog

1 3213 **GBBB** 2 3213 G G G 7 3213 G M 8 3213 G G

Rigid Plastic A4 (210 x 297mm) **5** 8380

No entry Self Adhesive Vinyl A4 (210 x 297mm) **5** 8381



Strictly no admittance

1 3203 GMB&P 2 3203 GMB



Employees only



This is private property

The entry of unauthorised

persons is prohibited

PVC Banne 1270 x 610mm **5** 5092

Do not stand here



Self Standing Signs

* Your

Message

Fluted Polypropylene

300 x 600mm

No thoroughfare

Fluted Polypropylene

Full range on page 34

300 x 600mm

1 3206 GM



Children must not play on this site

1 6405 **M ⊕** 2 6405 **●**



Do not walk here

Floor Graphics 400 x 600mm

Subsurface printed with anti-slip polycarbonate overlay



pedestrian access

5 8819

pedestrian walkway **5** 8822

No entry to unauthorised persons

5 8739

Animal Prohibition Signs



2 3602 **E**



No dogs Except guide dogs and assistance dogs

15496 **G**(3) 2 5496 **G**(3

13603 GMB(S 23603 GB(S

No dogs except guide dogs

1 6433 **Q**

No pets allowed

1 5497 **G 3** 2 5497 **G 3**





No dogs allowed

1 5467 EK

Nο dog fouling 1 3636 GM 2 3636 G





2mm Aluminium 800mm Pole 450 x 150mm **5** 6694



Railway Prohibition



Do not

feed the

gulls

Danger Do not touch











1 7114 **GG** 2 7114 🖼 🕃









Material Codes 1 Rigid Plastic

1 3261 Q 7 3261 Q

2 Self Adhesive Vinyl

5 Miscellaneous 8 Quick Fix

Landscape Sizes

N 400 x 400mm S 75 x 200mm

600 x 450mm

Portrait Sizes **4** 75 x 100mm **G** 150 x 200mm

② 250 x 300mm ③ 300 x 400mm

Q 400 x 600mm **Q** 450 x 600mm

Vehicle Prohibition Signs



Forklift trucks prohibited beyond this point

Floor Graphic



1 3218 **GMB3P** 2 3218 **GMB 7** 3218 **G**M

A4 (210 x 297mm) **5** 8368

Self Adhesive Vinyl A4 (210 x 297mm) **5** 8369

2 3211 Q



1 3216 **GMP**



No vehicles beyond this point

1 3217 **GMP**



1 6590 G M





Do not reverse without a banksman

1 3648 GM 2 3648 GM



No cycling

No idling

Switch off engine

Reduce emissions

1 3606 GM

0

1 5473 Q

Verge Signs

1 3231 P

450 x 150mm - 2mm Aluminium sign supplied on a 800mm pole

Reverse Mirror Sign

No reversing

without supervision

This sign is designed to be read in a

vehicle mirror. Perfect for busy traffic areas, warehouses and loading bays.

No reversing

without

supervision



5 7593



5 6590

5 6695



Do not wear

loose clothing

when operating

this machine

Do not sit on

this machinery

Do not obstruct

this area



authorisation













1 3234 **@**

lease do no

1 7598 **EN**

2 3669 S

Machinery Prohibition Signs



Do not use unless guards are in position



Do not reach in to this machine

1 3655 **G** 2 3655 **G**



No unauthorised person may operate this machine

1 3410 **GM**





1 6243 Q 2 6243 A





Do not switch off

35 x 25mm **5** 3432

Sheet of 10 40 x 18mm



Do not distract the operator whilst the machine is running



Employees are positively forbidden to ride on this lift

1 3609 **G** 2 3609 **G**



men working on machine







Adapt-a-Sign Frame

Print out your own message on a standard A4 piece of paper and insert into the Adapt-a-Sign frame.

3mm PVC with Clear PVC Cover 310 x 210mm - 10mm coloured border - Holds standard A4 sheet





Ready to Peel. Self Adhesive Vinyl



Roll of 100



















Private driveway No parking or turning





0

1 3656 **G** 2 3656 **G**

1 3653 **G** 2 3653 **G**





Do not

remove guards

Do not reach in

to this opening

Do not use lift

in the event

of fire

Do not start













Unauthorised

persons may not

change grinding wheels















1 3633 **G**M

switch off

Self Adhesive Vinyl

35 x 25mm

5 3431



touch

General Prohibition Signs



1 3607 GM G 2 3607 GM G 8 3607 G



1 3671 GM 2 3671 GM



No cameras or video recording equipment



Do not jump from the loading dock



1 3640 **G** 2 3640 **G**



1 3219 GM 2 3219 GM 8 3219 G



Do not attempt to lift heavy loads single handed

1 3635 **G** 2 3635 **G**



1 3601 GM



Not drinking water

1 3605 GMA 2 3605 GMA 8 3605 A



The consumption of food or drink is forbidden in this area

1 3631 **G** M 2 3631 **G** M



No radios

1 3237 GM



devices allowed beyond this point

1 5475 K 2 5475 K



Fly tipping is an offence under the Environmental Protection Act (1990). Offenders may face up to a £50,000 fine and/or a prison sentence

1 1743 KQ 6 1743 Q



Cameras and camera phones prohibited

1 3643 **G**(3 2 3643 **G**



or drinking in this area

1 3232 **G 3** 2 3232 **G 3**



1 3675 **GG** 2 3675 **GG**



1 3235 **G** 2 3235 **G**



18493 **E**

2 8493 **E**

anitary products down the toilet

1 5229 A 2 5229 A



2 3613 **E** 8 3613 **E**



1 3604 **2** 3604



Use of drones and UAVs over this site is strictly prohibited Anyone found operating a drone over this location will be reported for prosecution and subject to civil legal action

1 3649 KQ



1 3676 **③ ② 2** 3676 **③ ②**



These water edge prohibition signs have been designed to the specifications of ISO 20712-3: 2014 Water Safety Signs which ensures maximum comprehension.



Nο diving **1** 3614 **(3**(3)

No fishing

1 3615 **(3**(3)

outdoor footwear

1 3618 **3**

Nο running

1 3621 **3**

Labels

Ready to Peel. Self Adhesive Vinyl



Roll of 100 50 x 50mm **5** 9709



Sheet of 6 65mm Dia. **5** 6099

Bespoke Labels



Don't see the message you require? We can supply labels on sheets or on a roll. Contact us with your requirements to receive a quote.

Safety Tags

These double sided safety tags are manufactured from Matt PVC - Pack of 10 - 80 x 150mm - Supplied with 150mm nylon cable ties











5 3427



5 3434































1 Rigid Plastic 5 Miscellaneous 2 Self Adhesive Vinyl 6 Aluminium

7 PET 8 Quick Fix

A 100 x 75mm **E** 200 x 200mm

Landscape Sizes

G 300 x 100mm **K** 400 x 300mm

M 600 x 200mm N 400 x 400mm

Q 600 x 450mm S 200 x 75mm

Portrait Sizes **6** 300 x 400mm **6** 400 x 600mm **♠** 75 x 100mm **♠** 150 x 200mm

450 x 600mm

Harmful Substances

Displayed to advise and forewarn of potential dangers. These signs should include a yellow triangle with black border containing a warning symbol conforming to ISO 7010.

The signs' supplementary text should always include one of three words:- Danger - High level risk that could result in death or serious injury. This keyword should be limited to the most extreme hazard cases. Warning - Medium level risk that could result in minor or moderate injury. Caution - Low level risk that could lead to minor injury.



1 4425 **(3**(3) 2 4425 **3**

1 4418 **E** 2 4418 **E**



1 4413 **G**(3 **2** 4413 **G**(3



1 4416 **E** 2 4416 **E**





1 4455 **G** 2 4455 **G**



1 4519 GM 2 4519 GM



1 4446 GM 2 4446 GM



1 4247 **G** 2 4247 **G**



1 4451 GM 2 4451 GM



1 4459 GM 2 4459 G





Roll of 100 50 x 50mm **5** 9721

Roll of 100 50 x 50mm

Flammable Substances



1 4490 **Q** 2 4490 BB



1 4420 **G 2** 4420 **3**



1 4421 **Q** 2 4421 **3**



Highly flammable material 1 4453 **G 2** 4453 **3**



Oxidising agent

1 4424 **G 2** 4424 **3**



1 4414 **E**2 4414 **E**





1 4427 GMP 2 4427 GMP



Warning **Dust hazard**

L.P.G.

GM **1** 4448 2 4448 G

Asphyxiation

Situations that can cause asphyxia include but are not limited to: being in environments where oxygen is not readily accessible: such as in a low oxygen atmosphere or in a vacuum / confined space; environments where sufficiently oxygenated air is present however it cannot be adequately breathed in due to excessive smoke / dust particles.



1 4325 GM 2 4325 GM





1 4326 GM 2 4326 GM



Oxygen

Caution

1 4410 GM 2 4410 GM



1 4327 GM 2 4327 GM



2 4520 GM

1 4549 **G** 2 4549 **G**



1 4443 **G** 2 4443 **G**



1 4429 **G** 2 4429 **G**

Compressed Gases



1 6502 **2** 6502

Warning Compressed air



Danger

Explosive

atmosphere

1 4480 **G**

Warning Compressed gas

1 4248 GM G 2 4248 GM G 3 4248 GM G 4 424



Pressurised cylinder 1 4520 GM

D.S.E.A.R



Danger Cylinder storage area

1 4563 **GMB**(8 **2** 4563 **GMB**(8

Explosive Materials



1 4302 **Q**

2 4479 G















Danger



D.S.E.A.R Poster An eye catching poster informing readers of workers responsibilities when working with dangerous substances and explosive atmospheres. It explains what employers must undertake in order to comply with DSEAR.

Irritant, Caustic & Corrosive Substances



Warning Corrosive

1 4405 **G**



Danger **Battery** acid





Warning Caustic

1 4406 **G** 2 4406 G



2 4405 G

Danger Acid

Danger

Asbestos

Warning Chemical waste

Warning

Irritant



Warning Chlorine

1 4442 GM 2 4442 G



Caution Bleach and other harmful ritants and substances ar stored in this cupboard

1 4400 **G** 2 4400 **G**



1 4489 **(3** 2 4489 **3**



1 4426 **3 2** 4426 **3**





1 4419 **E 2** 4419



1 4454 **G** 2 4454 **G**

Asbestos



1 4259 GMP

2 4259 GM 8 4259 G



1 4449 GM 2 4449 G



Danger Asbestos hazard

1 4409 GMP 2 4409 GM



Danger This product

1 4260 GM 2 4260 G



Non-Adhesive Polythene 75mm x 250m **5** 8607

Double Sided Matt PVC Tags x 10

80 x 150mm Comes with 150mm Cable Ties



Rolls of Labels

Roll of 100 - Self Adhesive Vinyl - 27 x 50mm





5 9869

Lower Risk Hazard Warnings



Warning Fire risk

1 4486 **G**



Warning Pesticide

1 4457 **G** 2 4457 **G**



1 5220 GM 2 5220 GM



5 9832



1 4253 GM 2 4253 G

5 9765

Radioactive, Biohazard & Lasers



Danger **Biohazard**



Protective clothing must be worn

1 4525 **Q 2** 4525 **Q**



Biohazard

1 4536 **3 2** 4536 **3**



1 4462 **G 3 2** 4462 **G**

Caution

Hot surface



1 4014 **3**

2 4014 **3**



1 4016 **G 2** 4016 **G**



Rolls of Labels

Roll of 100 50 x 50mm **5** 9719

Roll of 100 50 x 50mm **5** 9724

Roll of 100 50 x 50mm **5** 9726

Bespoke Warning Signs

To create your own warning message see page 148.





1 4256 **E 2** 4256



2 4537 **C** Self Adhesive 25 x 25mm **5** 1692

Temperature



1 4208 **G**M G **2** 4208

Caution Hot

















1 4286 **A** 2 4286 **A**





Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous 8 Quick Fix

A 100 x 75mm C 150 x 150mm

Landscape Sizes

200 x 150mm **E** 200 x 200mm

G 300 x 100mm M 600 x 200mm **N** 400 x 400mm **Q** 600 x 450mm

U 100 x 100mm

A 75 x 100mm **1**50 x 200mm

Portrait Sizes

300 x 400mm 400 x 600mm

Industrial Vehicles / Robotics



7 4215 GMP **8** 4215 **G**M

Floor Graphic 400 x 600mm **5** 8734



2 1806 **3** 1 4244 **©**



2 1812 **G**



1 4298 **(S**) 2 4298 **(S**)



Rigid Plastic A4 (210 x 297mm) **5** 8374 Self Adhesive A4 (210 x 297mm) 5 8375

Caution

Forklift Trucks



Danger Stop. Look. Listen. Beware of trucks

1 4205 GMP 2 4205 GM

Floor Graphic 400 x 600mm **5** 8735



Danger Stop. Look. Listen. Beware of vehicles

1 4206 GMP 2 4206 GM **8** 4206 **GM**



Warning Battery charging in progress

1 4211

Projecting Sign Face: 150 x 200mm **5** 4301



Braille

1 4222 EN 2 4222 **E**

300 x 150mm **5** 6319



Caution Forklift trucks have priority of way in this area

1 4243 GM 2 4243 G



Warning When operating keep feet clear of tailgate edges

2 4254 **G**



Warning Beware of moving vehicles

1 6459 GM 2 6459 GM



Warning Moving vehicles

16504 GM 2 6504 G



Warning Forklift charging area

1 4332 MQ **2** 4332 M



1 6692 G(3 2 6692 G(3



Warning Moving traffic beyond this point

1 4491 **G**M 2 4491 GM



Warning Forklifts operating

Pedestrians must keep to the marked walkways

1 4333 **M**

Robotics / Machinery



Caution

1 4228 GM 2 4228 GM



1 4283 **3** 2 4283 **3**

Caution Sharp blades

1 4284 **3** 2 4284 **3**



Warning Remotely operated machinery

1 4316 GM 2 4316 GM



Caution Beware of machine rollers

1 4263 **G 2** 4263 **G**



Warning Danger of crushing

Warning

Razor wire

1 3666 GM 2 3666 GM

1 1715 GM 2 1715 G

7 1715 **G**M



Warning

1 4317 **GM 2** 4317 **GM**



1 4226 **G** 2 4226 G



Caution

Warning

Barbed wire

1 4264 **G 2** 4264 **G**

1 1720 GM 2 1720 G

7 1720 GM



Warning

1 4318 GM



1 4441 GM 2 4441 G



2 4262 G

Site Security



Warning Anti climb paint

1 1714 GM 2 1714 GM **7** 1714 **G** M

8 1714 G

Shoplifters will be Face Adhesive prosecuted 75 x 100mm **5** 1729



is patrolled by security guards

1 1730 🖫🕃 Face Adhesive 75 x 100mm

premises are alarmed

5 1702


2 1826 **目**





Rigid Plastic A4 (210 x 297mm) 5 8366 Self Adhesive

5 8367



1 1727 **(D(3**)





1 1731 **(1)**









Warning Electric fence



1 1738 **G** 2 1738 **G**





2 4220 E

CCTV Signs For our full range of CCTV signs see page 81.

Construction Site Warnings



1 4201 GMP 2 4201 GM

1 4202 GMP

1 4203 GMP

Rigid Plastic A4 (210 x 297mm) **5** 8376

Self Adhesive A4 (210 x 297mm) **5** 8377

Danger

Men working overhead

Danger

Men working below

Danger

Men working on plant



Danger People at work

1 4334 GM P 2 4334 GM

1 4335 GMP

1 4336 **GMP**

2 4335 GM

Rigid Plastic A4 (210 x 297mm) **5** 4328

Self Adhesive A4 (210 x 297mm)

Danger

People working

overhead

Danger

People working below

Danger

People working on plant



Danger Risk of falling

1 4494 GM 2 4494 GM



Warning Sudden drop

1 4238 GM 2 4238 G



8 4261 GG

1 4261 GMG GP 2 4261 GMG GP

Danger Deep excavations

Warning

Fragile roof

1 4204 GMQ **9** 2 4204 GM



Danger Falling objects

1 6456 GM

PVC Banner 1270 x 610mm **5** 6456



1 6403 MP **2** 6403 **M**

1270 x 610mm **5** 5088



Warning Hazardous area

Warning

Stand clear of

suspended loads

1 4240 GM 2 4240 GM 8 4240 G

1 4250 GM



Warning Welding in progress

1 4497 GM 2 4497 GM 8 4497 G



Caution Arc welding

1 4212 GMG(S 2 4212 G



1 4245 GM

Warning Look out for overhead loads

1 6418 **GMP** 2 6418 G



1 4337 **G**M

Warning Overhead crane

1 6455 GM 2 6455 G



Caution **Pedestrians**

1 4493 **G**M 2 4493 GM



Warning **Pedestrians**

ISO 7010

SIGNAGE

COMPLIANT

1 5932 GG 2 5932 GG



Danger Open pit

Danger

Open manhole

Danger

Acetylene

1 6503 GM 2 6503 GM

1 6454 **GM**



Danger Test area

1 4230 **G** 2 4230 **G**



Warning Site traffic

1 6460 **GM**





1 6417 **MQ**



1 6442 **Q**



site

Rigid Plastic A4 (210 x 297mm) **5** 8360

Self Adhesive A4 (210 x 297mm)

5 8361

1 4219 EN **2** 4219 **E**



1 6462 **Q**





1 6681 **Q**












Landscape Sizes







1 4338 Q

1 6450 Q

1 6434 Q

Q 600 x 450mm

● 150 x 100mm **1** 200 x 150mm

Portrait Sizes

250 x 300mm 300 x 400mm

Q 400 x 600mm **Q** 450 x 600mm

Electrical Labels

A range of small electrical labels which can be used to highlight voltage supplies. Supplied on self adhesive vinyl and 40 x 50mm in size.



Roll of 100: 5 9793 Sheet of 25: 5 4054



Roll of 100: 5 9769 Sheet of 25: 5 4050



Roll of 100: 5 9789 Sheet of 25: 5 4053



Roll of 100: 5 9768 Sheet of 25: 5 4049



Roll of 100: 5 9788 Sheet of 25: 5 4052



Roll of 100: 5 9767 Sheet of 25: 5 4048



Roll of 100: 5 9814 Sheet of 25: 5 4060



Roll of 100: 5 9817 Sheet of 25: 5 4062



Roll of 100: 5 9787 Sheet of 25: 5 4051



Roll of 100: 5 9795 Sheet of 25: 5 4056



Roll of 100: 5 9797 Sheet of 25: 5 4058



Roll of 100: 5 9818 Sheet of 25: 5 4063



Roll of 100: 5 9796 Sheet of 25: 5 4057



Roll of 100: 5 9794 Sheet of 25: 5 4055



Roll of 100: 5 9798 Sheet of 25: 5 4059



Roll of 100: 5 9816 Sheet of 25: 5 4061

BS 7671 Warning Labels

Designed to comply with IET wiring regulations BS 7671:2018



Sheet of 10: 5 4034

CAUTION

This installation has wiring colours to two versions of BS 7671 Great care should be taken before undertaking extension, alteration or repair that all conductors are correctly identified

Roll of 100: 5 9819

IMPORTANT

This installation should be periodically inspected and tested and a report on its IET Wiring Regulations BS 7671 Requirements for Electrical Installations Date of last inspection Date of next inspection


100 x 75mm Roll of 100: **5** 9584 Sheet of 9: **5** 4064

IMPORTANT

This installation, or part of it, is protected by a device which automatically switches off the supply if an earth fault develops. Test six-monthly by pressing the button marked "T" or "Test". The device should be switched on to restore the supply. If the device does not switch off the supply when the button is pressed seek expert advice.

100 x 75mm Roll of 100: **5** 9764 Sheet of 9: **5** 4065





12.5 x 12.5mm

25 x 25mm

PAT Testing

Portable Appliance Testing is the name of a process in which electrical appliances are routinely checked for safety. The formal term for the process is in-service inspection and testing of electrical equipment. PAT Test labels should comply with IEE regulations, ensuring all required information is on the label


Cable Wrap Labels

A roll of 100 cable wrap labels manufactured from a matt non-rip material that can be written on with a standard pen. The label wraps around the cable to identify if the appliance has passed or failed PAT.









5 4043



5 4028

Permit to Work - Electrical Works

They include risk assessment and sign-off to ensure that only competent employees are working on electrical works.

Permits contain 3 parts (original, plus two carbon copies for management records) with a card backing in the form of an A4 sign.

An integral part of any Health and Safety Management System

58171



Electricity Posters

Provide staff with guidance on the potential hazards of electricity and what actions should be taken to minimise risk with these informative safety posters.







594 x 420mm 5 8999

Posters and Frames

For our full range of posters and frames see pages 44 - 53.

Electricity Warnings



Danger 110 Volts

1 4002 **G 3** 2 4002 **G 3**



Danger 415 Volts



Danger Live busbars

1 4017 GM 2 4017 GM



Danger ive wires overhead

1 4018 **GM 3 (P) 2** 4018 **3**



Danger Disconnect the mains supply before removing this cover



1 4460 G



Danger

Keep away

1 6219 GMP 2 6219 G



1 4012 **DB**(3 **2** 4012 **DB**(3 **8** 4012 **(3**

Rigid Plastic A4 (210x 297mm) **5** 8386

Self Adhesive A4(210 x 297mm)



Danger 230 Volts

1 4024 G 2 4024 **GG**



Danger 440 Volts

1 4004 **G 3** 2 4004 **G 3**



Danger Live wires

1 4010 GMG&P 2 4010 GB



Danger **Buried cable**

1 4020 GM G Q 2 4020 G G



Caution Underground services



1 4249 **G** 2 4249 **G**



Warning isolate this machine before removing guards

1 4265 **G** 2 4265 **G**



1 4013 **BBP**

2 4013 **(3P)**



1 4011 **DG** 2 4011 **D**(3



Warning Drivers beware of overhead electric cables

1 4021 GM&P 2 4021 M

1 4001 GMB(3

2 4001 **G**

1 4031 **G**



Caution Men working on equipment

Danger

240 Volts

Danger

6600 Volts



1 4465 **G** 2 4465 **G**



1 4221 FN 2 4221 F 1 4218 **F** 2 4218 **F**



No unauthorised person to touch this switchgear

1 4019 **0** 2 4019 **①**

Danger 400 Volts

1 4022 GM 2 4022 GM (5



Danger 11,000 Volts

1 4005 GM 2 4005 GB



Warning High voltage cables overhead

1 4007 GMG&P 2 4007 G



Danger Electric shock risk

1 4029 GM



Caution People working on equipment



Danger High voltage

1 4009 GM&&P 2 4009 GM&& 7 4009 GM

8 4009 GM

Self Adhesive Vinyl labels supplied ready to peel and apply.



Roll of 100 50 x 50mm **5** 9720



Self Adhesive

100 x 100mm **5** 4038

50 x 50mm

Arc Flash

An arc flash is an explosive release of energy that includes brilliant light, dangerous sound levels and sometimes a blast pressure wave. It is primarily caused by an electrical short circuit or overvoltage between live conductors or live conductor and earth. Where the flash results in a blast, explosive noise and shrapnel can accompany it. Isolating the supply of electricity and using appropriate PPE are popular methods for reducing the risk of an arc flash, as is the use of appropriate signage to highlight the inherent dangers.



Warning Arc flash and shock hazard

14319 **G3 2** 4319 **G3**





Warning

1 4320 GM 2 4320 GM



1 4322 **G 3** 2 4322 **G 3**



Warning

1 4321 **G** M **2** 4321 **G** M



1 4324 **G 3** 2 4324 **G 3**



Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous 7 PET

8 Quick Fix

Landscape Sizes E 200 x 200mm G 300 x 100mm

M 600 x 200mm N 400 x 400 mm P 600 x 400mm

Portrait Sizes ● 150 x 100mm 200 x 150mm

6 300 x 400mm **6** 400 x 600mm

Warning Safety Tags



equipment or machinery with these double sided warning safety tags.

Pack of 10 80 x 150mm Matt PVC Supplied with 150mm cable ties



5 5074

5 5065



5 5063

Warning

5 5061

Caution

5 5082

Warning

5 5057

Warning



5 5064

Highlight faulty / dangerous

5 5075

5 5071

Identify and isolate hazards that may cause injury with our full

range of Lock Out Tag Out products found on pages 96 - 97.



Warning Unsafe

5 5060

Danger Live wires **5** 5062

Danger **5** 5067

Danger High voltage **5** 5068

Caution **5** 5078

5 5058

5 5083

Lock Out Tag Out



1 6241 Q 2 6241 A



1 6240 Q 2 6240 A

Lock Out Tag Out



1 6245 Q



1 6242 Q



Sheet of 6 Self Adhesive Vinyl 105 x 99mm **5** 4041

Labels



Noise



1 5220 GM 2 5220 GM



1 5223 GM 2 5223 GM



2 4210 🖪

1 5222 GM 2 5222 GM 8 5222 G




1 6251 GМ 2 6251 GM 8 6251 G

Vibration


The Control of Vibration at Work Regulations 2005 seeks to restrict exposure to vibration. Without appropriate control Hand Arm Vibration Syndrome (HAVS) and Vibration White Finger can be a consequence.








Self Adhesive Vinyl 25 x 25mm



Self Adhesive Vinyl 25 x 25mm **5** 5055



Self Adhesive Vinyl 25 x 25mm



Self Adhesive Vinyl 50 x 75mm **5** 5051



Self Adhesive Vinyl 50 x 75mm **5** 5050

Allergy Warnings

Since December 2014 restaurants and food outlets have been required to display details of possible allergens contained in menu items being served.











For our full range of bar and restaurant signs see page 84.





Glass / Door Highlighting

Provision 14 of The Workplace (Health, Safety and Welfare) Regulations 1992 states that every window or other transparent surface in a wall or door shall, where necessary for reasons of H&S, be appropriately marked or incorporate features to make it apparent. These self adhesive vinyls can be used to highlight glass surfaces.









2 4132 X


Double Sided Glass Door Signs

For double sided glass door signs see page 82.



2 4131 **X**

2 4130 X



Frosted Crystal Vinyl

Custom Frosted Vinyl

We can provide frosted vinvl cut to any shape. Contact us for a quote.



1000 x 150mm




Frosted Crystal Vinyl **5** 9151



1000 x 150mm **5** 9465

Overhead & Access





5 8313











400 x 35mm 5 4037



1 4496 M 2 4496 M



1 5634 G M 2 5634 G M



Confined Spaces

For more confined space safety signs see page 55.

Impact Protection

Warn of protruding corners, vulnerable pipes and protect people from injury. Our full range of impact protection is on page 59.



Semi-circular 40/32 Polyurethane Foam with Self Adhesive Backing **5** 9225



Semi-circular 40/40 Polyurethane Foam with Self Adhesive Backing



Semi-circular 40/40 Polyurethane Foam

PEN

HIS

END

OPEN

THIS

END



Trapeze 40/40/8 Polyurethane Foam

OPEN

THIS

END




Trapeze 40/80/8 Polyurethane Foam

5 9837






75 x 100mm - Rolls of 250 - Tough non-rip polypropylene



FRAGILE





WITH CARE



LQ Labels **2** 4557 **F U** 2 4558 EU Roll of 100 Roll of 100 Self Adhesive Vinyl 100 x 100mm Self Adhesive Vinyl 100 x 100mm



5 9838



Required by the Manual Handling Operations Regulations 1992 (as amended 2002).

These labels should be installed onto heavy packages and other items to indicate a manual handling risk.



Self Adhesive Vinyl 50 x 50mm - Roll of 100 **5** 4030

Water Safety Signs

FRAGILE

5 8193

Designed to the specifiations of BS ISO 20712-3: 2020 Water Safety Signs and ISO 7010: 2020







1 4280 **G**







Material Codes

1 4273 🔞

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous

A 100 x 75mm **B** 80 x 80mm

Landscape Sizes

E 200 x 200mm G 300 x 100mm

K 400 x 300mm Q 600 x 200mm

@ 600 x 450mm U 100 x 100mm

X 200 x 100mm

Portrait Sizes 300 x 150mm 300 x 400mm

2 400 x 600mm

Full range of signs on page 55.

Free Standing Signs

Polypropylene - 300 x 600mm - Double Sided Warning - Foldable, Waterproof, Durable and Compact



Lightweight Free Standing Signs





Custom Free-Standing Signs

These popular double sided, free-standing signs can be customised and personalised to show the warning message you require. They can also be used to promote brand awareness while you work – add your company name and contact details to ensure potential customers know who to contact if they want similar work completed.

To customise these signs in any way simply quote the relevant code and supply the wording/message or image that you require when ordering.

Choose your design and include up to ten words on both sides.





Fluted

Surface Safety Signs



Slippery when wet

1 4229 **G**

Slippery floor surface



GMP 2 4213 GMP 8 4213 G

Floor Graphic 400 x 600mm 5 8824



1 4257 GMP 2 4257 G



8 4209 G

Mind your step

Self Adhesive Step Strip

5 4035

1 4492 **G** 2 4492 **G**

Rigid Plastic A5 (148 x 210mm) **5** 8316

Self Adhesive Vinyl A5 (148 x 210mm) Floor Graphic 300 x 100mm **5** 8749 **5** 8317



1 4214 GM 2 4214 GM 8 4214 G



1 4521 **G** 2 4521 **G**

Caution



5 9699

1 Litre Floor Primer

1 Litre Floor Cleaner 1 4287 **(2)** 5 8827 2 4287 **(2)**

Anti-Slip Mats

A range of anti-slip mats which are 610 x 150mm in size and include an aggressive pressure sensitive adhesive for bonding to most floor surfaces.



Caution Watch your Step **5** 9634





Photoluminescent Strip Reflective Strip

5 9697 **5** 9696

Pre-Printed Wall Mounted Barriers

Wall mountable retractable barriers with popular messages printed onto the fabric. A very effective system for restricting access with a choice of belt lengths available.



Cones

Mind your step

Warning

Steep steps

500mm high round PVC cones are preprinted to mark hazardous areas, or we can print a message of your choice.

500mm high triangular cones are manufactured from a UV stabilised LDPE upper and a 100% recycled PVC base for extra stability.

All cones are easily stacked.

Message
Slippery Surface
Floor Cleaning
Custom Message
Wet Floor
Custom Message

Code Shape Round **5** 7980 **5** 7981 Round **5** 7995 Round Triangular **5** 7982 Triangular 5 7996



Minder Guards

Each minder includes a pack of 6 messages and a stand.

- · Caution out of service
- Caution wet floor
- Temporarily closed
- Danger keep out
- · Cleaning in progress
- Caution work area

Polyethylene 1030 x 780 x 26mm

Caution..Work Area Caution..Work Area

Elevator Guard



Designed specifically for elevator maintenance and to comply with BS EN 7255:2001.

Complete modular, 2-panel units that can link together to form larger units. Fold away barrier system made from durable polyethylene plastic. Non-conductive, telescopic poles stored inside the barriers to connect to elevator opening. Lightweight yet extremely strong.

- Suitable for 1300mm openings
- No admittance authorised personnel only
- Each panel 1100 x 660 x 40mm (H x W x D)
- Weight: approx 4kg
- Telescopic poles extend to 2.2m

Polyethylene 1100 x 660 x 40mm Panels x 2

5 9638

Cone Attachments



This lightweight ring fits onto round cones; complete with hooks for plastic chain attachment. Use to create a simple barrier solution.



Lightweight polyethylene chain with 6mm links. Supplied in 10 metre lengths.

Red & White Black & Yellow **5** 9041

For chain posts and additional barrier systems see pages 70 and 71

Handi Guards



High quality modular, 3-panel barrier system with a yellow and black stripe and caution symbol as standard. A smooth finish allows easy maintenance and cleaning. Snap on hinges supplied with every panel or set to link panels together.

- Dimensions: 800 x 1000 x 30mm (H x W x D)
- · Foldaway for easy storage
- Lightweight panel weight 2.5kg
- Made from durable polyethylene
- Designed to comply with BS7801:2011 safe working on escalators and moving walkways

Polyethylene 800 x 1000 x 30mm Panels x 3

- 1 Rigid Plastic 2 Self Adhesive Vinyl
- 5 Miscellaneous 8 Quick Fix

Landscape Sizes G 300 x 100mm **M** 600 x 200mm

Portrait Sizes 75 x 100mm 200 x 150mm

Personal Protective Equipment (PPE) Signs

Employers are responsible for the provision and use of personal protective equipment (PPE) at work. PPE is equipment that will protect the user against health or safety risks at work, it can include items such as safety helmets, gloves, eye protection, high-visibility clothing, safety footwear, safety harnesses and respiratory protective equipment (RPE).

PPE must be properly looked after and stored when not in use. Employees must make proper use of PPE and report if it has been lost, damaged or if any fault is found. Safety signs and posters can prove a useful reminder that PPE should be worn during specific tasks or in specific locations. Take note of any changes in equipment, materials or methods - you may need to update your signs accordingly.

Symbols



1 5015 EN 2 5015 E



1 5419 EN



1 5208 FN **2** 5208 **E**



2 5006 **E** Floor Graphic 400mm Dia

5 8746

1 5005 **GMB**(8

2 5005 GMB



2 5202 **E** Floor Graphic 400mm Dia **5** 8801

Eye protection

must be worn when

operating this machine



1 5014 **FN** 2 5014 **E** Floor Graphic

400mm Dia

58744



1 5204 **EN**



1 5416 E



1 5025 E



1 5007 **E** 2 5007 **E**



2 5206 E

Eye Protection



Eye protection must be worn

2 5003 GM GK 8 5003 GG



Eye protection must be worn in this area

Rigid Plastic A4 (210 x 297mm) **5** 8364

Self Adhesive Vinyl A4 (210 x 297mm)



1 5009 **E**



These goggles are for use

with this grinder only

Not to be taken away







Wear goggles your eyes cannot be replaced

15004 GM 25004 GM

Enalish & Polish



Należy założyć środki ochrony ocz

1 5238 **① 2** 5238



must be worn beyond this point

Floor Graphic 400 x 600mm **5** 8732

Helmet / Hard Hat



Safety helmets must be worn in this area

1 5016 GMB&P 2 5016 GMB& 8 5016 **G**

GME 2 5024 GMA Rigid Plastic A4 (210 x 297mm) **5** 8370



Bump caps

must be worn

in this area



1 5018 **GM G (P** 2 5018 GMB

beyond this point Floor Graphic 400 X 600mm **5** 8730

Hard hats must be

worn on this site

at all times

Safety helmets

must be worn



1 5008 **目**

2 5008 **E**

hard hat area PVC Banner 1270 x 1270mm **1** 6402 **MP**





5 5115



This is a

You are now entering a designated area All persons proceeding past this point must wear an approved safety helmet, safety footwear and high visibility jacket

1 6236 8 6236 P PVC Banner with Eyelets 1270 x 610mm

English & Polish



must be worn Należy nosić kaski ochronne

1 5250 **3 2** 5250 **3**

English & Polish



Należy nosić kamizelki odblask

1 5248 **G 2** 5248 **G**

PPE Stations



Personal Protective Equipment (PPE) by providing workers with an organised storage location with our range of PPE Stations.

Full range on page 72.

High Visibility Clothing



High visibility clothing must be worn in this area

1 5218 **2** 5218 **G**M **8** 5218 **G**



1 6401 M P

High visibility jackets must be worn beyond this point

1 5216 MGCP 2 5216 MGC 6 5216 M **7** 5216

8 5216 **GG**

Floor Graphic 400 X 600mm 5 8820



High visibility jackets must be worn

1 5452 2 5452 GM Rigid Plastic A4 (210 x 297mm) 5 8382

Self Adhesive Vinyl A4 (210 x 297mm) **5** 8383

Safety Footwear



Safety footwear must be worn on this site

1 5232 GM **2** 5232 8 5232 G



Protective footwear must be worn

1 5201 **GM GG** 2 5201 GM GG 8 5201 **G**

Rigid Plastic A4 (210 x 297mm) **5** 8372 Self Adhesive Vinyl

A4 (210 x 297mm)





Safety helmets and safety footwear must be worn

1 5019 EKP 25019 EK 6 5019 P

Enalish & Polish



Protective footwear must be worn Należy nosić obuwie ochronni

1 5249 **3** 2 5249 **(3**



Floor Graphic 400 x 600mm **5** 8828

Ear Protection



1 5012 **GMB®** 2 5012 GMB(3



Ear protection zone Ear protectors must be worn

1 5013 **G** M 2 5013 GM 8 5013 GM



Ear protection zone No entry without ear protecti

1 6250 GMP 2 6250 GM

8 5010 G(3



1 5023 GM 2 5023 GM 8 5023 GM



1 5222 GM 2 5222 GM 8 5222 G



Use ear protectors when operating this machine

1 5011 **GMG**(3 2 5011 **GM 6**



1 6251 GM 2 6251 GM 8 6251 G



must be worn


in this area

Rigid Plastic A5 (148 x 210mm) **5** 8398

Self Adhesive A5 (148 x 210mm) 5 8399



Floor Graphic 400 x 600mm



1 5219 EK 2 5219 EK



Ear protectors are available on request

1 5225 HK 2 5225 H

Noise Activated Sign

A highly visible noise activated sign for use where there's a need to indicate when a preset noise level is reached. A great solution where noise levels are intermittent such as factories or music venues.

- · Lights up when a preset level is exceeded.
- Quick and simple to install: Wall mount and connect to mains via 5m cable.
- Trigger level: 40dB(A) to 114dB(A) for use in any environment.
- High intensity white LED for high visual impact and a long operating life.

300 x 50mm (Diameter x Depth) **5** 8139



Harnesses & Work at Height



Tool tethers must be

used when working

1 5407 GM 2 5407 G



2 5504 GM

above 2 metres 1 5504 GM



Clip on when working at height

1 5215 GM 2 5215 G



Avoid accidents All tools must be tethered when working at height

1 5505 GM 2 5505 GM

Masks & Respirators



Masks must be worn when working here

1 5207 GMB(8 2 5207 GMB(8



Respirators must be worn

1 5205 GEK 2 5205 **G**



Wear visor

1 5233 G 2 5233 G



Wear welding mask

Protective clothing

is provided for your

safety and must be worn

1 5021 GM 2 5021 GM

Wear masks

1 5237 **G3** 2 5237 **G3**



face shield

1 5001 GM G (S) 2 5001 GM (E)

Protective garments

must be worn

Gloves



Wear gloves

1 5236 **G 3** 2 5236 **G**



must be worn 1 5203 GM G & 2 5203 GM G &

8 5203 **G**

Clothing & General



Lab coats must be worn in this area

1 5231 **G**



1 3022 **G**



1 5603 **₽③** 2 5603 **₽⑤**



1 5217 **QQ** 2 5217 **QQ**



beyond this poin

Floor Graphic 400 x 600mm **5** 8733



COVID-19 PPE Signage

We have a range of signs dedicated to the prevention of spreading Coronavirus and the use of face masks and face coverings on pages 138-141

> Sign Adhesive 310ml 5 8694



Approved personal protective equipment must be worn at all times

1 5221 **G M 2** 5221 **G M**



Overshoes must be worn beyond this point

1 5464 **G** 2 5464 **G**



Personal protective equipment is provided for your health and safety and must be used Defective equipment should be immediately reported to your safety representative

15210 EK 25210 EK

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl

6 Aluminium

5 Miscellaneous

7 PET 8 Quick Fix **Landscape Sizes E** 200 x 150mm **F** 200 x 200mm

G 300 x 100mm 300 x 250mm

K 400 x 300mm M 600 x 200mm

P 600 x 400mm

N 400 x 400mm

Portrait Sizes 150 x 200mm

250 x 300mm

PPE Posters



Rigid Plastic 400 x 600mm **5**8113



Synthetic Paper 420 x 594mm **5** 7473



Controlling Noise

What you need to know



Synthetic Paper 420 x 594mm





Synthetic Paper 420 x 594mm **5** 7476



Synthetic Paper 420 x 594mm

Dimensions

300 x 100mm

600 x 200mm

Suspended Frame

All suspended frames come with a

suspension kit for easy installation.

Simply add two Rigid Plastic signs

hang the suspended frame from the

White

5 8700

5 8702

Use ear protectors

in this area

5 8720

5 8721

ceiling. More options on page 52.

of your choice back to back and

Masks must be worn

Synthetic Paper 420 x 594mm







SITE SAFETY

Eye protection

must be worn

SITE SAFETY

Safety footwear

must be worn

Synthetic Paper 420 x 594mm

5 7474

Synthetic Paper 420 x 594mm **5** 7478

100mm Dia

5 5038

Dispenser Remind staff and visitors of their Personal

Protection Equipment requirements with our PPE dispenser. Ideal for factories, warehouses and production environments. Our PPE dispenser is made of clear acrylic enabling easy checking of contents and quantities, whilst the hinged lid provides simple access. It can either be placed on a desk or wall mounted.

Dimensions: 240 x 220 x 145mm (HxWxD) (Contents not included)











50mm Dia

5 5030

Labels

Sheets of six Self Adhesive Vinyl

Available in two sizes. Pre-cut ready to peel.


Rolls of 100 Self Adhesive Vinyl 50 x 50mm Pre-cut ready to peel.



100mm Dia

5 5035





100mm Dia

50mm Dia

5 5031



50mm Dia

5 5032



100mm Dia

5 5037




100mm Dia

5 5039

50mm Dia

5 5034



50mm Dia

5 5033



Machinery / Lock Out



Use adjustable guard

1 5406 **G** 2 5406 **G**



Guards must be used

1 5405 **G** 2 5405 **G**



this equipment

1 6247 Q 2 6247 A



1 5456 **G** 2 5456 **G**

1 5214 GM

1 5469 **G** 2 5469 **G**

1 6248 Q 2 6248 A



Disconnect mains

plug when not in use

Make sure cylinders

are secured at

all times

during maintenance

Report all

accidents

immediately

Employees only

Lift correctly

Please use

other door

Use handrail

1 6246 Q 2 6246 A



Refer to instructions before operating this machine

1 5455 **G** 2 5455 G



Clean machine after use

1 5447 **G** 2 5447 **G**



Self Adhesive Vinyl 6 x 65mm Dia **5** 1653

General Mandatory

before working on



Keep locked

1 5414 GM 2 5414 GM



Permit to work must be obtained

15403 GM 25403 GM



Stack correctly

1 5401 GM 2 5401 G



This area is to be kept clear of all obstructions

1 5435 GM 2 5435 GM



1 1632 **FGMN** | Double Sided Window Sticker 2 1632 **FGMN**

150 x 220mm **5** 8251



1 5457 GM 2 5457 GM 8 5457 G

17124 GM **2**7124 GM

Shred all documents

1 5639 GM 2 5639 GM



1 5488 GM 2 5488 GM



Please keep right and hold the handrail

15489 GM 25489 GM



Use barrier cream whilst on site. UV rays may be harmful to your health

Please keep

left and hold

the handrail

1 5458 **G** 2 5458 **G**



17123 **GM 2**7123 **GM**



Pedestrians must use this route

1 5428 GM P 2 5428 GM P 8 5428 GM



1 5640 GM 2 5640 GM



2 5411 **E**



Self Adhesive Vinyl 35 x 25mm **5** 5040





Lock out

5 5076

5 5077



A Keep left

5 5491



Clean up after your dog Bag it, tie it, bin it

15500 EK 25500 EK



1 5235 K 2 5235 K 8 5235 K



Place all rubbish in the bins provided

1 5402 GM 2 5402 GM

Vehicles



Reverse parking only

17683 GM 27683 GM



Wheels must be chocked before loading or unloading

1 5466 GM 2 5466 GM



Remove keys from forklift truck when not in use

1 5448 **G** 2 5448 **G**



Switch off all mobile phones

1 5429 GM 2 5429 GM



1 5410 EN 2 5410 E





1 5413 GMP 2 5413 GM 8 5413 G



17848 HK 27848 HK

8 Quick Fix

Landscape Sizes A 100 x 75mm **2**00 x 150mm

G 300 x 100mm

E 200 x 200mm

Ⅲ 300 x 250mm K 400 x 300mm

M 600 x 200mm N 400 x 400mm

Q 600 x 450m

Hygiene Signs



Synthetic Paper 420 x 594mm **5** 5917



Now wash your hands

1 5408 **GM**(3 2 5408 GM 8 5408 GA



Please flush the toilet after use

1 5487 **G 3** 2 5487 **G 3**

2 5502 **国**



1 5418 **G** M

2 5418 GM

Please wash your hands after going to the toilet

Use hand

sanitiser

1 5424 **G** 2 5424 **G**



here 1 5602 **(3 2** 5602 **(3 (3 (4)**



2 5503 **3**









All handlers of food

must wash their hands

after visiting the toilet

Cooked meats

only



6 x Stickers 65mm Diameter **5** 1654



Signs dedicated to COVID-19 hygiene are on pages 138-141.

Catering Signs



Hairnets must be worn

1 5627 GM 2 5627 G



Raw meats only

1 5611 **G** 2 5611 **G**



Keep these premises tidy

1 5404 GM 2 5404 GM



1 5620 GM 2 5620 GM

Please wash

only food

equipment here





1 5601 **(3**) 2 5601 **(3**) 1 5604 **G 2** 5604 **G** 1 5606 **G**



Maintain your workstation in a tidy condition at all times

1 5449 **G** 2 5449 **G**



1 5619 G 2 5619 G



Raw vegetables





All food must be covered

1 5621 **G** 2 5621 **G**



1 5605 G 2 5605 G



1 5625 K 2 5625 K



1 5451 **G** 2 5451 **G**



Keep raw meats and fish at bottom of fridge

1 5613 **G 2** 5613 **G**



Please keep surfaces clean and tidy

1 5622 **G** 2 5622 **G**



Clean up spillages

1 5427 GM 2 5427 GM



See page 84 for more kitchen, bar, hotel and restaurant safety signs

Food Allergy Signs

Restaurants and food

Caution Allergy Warning

Catering Best Practice Signs







1 5626 K 2 5626 K



Caution





First Aid Signs

Under the Health and Safety (First Aid) Regulations 1981 (as amended 1997) employers have a legal obligation to assess and introduce first aid provisions. Any such provisions should be easy to locate and displaying ISO 7010 compliant signage offers the perfect solution.



1 6002 **(1)** 2 6002 **(1)** 8 6002 Rigid Plastic A4 (210 x 297mm)

5 8384 Self Adhesive Vinyl A4 (210 x 297mm) **5** 8385



1 6019 H 2 6019 H 8 6019 H



1 6018 **H** 2 6018 **H**



16038 EK 26038 EK



1 6076 K 2 6076 K










Adapt-a-Sign 215 x 310mm **5** 6083 1 6023 **(1)** 2 6023 **(1)**



1 6029 **(1) 2** 6029 **(1)**



1 5999 **(1)** 2 5999 **(1)**



1 5995 **(1)**2 5995 **(1)**



1 5994 **①** 2 5994 **①**




1 5997 **①** 2 5997 **①**



1 6053 **(1)** 2 6053 **(1)**



1 6052 **(1)**2 6052 **(1)**



1 5998 **①** 2 5998 **①**

Adapt-a-Signs

A cost effective sign solution that ensures sign details remain up to date at all times. Manage any changes in personnel by simply inserting a new A4 piece of paper with updated details.





1 6020 **(1)** 2 6020 **(1)**



1 6028 **(1)** 2 6028 **(1)**



1 6001 **(1)** 2 6001 **(1)**



1 6003 **(1)**2 6003 **(1)**8 6003 **(1)**



1 6012 GM 2 6012 G





1 6013 GM 2 6013 G



1 2147 G L 2 2147 G L 3 2147 L



First aid box

1 6014 GM 2 6014 GM 8 6014 G



FU 2 6024 FU



2 6026 FU



1 6025



1 6016 **E 2** 6016



Self Adhesive Vinyl 50 x 50mm: **5** 6084 25 x 25mm: 5 6085



Evacuation

chair

1 6010 GM 2 6010 GM



1 6015 GM 2 6015 GM

Site Saver First Aid Signs

 $Fluted\ polypropylene\ is\ a\ 100\%\ recyclable, 4mm\ thick, low-cost\ material\ which\ is\ perfect\ for$ temporary site signage. It is strong, lightweight and waterproof. All of our site saver signs include the option to add your company logo. See the full range on page 126 - 127.



First Aid 400 x 400mm



K E <<< First Aid ****** 400 x 400mm **5** 5729



600 x 400mm

Directional Indicator

Supplementary arrows may be used in combination with first aid signs to communicate the location of the equipment.

To avoid confusion with directional emergency escape and safety way guidance, ISO 7010 style arrows should not be used for indicating the direction to equipment.



1 5996 **QOS** 2 5996 **QOS** 3 5996 **QOS** 4 5996 **QOS**

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous

8 Quick Fix

5 5727

E 200 x 150mm **E** 200 x 200mm

Landscape Sizes

5 5728

G 300 x 100mm **H** 300 x 250mm

K 400 x 300mm 450 x 150mm

M 600 x 200mm **U** 100 x 100mm

Portrait Sizes

A 75 x 100mm **D** 100 x 150mm

150 x 200mm 250 x 300mm

® 300 x 400mm 400 x 600mm

Emergency Wall Panels

These wall panels can be fitted to any surface using hook and loop tabs. The grab handle enables easy removal, providing first aiders 'on the spot' treatment advice.














Rigid Plastic 450 x 600mm **5** 6082

Mental Health & Wellbeing

Help raise awareness of mental health and wellbeing amongst employees in the workplace. Produced on tough, wipe clean synthetic paper. Suitable for internal and external use.



Synthetic Paper 420 x 594mm 5 7099



Synthetic Paper 420 x 594mm **5** 7100



Synthetic Paper 420 x 594mm 5 7097



Synthetic Paper 420 x 594mm **5** 7098

First Aid Projecting Signs

This range of first aid projecting signs enables the first aiders' to identify locations of First Aid equipment from several view points quickly and easily. These projecting signs have been designed to conceal the fixings for a neat finish and are supplied ready to install with an easy drilling guide.

















First Aid Box Tamper Labels

An easy-break label to clearly identify when a first aid box has been opened. Helps ensure first aid box remains fully stocked.



Roll of 50







Reflective First Aid Armband

Identify first aid personnel quickly with this reflective first aid armband. Hook and loop fastening. One size fits all.

Adjustable to fit: 90 - 130mm diameter. 5 6469



First Aid Box Tamper Tag

Tamper proof tags can be attached to first aid kits or fire extinguishers, quickly and easily to ensure that the contents inside are kept safe and deters misuse but it also offers easy access in case of an emergency. Once broken, the tag cannot be re-closed which helps to identify any case of unauthorised use. The bright yellow design ensures it is easily seen.

300mm Length

5 5933



Wall Hanging Hook

Manufactured from a strong black polypropylene plastic. Suitable for holding most first aid kits by the handle. The hook includes two drill holes for easy fixing (screws not included). Helps to make first aid kits easily visible and accessible in the workplace. 55 x 60 x 80mm



First Aider Hi-Vis PPE Station

Store and display your hi-vis first aider waist coat and $\ensuremath{/}$ or armband on this handy PPE station.

Provide instant access to PPE in the event of an emergency situation and ensure everybody knows that you are the qualified first aider at the scene.

The Foam Board is easily drilled for wall mounting.

A strong black polypropylene hook from which to hang the relevant PPF (PPF not included)

10mm Foam Board 80 x 160mm **5** 5936

To view the full range of PPE stations go to page 72. Customised versions are available upon request.



First Aid Station

Locate essential information and equipment in one place, this First Aid Station can save time in the event of an emergency.

Includes

General advice covering treatment of common injuries and emergencies.

First aid box holder to hang your first aid kit (not included) which displays a "missing" message if the box is not in place

First aiders notice to help identify those trained to administer first aid

Accident report book holder and A4, GDPR compliant report book which includes 50 accident/report forms

10mm Foam Board 900 x 700mm



Accident Report Book

50 individual records, all on perforated paper to enable confidentiality.





In line with the Data Protection Act 2018 and GDPR, this A4 book enables the record of an accident/incident relating to any individual to be easily removed from the main book and stored securely in an employee's private records.

Sheet of 6

5 6095

Accident Report Book Station

This wall mounted station ensures that the accident book is clearly visible at all times and is easy to access in case of an emergency. The station helps to overcome the frequent issue of Accidents Books being misplaced or not close to hand following an accident and therefore a record not being completed.

The station is pre-drilled for easy mounting and includes a printed "missing" message to show if / when the log book has been removed.

3mm Rigid Plastic 360 x 220 x 15mm



Face Adhesive Labels

Self Adhesive Labels

A sheet of six self-adhesive

vinyl labels. Pre-cut, ready to

peel from the backing sheet.

Apply these face adhesive labels to glass and view / read from the other side.



300 x 50mm



100 x 75mm

Sheet of 6 65mm Dia **5** 6094

Rigid Dry-Wipe Signs


A range of signs with a specialist dry-wipe surface which allows the sign to be updated whenever required with a water based dry-wipe pen and a dry-wipe eraser.



400 x 300mm 600 x 450mm



300 x 400mm 450 x 600mm



Custom Signs

With a team of talented designers and several printing processes and a large variety of materials, we're able to provide the ideal sign solution for any environment.

Call us for a quote



Safe Condition Signs



1 6055 **AGG** 2 6055 **AGG** 8 6055 **G**



1 6005 **49 3** 6005 **49 3** 6005 **6**



1 5459 GM 2 5459 GM **2** 5459



Drinking

water

400









1 6035 K 2 6035 K

2 6593



Material Codes

1 6515 **G** 2 6515 **G**

Safe working

load

2.0 Tonnes


First Aid Posters Synthetic Paper - 420 x 594mm

Ensure staff and visitors are aware of first aid procedures with this informative range of posters. Useful reference tools for first aiders. Produced on tough, durable, wipe-clean synthetic paper which rolls up for simple storage but won't easily tear or delaminate. Suitable for both internal and external use.









You Tube



First Aid EMERGENCY CONTACT: ___



5 5917







5 5903




Posters with the You Tube logo next to them include a QR code, which can be scanned for additional free video content.

Our range of eye-catching safety posters are a perfect solution to businesses wanting to display specific health and safety guidance / advice to a wider audience. We always recommend the regular rotation of posters to keep your displays fresh and interesting to staff, increasing the potential for posters being read. You will find a range of frame options on page 52 to help protect and further highlight the poster on display.

First Aid Posters

Synthetic posters are printed on an eco-friendly, PVC-free material that has excellent scratch, tear and water resistance properties.






Document Holders 10mm Foam Board - 440 x 600mm

Keep important safety documents in a clearly displayed and readily available place. This range of document displays help companies organise their important documents and help staff remain informed and up to date regarding all workplace information. Signs are supplied with a clear polystyrene document holder.







You Tube

58138



5 8218

Permit to Work **Documents 5** 8216



5 8217



Document Holder A durable clear polystyrene holder

which is perfect for storing A4 ring binders and other A4 document wallets. It is pre-drilled for easy wall mounting using the supplied fixing kit. 380 x 180 x 105mm (W x H x D)

Permits to Work



Permits to Work are an integral part of a Health and Safety Management System. They include risk assessments to ensure that only competent staff are working on the identified hazards.

Permits contain three parts (original, plus two carbon copies for management records) with a useful card backing sign.

 8170 **Hot Works** 5 8173 Work at Height 8171 Electrical Works **5** 8174 Hazardous Substances 8172 Confined Spaces **5** 8175 General Works

Book Holder Stations

These wall mounted book holding stations ensure that important log books are clearly visible and help to overcome the frequent issue of books being misplaced. The station is pre-drilled for easy mounting and includes a printed "missing" message to show when the log book has been removed. Books are sold seperately.





5 6095 Accident Report Book 5 8061 Fire Log Book

5 5937 Near Miss Report Book

Symbols, Identification and Construction Sites



Rigid Plastic 400 x 600mm **5** 8118



Rigid Plastic 600 x 900mm 5 8126 * Extra Large



Rigid Plastic 400 x 600mm **5** 8119



Rigid Plastic 400 x 600mm **5** 8991



Rigid Plastic 400 x 600mm **5** 8130



Rigid Plastic 400 x 600mm **5** 8122



Rigid Plastic 400 x 600mm **5** 8131




Rigid Plastic 400 x 600mm **5** 8132



Synthetic Paper 510 x 760mm **5** 9820


GHS Symbols and Hazardous Substances



Rigid Plastic 400 x 600mm **5** 8165



Rigid Plastic 400 x 600mm



Rigid Plastic 400 x 600mm 5 8117



Rigid Plastic 400 x 600mm **5** 8136

Recommended Segregation for Storage of Hazardous Substances Where a particular material has the properties of more than one class, the classification giving the more onerous segregation should be given 1 **\Pi (** 4 Compressed Gases 2.1 Flammable KEEP APART KEEP APART from KEEP or AFART KEEP APART Separation may not be necessary KEEP APART KEEP APART KEEP APART 2.3 Toxic Flammable Solids 4.1 Flammable KEEP APART 4.2 Spontaneously KEEP KEEP KEEP Segrega 4.3 Dangerous when wet KEEP APART Oxidising Substances 5.1 Oxidising Substance KEEP APART KEEP KEEP APART APART KEEP APART KEEP KEEP Separation may not be necessary Separation may not be necessary

Rigid Plastic 900 x 600mm **5** 8176

* Extra Large

Abrasive Wheel Regulations



To ensure the highest level of safety, ensure products are manufactured and marked in accordance with BS EN12413, BS EN13236 or BS EN13743.

400 x 600mm

5 8123



400 x 600mm

5 8125



Rigid Plastic 400 x 600mm **5** 8124

Work Safety Posters

400 x 600mm - Rigid Plastic



5 8113



58129




58219



We can print any design on a range of different materials. Contact us for a quote



5 8116



5 8127

5 8135





5 8114



5 8990



Our range of eye-catching safety posters are a perfect solution to businesses wanting to display specific health and safety guidance / advice to a wider audience. We always recommend the regular rotation of posters to keep your displays fresh and interesting to staff, increasing the potential for posters being read. You will find a range of frame options on page 52 to help protect and further highlight the poster on display.

Good to Go Safety Posters

420 x 594mm - These posters are printed on an eco-friendly, PVC-free synthetic paper that has excellent tear and water resistance properties.



















5 1386



5 1365



5 1367



















5 1391



5 1362


Caricature Safety Posters


510 x 760mm - These posters are printed on an eco-friendly, PVC-free synthetic paper that has excellent tear and water resistance properties.



























5 8186



DON'T TAKE RISKS WHEN WORKING AT HEIGHT YOU MIGHT NOT GET A SECOND CHANCE!



5 9822



5 8185



Snap frames allow easy insert and removal of posters allowing frequent update of information and safety messages.


Remove the unsightly look of pinned or taped posters to walls. Make the same posters look important and professional by using Aluminium Snap Frames.

More options available on page 52.

25mm extruded aluminium frame 1.5mm strong plastic back panel Anti-glare poster cover Durable protective frame finish

510 x 760mm







PPE Safety Posters

420 x 594mm - These posters are printed on an eco-friendly, PVC-free synthetic paper that has excellent tear and water resistance properties.













in this area

PPE Signs

5 7473

For a full range of personal protective equipment (PPE) and mandatory signage see pages

If you can't find the message or design you require, please ask for a quote



Safety footwear must be worn SITE SAFETY

Masks must be worn when working here SITE SAFETY

Safety Quote Posters

420 x 594mm - These posters are printed on an eco-friendly, PVC-free synthetic paper that has excellent tear and water resistance properties.












0 ACCIDENTS HURT **5** 7465




5 7466




Office and GDPR Posters



Synthetic Paper 420 x 594mm **5** 5636



Synthetic Paper 420 x 594mm **5** 5638



Synthetic Paper 420 x 594mm



Synthetic Paper 420 x 594mm **5** 5635

Easy Snap Frames

These frames are finished in four attractive colours and supplied with an anti-glare protective cover. They enable easy insert and removal of posters allowing frequent updates of information. These durable extruded aluminium snap frames are built to last.







Deluxe	A4 (210 x 297mm)	A3 (297 x 420mm)	A2 (420 x 594mm)	A1 (594 x 840mm)	510 x 760mm
Red	5 8971	5 8970	5 8969	5 8968	
Blue	5 8961	5 8960	5 8959	5 8958	-
Black	5 8966	5 8965	5 8964	5 8963	
Economy					
Silver	5 8765	5 8766	5 8767	5 8768	5 9815



Rigid Plastic 400 x 600mm **5** 8115

Suspended Frames

Impact resistant polyvinyl plastic frame allows easy insertion of rigid signs (up to 3mm). Supplied complete with Wire Suspension Kit for easy fitting from ceiling. Can be used either to display single or double sided signs. Need an alternative size? Contact us today.

<u>Co</u> lour	300 x 100mm	450 x 150mm	600 x 200mm
Grey	5 8681	5 8680	5 8674
☐ White	5 8700	5 8701	5 8702
Green	5 8703	5 8704	5 8705
Red	5 8706	-	5 8707
Yellow	5 8713	-	5 8714
Blue	5 8720	-	5 8721
Black	5 8716	-	5 8717





Hanging Snap Frame

Suspending posters from your ceiling is a great way to maximise your advertising space. Ideal for exhibitions, spas, hotels, restaurants or showrooms.

The aluminium snap frame rails include a rubber insert so the poster is securely gripped as it hangs.

- 2 x Slide Hangers and 4 x End Caps
- 2 x 420mm Aluminium Rails
- Landscape and Portrait
- Holds signs up to 1mm thick
 Hang from ceiling with Suspension Kit
- (sold separately see page 129)



Lockable Frame

A high specification frame which is ideal for both indoor and outdoor environments.

Featuring a strong extruded aluminium frame, tough plastic poster cover and a water seal to protect Inside. These frames are finished in silver anodised aluminium which is highly weather resistant.



- 45mm Frame • Extruded Aluminium
- 2mm Plastic Glazing
- Waterproof Seal

A4	A3	A2	A1
(210x297mm)	(297 x 420mm)	(420x594mm)	(594x840mm)
5 3455	5 3456	5 3457	

Snap Frame A-Board

Double sided aluminium A-Frame, displays two A1 posters (594 x 840mm).

Easy to fold up for storage.

Snap frame action allows graphics to be changed quickly and easily.

Anti glare PVC film protects graphics from the elements.

Weight: 13.5kg 1200 x 600 x 100mm (H x W x D)

5 9038



Information Point

This information point is ideal for displaying menus, directions, agendas etc.

Aluminium composite back panel with an A4 snap frame.

Complete with a plastic post and heavy duty base.

Please supply high resolution logo when ordering for inclusion on back panel.

Back Panel: 345 x 500mm

5 6195



LOGO

Health and Safety Law Poster

The HSE Health and Safety Law Poster includes enhanced security features. The features include an image flip hologram with surface relief, optical variable ink, embossed roundel, rounded corners and is printed on recyclable polypropylene material.

Easy to read and understand, providing benefits from

increased awareness to both workers and employers. Unlike

the previous poster, there is no need to provide the name and address of the enforcing authority for the premises.

Reduces the administrative costs for employers, who no longer need to include and update additional information.

Flexible Polypropylene 420 x 594mm (A2) 5 8112 Flexible Polypropylene 297 x 420mm (A3) 5 8140

HEALTH AND SAFETY LAW TO THE PROPERTY LAW TO T



Pocket Guide

Pack of 25 pocket guides, ideal for individual distribution.



Laminated Card 105 x 82mm 5 8133

Magnetic Dry Wipe Boards

These magnetic dry wipe notice boards have a lacquered steel face which can be used as both a magnetic and / or a dry wipe board.

The quality of the lacquer means the board can be wiped clean time after time without smudging or discolouration.

- Lacquered steel face
- Wall fixing kit included
- Soft board back panel
- Silver anodised frame

900 x 600mm **5** 8762 1200 x 900mm **5** 8763









Magnets 20mm Diameter magnets in white plastic casings **5** 3453



Dry Wipe Marker PensProduces 2-3mm line widthPack of Four5 3439Single Black5 3433



Mini Dry Wipe Marker Pen Produces 1-2mm line. Magnet and Dry-wipe eraser on lid

5 1377

Magnetic Signs

Need a magnetic sign? Contact us for more information.





A2 Easy Snap Frame

A durable extruded aluminium snap frame finished in a protective silver anodising. This snap frame allows easy insert and removal of posters for the frequent update of information and safety messages.

25mm extruded aluminium frame Anti-glare poster cover Wall fixing kit included Strong plastic back panel

A2 594 x 420mm **5** 8767



Magnetic Frames

A quick and easy solution for displaying key information in the workplace.

These magnetic document frames are available for both A4 (210 x 297mm) and A3 (297 x 420mm) sheets of paper. The frames are available in various coloured borders making them perfect for use in the workplace to display all types of literature, certificates and information.

For more information see page 60.



NO DELIVENIES TO BE ACCEPTED DUBING WEEK 36 DUE TO STOCK TAKING.

Adapt-a-Sign Frames

Use blank frames to display your own messages. Simply print off your message on a standard A4 piece of paper and update messages accordingly.

Pre-printed frames available on page 88.



Roller Banners

Roller Banners are the ideal choice for creating a free standing display quickly and easily. The graphic is protected inside the roller cartridge when the stand is not in use and a carry case is provided for easy transportation.

Create your own promotional roller banner for use at exhibitions, trade shops or for in-store point of sale. Simply supply high resolution artwork when ordering or call us for assistance.

- Lightweight aluminium base and top bar
- Lightblock PVC prevents light shining through
- Roller system with fast assembly and storage
- Retractable tensioning system
- Complete with carry case





Lightblock PVC 800 x 2000mm 5 5123

Hazardous Substances



1 4268 GM 2 4268 GM



1 6219 **GMP 2** 6219 **G**



1 5463 **G 2** 5463 **G**



1 4534 **GM** 2 4534 **G**

Danger **Use hand protection**

1 4267 **G 2** 4267 **G**



1 4290 **G** 2 4290 **G**



1 4269 GM 2 4269 GM



1 4533 GM 2 4533 G



1 4530 **G** 2 4530 **G**



1 6274 K 2 6274 K



1 4266 **G** 2 4266 **G**



1 4525 **Q 2** 4525 **Q**

Hazardous Substances

A range of internationally recognised hazardous substance symbols on page 98 - 101.

GHS, ADR & LQ products available.



Hot Works



1 4559 GM 2 4559 GM



1 4562 **G M 2** 4562 **G M**



1 4560 GM 2 4560 GM



1 4561 **G M 2** 4561 **G M**

Asbestos



Danger

Asbestos

Do not disturb

material

Report accidental damage immediately

1 6270 KQ 2 6270 KQ



1 6272 GMP 2 6272 G



1 6273 K 2 6273 K



*State contact details required 5mm Foam PVC 600 x 900mm **5** 8049




1 4500 **G** 2 4500 **G**




Emergency Shut off









1 6034 K 2 6034 K



Noise Control











1 5223 GM 2 5223 GM 8 5223 G



1 6251 GM 2 6251 GM 8 6251 G

Multi-Message Design Rules

Multi-message signs can be used to display several safety messages on one sign, consolidating important information into a single focal point and removing the risk of sign clutter. Different safety sign categories can be placed together vertically or horizontally on the same sign. The sign should never combine two categories into one message. Multi-message signs should follow the design principles of BS EN ISO 7010:2020 to ensure maximum levels of message comprehension.





Site Safety





Caution No unauthorised entry

1 6429 **M 2** 6429 **M**



Banner with Eyelets 1270 x 610mm **5** 5087

Fluted Polypropylene Includes company logo 600 x 400mm







1 6218 GM 2 6218 GM



1 6457 **GM**



1 6223 GM 2 6223 G



1 6217 **GM 2** 6217 **G**



1 6215 **GMP**



Confined Spaces































1 4327 GM 2 4327 GM

Permit to Work Ensure that only competent employees are working in confined spaces.

Pack of 10 **5** 8172



Fragile Roof / Risk of Falling







1 6232 **GP** 2 6232 **G**



1 4299 G M 2 4299 G M



1 6230 M



1 3658 G M 2 3658 G M







Quarry Safety







1 4314 **Q**



1 4311 **Q**



1 4313 **Q**

Material Codes

Landscape Sizes G 300 x 100mm 300 x 250mm

K 400 x 300mm M 600 x 200mm

P 600 x 400mm Q 600 x 450mm

Vehicles



1 6279 **Q 2** 6279 **Q**



1 6275 Q 2 6275 Q











1 4032 **Q 2** 4032 **Q**











1 4033 **Q 2** 4033 **Q**

Floor Graphic 600 x 400mm **5** 8885

0



























1 6506 GM







1 5426 **(3 2** 5426 **(3**





Machinery



1 6277 **G** 2 6277 **G**



1 6212 **G**





1 6221 **G 2** 6221 **G**



1 4225 **G** 2 4225 **G**



1 6209 **G**



1 6505 **G** 2 6505 **G**



1 6210 **G 2** 6210 **G**







1 6220 **G** 2 6220 **G**



1 6690 **G** 2 6690 **G**




1 6691 G











1 4527 K

Flammable Substances







1 6204 KQ 2 6204 KQ



Rigid Plastic Rigid Plastic 100 x 400mm **5** 6226 **5** 6339











1 6207 KQ 2 6207 KQ



1 6228 KQ 2 6228 KQ



1 6205 KQ 2 6205 KQ



1 6208 KQ 2 6208 K



1 6234 KQ 2 6234 K



1 6233 KQ 2 6233 K



1 6201 KQ 2 6201 KQ



1 6203 KQ 2 6203 K



1 6227 KQ 2 6227 K



1 6484 **Q** 2 6484 **Q**

Spill Kit Signs

Spill kit signs inform readers how to effectively respond to any oil, chemical or general fluid spill on site, land or water, in line with EU guidelines and legislation to assist with ISO 14001 compliance.

Our full range of Spill Kit Signs can be found on page 75.









1 6040 **(1)** 2 6040 **(1)**



1 6041 **(1) 2** 6041 **(1)**



1 6042 **①** 2 6042 **①**



1 6043 **(1) 2** 6043 **(1)**





1 6046 **H** 2 6046 **H**

1 Rigid Plastic 2 Self Adhesive Vinyl 8 Quick Fix

Landscape Sizes A 100 x 75mm **E** 200 x 150mm

G 300 x 100mm 300 x 250mm

600 x 450mm **K** 400 x 300mm M 600 x 200mm **W** 900 x 600mm **Portrait Sizes 9** 150 x 200mm 250 x 300mm

Large Multi-Message Signs

WAREHOUSE NOTICE Caution Forklift trucks operating No unauthorised persons allowed beyond this point High visibility clothing must be worn Protective footwear must be worn Pedestrians must keep to walkways

1 4307 W



Our full range of multi-message site safety boards are on pages 118 - 120. Choose from our standard range or create your own multi-message site safety board by selecting a template and adding the safety messages you require.



DRIVER NOTICE



Caution Be aware of pedestrians



No unauthorised entry



All drivers and visitors must report to reception



Parking and driver instructions must be obeyed



Speed limits must be observed

1 4303 W

RIVER NOTICE



Caution

Be aware of pedestrians



Vehicles must not enter the site without the authority of the site supervisor



Unsupervised reversing in and out of site is strictly forbidden



Speed and parking restrictions must be observed

1 4304 W

DRIVER NOTICE



Caution

Be aware of pedestrians



The use of mobile phones while driving is prohibited



All operators must have a valid forklift licence



Seatbelts must be worn at all times





Speed limits must be observed

1 4305 W

Only adequately trained personnel are allowed to operate lift trucks on this site. Pre-use checks should be carried out in compliance with the Provision and Use of Work Equipment Regulations 1998.



Caution Forklift trucks operating



Daily checks must be completed before use



Sound horn and drive slowly



Seatbelts must be worn at all times



Do not travel with forks raised

1 4066 W

FORKLIFT PARKING



Engage parking brake



Forks must be lowered to the floor



Masts must be upright



Do not extend forks into the aisle or walkway



1 4310 **@**

Return keys at the end of your shift

DRIVER NOTICE



Report to site manager before coupling to trailer

Loading must be completed before coupling to trailer



Comply with traffic signals at all times



if uncoupling trailer Do not attempt to pull

1 4306 **@**

FORKLIFT LOADING



Complete a daily check of forklift before use



Ensure all loads are secure and stable



Ensure brakes are set and wheels are locked on trailers before loading or unloading

Do not stack the load too high

1 4309 **@**

FORKLIFT SAFETY



Do not use truck until a pre-shift inspection has been completed



Report all defects immediately

Record and report

all near miss incidents



1 4308 Q

Forklift Inspections

Employers have a duty of care to ensure all employees operating or working in the vicinity of forklifts are protected from harm. Good to Go Safety offers a simple yet effective solution for forklift safety with daily or weekly inspections. Complete pre-use checks as part of your forklift safety maintenance programme and ensure all staff are aware of the forklifts' status at all times. See pages 131-135 for more information.



Safe Working Loads

Pallet Racking



5mm Foam PVC 600 x 450mm **5** 6355

Mezzanine Flooring



5mm Foam PVC 600 x 450mm



5mm Foam PVC 450 x 600mm **5** 6356

Cantilever Racking

Fineline Marker

Use the permanent marker pen to complete weight loads and add details.

5 3430

Magnetic Racking Signs

Advise of temporary safety issues and / or weight restrictions with these magnetic signs which allow quick and easy application to racking beams.



100 x 75mm **5** 8902

Max load capacity 2000kg UDL per shelf 100 x 75mm

5 8905

Max load capacity 1000kg UDL per shelf

100 x 75mm **5**8903

> Max load capacity kg UDL per shelf

100 x 75mm **5**8907

May load can 1200kg UDL per shelf

100 x 75mm **5** 8904

> DO NOT **CLIMB ON RACKING**

100 x 75mm **5**8908



This racking has been offloaded



Do not use until further notice

1000 x 75mm **5** 8888



Do not use



Awaiting inspection

1000 x 75mm **5** 8889



5 8901

Caution This racking is damaged



Do not use

Rack Protector



A cost effective protective bumper which minimises the impact of forklift collisions. Supplied with two velcro straps (700mm) for quick and easy fixing to most uprights

- Polyethylene no rusting or denting
- Waterproof and chemical resistant
- Ability to reform itself after an impact Slim fit provides minimal aisle intrusion
- Manufactured to comply with BS6399-1: 1996

Clips to any frame width between 75-90mm - Height: 500mm

5 9235

Racking Sack

Made from tough waterproof polyester, this racking sack can adequately withstand the rigours of industrial environments.

The re-usable waste sack helps promote a clean and tidy work place and is suitable for racking systems between 900-1100mm deep.

Quickly fixed / removed to the end of racking by using the hooks provided. When hung it has a large open mouth to easily receive waste, without encroaching into the floor area.


Alternative colours and messages are available upon request.

920 x 1000mm (W x H) **5** 8933



Impact Protection


The impact protection system cushions and warns of protruding corners, edges, vulnerable pipes and protects many other areas such as walls, kerbs, trolley parks, vehicles, plant and machinery and is ideal for racking and shelving. Supplied in standard lengths of 1000mm and manufactured from high-grade flexible age resistant polyurethane foam with self adhesive or push on profiles. Protects staff from injury and property from damage. Can be easily cut to the required length.



40mm Pipe Protection Polyurethane Foam with Self Adhesive Backing

Material Codes

1 Rigid Plastic



85mm Pipe Protection Polyurethane Foam with Self Adhesive Backing **5** 9223



Semi-circular 40/40 Polyurethane Foam **5** 9231



Semi-circular 40/32 Polyurethane Foam with Self Adhesive Backing




Trapeze 40/40/8 Polyurethane Foam **5** 9229



Semi-circular 40/40 Polyurethane Foam with Self Adhesive Backing



Polyurethane Foam **5** 9230







Wipe Clean Signs

We have developed a range of rigid pvc signs with a specialist dry-wipe surface which allows the sign to be updated with a water based dry-wipe pen.

This range allows managers to highlight key performance information and messages as and when required. Simply wipe this range of signs clean and re-use time after time.



ACCURACY DAYS WITHOUT A PICKING ERROR **RIGHT FIRST TIME** 300 x 400mm 5 4700 450 x 600mm 5 4704








450 x 600mm 5 4707









400 x 300mm **5** 4710 600 x 450mm **5** 4713

Identification Letters / Numbers

A range of self adhesive letters and numbers for the identification of storage locations, bin numbers, aisle numbers, plant and equipment or many other applications. Each letter or number is available in Black on White or Black on Yellow. When ordering: State the code, letter / number and your choice of colour (white or yellow). E.g. 5 9670 / K / Yellow

A B C D L A B C D E F G H I J K L M NOPQFNOPQRSTUVWXYZ

EEEEE EEEEE EEEEE

01234 56789

11111 11111

Label Size	A-Z (26 pack)	Singular Letter (10 pack)*	0 - 9 (10 pack)	Singular Number (10 pack)*
45 x 130mm	5 9840	5 9670	5 9846	5 9676
38 x 90mm	5 9841	5 9671	5 9847	5 9677
21 x 56mm	5 9842	5 9672	5 9848	5 9678
14 x 19mm	5 9843	5 9673	5 9849	5 9679

Document Pockets

Industrial pockets for keeping documents clean and easily accessible, ideal for control of fast moving stock.

Pocket Dimensions: 220 x 310mm

Pack Size: 10

Magnetic

A4 (297 x 210mm) **5** 9884 A4 (210 x 297mm) **5** 9885

Self Adhesive

A4 (297 x 210mm) 5 9880 A4 (210 x 297mm) 5 9881



Magnetic Wipe Clean / Write-on Rolls



Suitable for racking and shelving, can be easily cut to size and written on with a dry wipe marker pen. Cost effective, write-on, wipe off labelling. *Other colours available upon request.

Colour	Size	Code
White	20mm x 10m	5 9890
White	30mm x 10m	5 9892
White	50mm x 10m	5 9894
White	70mm v 10m	E 0804

Label Holder

Magnetic label holder, supplied with white card inserts and clear plastic cover strips.

Size	Pack Size	Code	
80 x 30mm	100	5 9874	
80 x 50mm	100	5 9875	



Self Adhesive Tabs

10 x 25mm Pack of 4 **5** 8724



Magnetic Document Frames







A quick and easy solution for displaying key information in the workplace. These magnetic document frames are available for both A4 (210 x 297mm) and A3 (297 x 420mm) sheets of paper. The frames are available in various coloured borders making them perfect for use in the workplace to display all types of literature, certificates and information.

The strong magnetic border allows them to be applied to metal filing cabinets, racking, magnetic whiteboards or any other flat steel surface.

Insert a sheet of A4 or A3 paper within the frame to display content. Content can be easily updated as / when required by simply lifting the magnetic strip, this also makes it simple to relocate the frame whenever necessary. Ideal for use in 5S or 6S lean manufacturing displays where colour coded frames may prove beneficial.

The choice of common "safety colour" borders means that the frame can also be coordinated with key safety messages (mandatory, prohibition, warning and safe condition).



Size	A4 Frame: 240 x 327mm	A3 Frame: 327 x 450mm
Colour	Paper: 210 x 297mm	Paper: 297 x 420mm
Black	5 7400	5 7406
Red	5 7401	5 7407
Yellow	5 7402	5 7408
Green	5 7403	5 7409
Blue	5 7404	5 7410
Yellow & Black	5 7405	5 7411

Quality Control Signs



1 7802 K



1 7814 K



1 7806 K



1 7816 K



1 7817



1 7815 K





1 5948 K

RED TAG HOLDING AREA ONLY ITEMS TO BE CONSIDERED FOR OSAL SHOULD BE PLACED WITHII THIS HOLDING AREA

1 5944 KP

Quality Control Tags

Matt PVC - 80 x 150mm - Double Sided - Pack of 10 - Supplied with 150mm Cable Ties



5 9775

BY:

5 9751

DATE:















Quality Control Labels

Matt Self Adhesive Vinyl - Roll of 100 - 50 x 20mm















NON-CONFORMING















We can supply custom labels on sheets or rolls, simply advise us of your required design, size and quantity for a quote.

Custom Labels

Shipping Labels Self Adhesive Vinyl - 75 x 100mm - Roll of 250





BY:

5 9749









Pallet Topper

The pallet topper sits on top of pallets as a warning to not double stack a pallet. A simple damage protection solution.

Manufactured from pre-creased cardboard, which is easily folded and slotted together to create a 170 x 170 x 150mm pyramid.

Can be easily secured with pallet strapping or under clear pallet wrap.

Pre-creased Cardboard 170 x 170 x 150mm **5** 8934

1 Rigid Plastic 5 Miscellaneous





Required by the Manual Handling Operations Regulations 1992 (as amended 2002), labels should be installed onto heavy packages and other items to indicate a manual handling risk.



Self Adhesive Vinyl 50 x 50mm Roll of 500



300 x 40mm - Self Adhesive Vinyl - Pack of 5

🏻 🔷 HYDROGEN PEROXIDE 🔷

DIESEL OIL

OIL



5 9923

5 9928


5 9921

5 9963

5 9978

Pipeline identification markers are manufactured from high quality self adhesive vinyl. Each marker has a twin flow direction system so you can simply remove the direction which is not required.

available upon request.





HOT WATER

FRESH WATER

CONDENSATE **DRINKING WATER 5** 9924

HEATING 5 9927

COOLING WATER

5 9929

HEATING FUEL OIL 5 9973

5 9975

◈ | **FUEL OIL**

> **ALCOHOL**

Engraved Tags

5 9979

AIR

Pipeline Information Poster

Pipeline Marking What you need to know

Basic Identification Colour Bands

Positioning Markers


Rigid Plastic 400 x 600mm

5 8131

Our valve tags are engraved to give better quality than printed or stamped versions. See page 95 for more information







Directional Flow Tape Self Adhesive Vinyl - 50mm x 33m

Self adhesive marking tape with directional arrows indicating direction of flow in a pipe. Other colours available on request.







Water

5 9989



Green. BS4800: 12 D 45







Pipeline Bands Self Adhesive Vinyl - 150 x 980mm

Steam Grey / Silver. BS4800: 10 A 03 **5** 9990 Acids / Alkalis Lilac, BS4800: 22 C 37 **5** 9993 Warnings Yellow. BS4800: 08 E 51

Oils Brown, BS4800: 06 C 39 **5** 9991 Fire Fighting Red. BS4800: 04 E 53 **5** 9997

Air Light Blue. BS4800: 20 E 51 **5** 9994 Fresh Water Auxiliary Blue. BS4800: 18 E 53

5 9999 Orange **Electricity / Ventilation** BS4800: 06 E 51

Gas Yellow Ochre. BS4800: 08 C 35 **5** 9992

Black, BS4800: 00 E 53

5 9995

Other Liquids

Additional pipeline bands and markers are available upon request. Contact us if you can't see what you require.

GHS Signs and Labels

Businesses shipping hazardous goods are responsible for classifying, marking and packaging the goods with the appropriate GHS symbol. ADR sets out the requirements for the classification, packaging and certification of dangerous goods being transported by road. Our full range of GHS labels are available on page 99.











5 9996







1 4540 U 2 4540 U

1 4541 U 2 4541 U

1 4543 U 2 4543 U

1 4544 U 2 4544 U

1 4545 U 2 4545 U

1 4548 U 2 4548 U

1 4547 U 2 4547 U

Domed Mirrors

These domed mirrors are manufactured from 100% recyclable PMMA and are ideal for shops and warehouse premises.

Both the guarter and half dome are supplied with wall fixings.

The full dome includes a chain kit for hanging from ceiling (4 x 1metre long chains).










Description	Size	Viewing Distance	Direction	Code
Quarter Dome	470mm	4 metres	2 way 90°	5 9217
Half Dome	660mm	8 metres	3 way 180°	5 9240
Full Dome	660mm	8 metres	4 way 360°	5 9241

Convex Mirrors

A range of light and virtually unbreakable convex mirrors supplied with a three year guarantee. Includes fixings.



Convex mirrors are supplied complete with fully adjustable bolts & bracket kit for either wall mounting or for posts (60 - 90mm diameter).

The kit is robust and tested to withstand winds of up to 183 km/h. Easy to install, allows precise adjustment for optimal positioning.





Multi-Purpose Internal / External Use Ideal for use in warehouses, high-risk collision areas, stock surveillance, work station safety and direct observation of hidden parts of machinery.

Size	Viewing Distance	Code
300mm	3 metres	5 9201
400mm	5 metres	5 9202
_500mm	7 metres	5 9203
600mm	11 metres	5 9204
_700mm	15 metres	5 9205
800mm	20 metres	5 9206



Surveillance Internal Use

Recommended for shop security as a deterrent to theft. Effective for monitoring hospital corridors, reception areas and door access control.

Size	Viewing Distance	Code
300mm	2 metres	5 9207
400mm	4 metres	5 9208
500mm	6 metres	5 9209
600mm	8 metres	5 9210



Traffic Internal / External Use These mirrors assist road safety and can help eliminate blind spots at corners, concealed entrances / exits, car parks and junctions.

Size	Frame Size	Viewing	Code
600 x 400mm	680 x 500mm	9 metres	5 9213
800 x 600mm	950 x 750mm	20 metres	5 9214
1000 x 800mm	1150 x 950mm	30 metres	5 9215

Security Eyes

Research indicates that the feeling of being watched can influence the behaviour of people, leading to reduction in crime. Use alongside our standard signs to reinforce security and safety messages.



1 1751 **DGJMX**



1 1752 **DGJMX**



Security Signs

For more security and CCTV signs see pages 80 - 81.

Mirror Messages

405 x 485mm - Self Adhesive Backing

A practical and innovative way to portray safety messages. These acrylic mirrors provide useful reminders.











Reflector Signs

The bottom half of these signs are designed to be read in vehicles' mirrors. Ensuring drivers are aware of procedures and that safety is maintained.











1 5247 P

1 4293 P

5 Miscellaneous

Near Miss Reporting

The HSE defines a near miss as 'an event not causing harm, but one that has the potential to cause injury or ill health'. This can include dangerous occurrences that are reportable, as defined in the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR).

Near Miss Record Book

This Near Miss Record Book contains clear guidance on what a Near Miss Incident is, the employers and employee's responsibility and guidance on completing a record.

Near miss records are used to inform management of incidents, to help ensure that serious injuries and accidents do not occur in the future.

The perforated top allows forms to be easily removed from the book for safe storage / management records.

A4 Book 53 Incident Forms **5** 5937



Near Miss Record Book Station

A near miss record book is an ideal way to keep track of incidents that had the potential to result in injury, allowing you to improve your health and safety measures and policies in the future. Ensure your employees make good use of the record book by wall-mounting it with this useful station (pre-drilled for easy mounting). A printed "missing" message is displayed on the station and will show when the book has been removed. (Books ordered separately).

3mm Thick Plastic 360 x 220 x 15mm **5** 5938



Near Miss Station

Take a proactive approach to improving site safety and ensure that all near misses and incidents are recorded and acted upon with this near miss station. Includes a suggestion box to store near miss slips.

(Slips sold separately)

10mm Foam PVC 600 x 440mm **5** 6687



Near Miss Slips

Allow near miss incidents to be recorded and show the actions taken to eliminate repeat occurrences.

Pack of 10 Matt PVC

80 x 150mm



Suggestion Box

Fabricated in yellow polystyrene with a clear acrylic A5 sign holder on the front (insert your message of choice). The pocket behind the holder can be used to store your near miss tags. Sliding door at the rear gives access to remove the contents. The box is freestanding but can also be wall mounted.



Inspection Station

This wall mounted information station provides details of equipment inspection processes whilst offering easy access to inspection check books from a tidy central location.

For more information see page 134.

10mm Foam PVC 700 x 750mm **5** 1335



Equipment Inspections



Simply attach a status tag to the equipment, use the corresponding check book to carry out an inspection, insert the completed checklist inside the tag. A duplicate carbon copy is created for your management records, providing invaluable evidence of a Safe Equipment Management System (SEMS) in the event of an accident.

For more information see pages 131-135.

Good to Go Safety is a multi-award winning system which enables companies to complete safety inspections on workplace equipment. The system is perfect for ensuring warehouse equipment such as forklifts, ladders and pallet racking are in safe working order prior to use.

Components

Status Tag	5 1301	Information Station 5 1335		Tamper Evident Seals 5 1307		
Wallet & Pen	5 1308	Dispenser	5 8099	Weather Resistant Holder 5 8109		
Equipment Type		Check Book	Weekly Kit	Daily Kit	A2 Poster	
Forklift		5 1302	5 1309	5 1313	5 1360	
Ladder		5 1304	5 1311	5 1315	5 1361	
Pallet Truck		5 1336	5 1337	5 1338	5 1364	
Racking		5 1305	5 1312	5 1316	5 1362	
Podium Steps		5 1330	5 1331	5 1332	5 1389	
Forklift Work Platform		5 1348	5 1349	5 1350	5 1390	
Overhead Crane		5 1351	5 1352	5 1353	5 1391	
Fleet Vehicles		5 1306	5 1328	5 1329	5 1387	
Trailers		5 1339	5 1340	5 1341	5 1365	
MEWP		5 1322	5 1323	5 1324	5 1366	
Loader Crane		5 1354	5 1355	5 1356	5 1367	
Bespoke		5 1317	5 1333	5 1334	-	

Multi-Lingual Signs

Multi-Lingual signs are a useful way to get key safety messages across to employees and the public, within areas known to have a large percentage of people where English may not be their primary language. We are able to supply signs in a wide range of languages, so if you can't find the language or message that you require please contact us for a quote.



1 3025 **G 2** 3025 **G**

fae ysmygu yn y fangre hon yn erbyn y gyfraith

160 x 230mm Rigid Plastic **5** 3039 Adhesive Vinyl 5 3044

English, French & German



1 1435 **3 1** 1435 **3 1 1** 1435 **3 1 1 3** 1435 **3**



1 1437 **3** 1437 **3** 1437 **3** 1437 3 1437 **ÖÖ**



1 1436 **3** 2 1436 **3** 1436 **3 4** 1436 **3**



1 1424 **①**2 1424 **①**

English & Polish



kaski ochronne

1 5250 **3** 2 5250 **3**



Należy założyć środki ochrony uszu

1 5239 **(3) 2** 5239 **(3) (3)**



Należy nosić kamizelki odblaskow 1 5248 **G 3** 2 5248 **G**



must be worn Należy nosić obuwie ochronne

1 5249 **3** 2 5249 **3**



Eye protection must be worn

Należy założyć

środki ochrony oczu



Uwaga na wózki widłow 1 4298 **(3** 2 4298 **(3**



Fire exit

keep clear

Wyjście ewakuacyjne nie zastawiać

1 4296 **(3 2** 4296 **3**



1 2078 **(1)** 2 2078 **(1)**



1 2079 **Q** 2 2079 **Q**



1 6054 **(1)** 2 6054 **(1)**



1 1058 **3** 2 1058 **3**



1 1057 **3 2** 1057 **3**



starannie zamykać 1 1647 **A** 2 1647 **A**

1 1648 **(1)** 2 1648



1 3243 **G 2** 3243 **G 3**



50mm x 33m - Self Adhesive

1 3302 **3**



1 3301 **(3) 2** 3301 **3**



1 1440 **(30)** 2 1440 **G 3** 1440 **G**

4 1440



1 1441 **3 1** 1441 **3 1 1** 1441 **3 1 1**

Custom Multi-Lingual Signs

If you have a specific language requirement, you can supply us with the required text or we can supply a translation service at an additional charge.





Please contact us for a quote


Floor Safety Tapes

Sub surface printed and over laminated in hard wearing, anti-slip polycarbonate film. We advise the use of primer, edge sealer and floor cleaning fluids for improved adhesion.









Reflective Tapes

High visibility, retro-reflective marking tape that is resistant to corrosion, weather and most solvents. Shines brightly in the dark when light is directed at it.




Self Adhesive 50mm x 25m **5** 8646

> Self Adhesive 50mm x 25m **5** 8643

Pallet Marking

Tough, highly visible yellow floor markers with aggressive adhesive backing for application to clean, flat surfaces. Capable of withstanding everyday traffic in a fully operational warehouse. Perfect to highlight pallet positions, walkways and traffic flow. Other colours available upon request.





Floor Graphics

Sub-surface printed floor graphics over-laminated with a hard wearing, anti-slip polycarbonate film. Use primer, edge sealer and floor cleaner for improved adhesion.



600 x 400mm **5**8923

5 8807



600 x 400mm **5** 8881



600 x 400mm **5** 8885



600 x 400mm **5** 4242



600 x 200mm

Fire exit

600 x 200mm **5** 8813



600 x 200mm **5** 8811



600 x 200mm



400 x 200mm **5** 8809



400 x 400mm CV0007



400 x 400mm CV0006



400mm Dia 5 8783



400mm Dia **5** 8465



5 8815

400mm Dia **5** 8760



400mm Dia **5** 8280



400mm Dia 5 8281

Have you

washed your

hands



200 x 200mm Blue CV0012 CV0013 Green Orange CV0014 Red CV0015 Purple CV0016

All our floor graphics are available in different sizes or colours.



200 x 200mm CV0017



CV0018



200 x 200mm

1000 x 50mm



200 x 200mm CV0019



200 x 200mm CV0020



200mm Dia CV0045



200mm Dia CV0043

1000 x 50mm



600 x 200mm **5** 4995



200 x 200mm CV0025



200 x 200mm CV0026



200 x 200mm CV0022





200 x 200mm CV0023



200 x 200mm CV0024

External Floor Graphics

We can now supply floor graphics on a high quality external grade material for application to textured outdoor ground surfaces such as asphalt, concrete, and pavements. If you require external floor graphics please contact us for a quote.



1000 x 50mm **5** 8617



ENTRANCE

PLEASE FOLLOW THE ONE WAY SYSTEM



300 x 300mm **5** 8485



300 x 300mm



300 x 300mm 5 8487



300 x 300mm 5 8488



300 x 300mm 5 8491



300 x 300mm CV0042



300 x 300mm

CV0044



Custom Floor Graphics

A great solution to highlight potential dangers or identify warehouse aisle / bay letters and numbers. Simply supply us with your message of choice, logo or photograph and we will print your floor graphic.



400mm

Diameter **5** 8862







A clean surface is vital to the performance and longevity of floor graphics and tapes. Thorough cleaning and priming of all surfaces, together with edge-sealing to prevent moisture and other contaminants increases the service life of your products.



Edge Sealer 140ml **5** 9699



1L Floor Cleaner



Floor Graphics

Sub-surface printed floor graphics over-laminated with a hard wearing, anti-slip polycarbonate film. Use primer, edge sealer and floor cleaner for improved adhesion.



400mm Dia



400mm Dia 5 8746



400mm Dia **5** 8801



400mm Dia **5** 8744



400mm Dia **5** 8786



400mm Dia **5** 8864



400mm Dia **5** 8803

Staircase must be kept clear of all obstructions

400mm Dia **5** 8804



400mm Dia **5** 8806



400mm Dia **5** 8805



400mm Dia **5** 8787



400mm Dia **5** 8799



400mm Dia **5** 8745



400mm Dia **5** 8788



Eye protection must be worn beyond this point

400 x 600mm **5** 8732



Safety helmets must be worn beyond this point

400 x 600mm **5** 8730



Ear protection must be worn beyond this point

400 x 600mm **5** 8731



High visibility jackets must be worn beyond this point

400 x 600mm **5** 8820



Protective clothing must be worn beyond this point

400 x 600mm **5** 8733



Protective footwear must be worn beyond this point

400 x 600mm **5** 8828



400 x 600mm **5** 8821



Sound horn **Drive slowly**

400 x 600mm **5** 8736



passageway clear

400 x 600mm **5** 8738



400 x 600mm **5** 8789



400 x 600mm **5** 8817



route

400 x 600mm **5** 8818





400 x 600mm



400 x 600mm



No entry to unauthorised persons

400 x 600mm **5** 8739



persons allowed beyond this point

400 x 600mm



Forklift trucks prohibited beyond this point

400 x 600mm **5** 8737



400 x 600mm



400 x 600mm



400 x 600mm



400 x 600mm



400 x 600mm



400 x 600mm




400 x 600mm

Anti-Slip Mats 610 x 150mm

With aggressive pressure sensitive adhesive for bonding to most floor surfaces.







Caution **5** 9634

Watch your Step 5 9635

Reflective Strip 5 9696

Photoluminescent 5 9697


Anti-Slip Tapes

Self Adhesive - 50mm x 18m

Anti-slip tape provides an ideal solution to slippery surfaces and steps. Recommended for internal use in pedestrian traffic routes. It has a near "diamond hard" aggregate and a conformable pressure adhesive giving strong adhesion to most surfaces, such as wood, concrete, steel or checker plate.











Floor Safety Tapes

Self Adhesive -50mm x 33m

5 8603

5 9624

Heavy duty plasticized PVC tape with an aggressive pressure sensitive adhesive backing. Quick and easy to put down and provides smooth, straight lines which are highly visible.

This tape provides instant demarcation lines for gangways and restricted areas. Perfect for use in sports halls, warehouses, hospitals etc.



5 8604

5 8631





5 8606
















Class C Photoluminescent Tapes

Self Adhesive - 10m Length


Perfect for highlighting around safety equipment or as part of your way guidance marking.



40mm Wide **5** 8644




40mm Wide 80mm Wide 5 8641 5 8642



5 8632

40mm Wide 80mm Wide 5 8647 5 8648

Class C Floor Markers




40mm Wide 80mm Wide **5** 8656 5 8657



20mm Wide

40mm Wide

80mm Wide



40mm Wide




Photoluminescent way finding floor markers are an

effective method of marking escape routes. The markers

have an anti-slip surface and strong adhesive backing.

80mm Wide

40mm Wide



Deluxe Class D Floor Markers

Aluminium back provides extra strength and durability in high traffic areas. Anti-slip surface. Photoluminescent Class D Aluminium with self-adhesive backing.

5 8665






5 8664



90mm Dia

75 x 75mm Pack of 20 5 8670



240 x 90mm Pack of 20 **5** 8672

75mm Diameter Pack of 20 **5** 8671



Stencils

Laser cut clear PET (polyethylene) stencils – 100% recyclable, high chemical resistance - allowing them to be re-used after numerous paint applications. Hard wearing with high impact strength.

Bespoke designs can be created (max size 600 x 900mm) contact us with details for a quote. Ideal for repeating key safety messages throughout car parks and warehouses by simply painting over the stencil at required locations.





600 x 400mm



SLOW 5 MPH

600 x 400mm



SLOW

600 x 400mm **5** 9602





0 - 9 (10 piece kit) **5** 9642 **5** 9643

DISABLED

400 x 300mm

5 9647

A-Z (26 piece kit)

0 - 9 (10 piece kit)

A-Z (26 piece kit)

5 9640

5 9641

A-Z and 0-9 5 9646



A Z 9 A-Z and 0-9 (36 piece kit)

(36 piece kit)



A-Z and 0-9 (36 piece kit) **5** 9645

5 9644

600 x 400mm



600 x 400mm

NO ENTRY

600 x 400mm

600 x 400mm **5** 9649



600 x 400mm

600 x 400mm **5** 9585



600 x 400mm

300 x 400mm **5** 9648

Spray Paints

Long lasting, durable synthetic resin paint. Easy to use, simply shake the can, insert into an applicator and apply.

Produces markings that are highly visible and are abrasion and chemical resistant. Adheres to most surfaces - concrete, asphalt, tarmac, metal and tiles.

Economical - one 750ml can produces a 50mm wide line approximately 50-90 metres long (dependent on surface). Environmentally friendly. Conforms to the latest EU regulations.



5 9607 **5** 9605 **5** 9606

Paint Applicators

The hand held applicator is perfect for use with stencils giving you free movement, whilst the 4-wheel applicator is ideal for creating neat, straight lines.

Hand Held Applicator



This hand applicator has been specially designed for comfortable use. Ideal for use with stencil sets. Makes marking steps or obstructions easy.

5 9604

4-Wheel Applicator

This 4 wheel paint applicator produces 50 - 75mm wide line marking of roughly 25 metres per minute.

Minimal assembly is required and the rear wheels are removable to get up close to walls and racking.

Colours can be changed quickly without cleaning the machine.

Line Marking Kit

This handy kit contains everything you need to mark out warehouses, factories or car parks.

The four wheel paint applicator produces a 50 - 75mm wide line marking of roughly 25 metres per minute.

The long lasting synthetic resin spray paint produces highly visible, chemical resistant marking that adheres to most surfaces such as concrete, asphalt, metal and more.

Additional paint can be ordered if required - if you prefer the kit with an alternative colour please advise.

2 x 750ml Cans of Yellow Paint 1 x 4 Wheel Paint Applicator

1 x Chalk Line 1 x Chalk Refill

Pallet Markers



Floor Graphic Frames

Tough permanent adhesive colour edged PVC frames that enable a printed message or barcode to be placed and protected onto the floor.

Manufactured using thin plastic membrane, the frame bonds on the floor surface and are resistant to the rigours of a busy warehouse. Ideal for identifying stock locations or to highlight important information.



Displays an A4 message (not included), simply print off your own message and place in the window. Alternative frame colours available on request.

400 x 310mm frame with a clear A4 (297 x 210mm) window to display your printed message.

Yellow **5** 8935 Yellow / Black 5 8936



flow. Other colours available upon request.





10 x Centre Pallet Locators 300 x 300mm **5** 9505



10 x Corner Pallet Locators 200 x 200mm **5** 9508



100 x Traffic Flow Markers 90 x 90mm **5** 9506



10 x Edge Pallet Locators 300 x 200mm **5** 9524



10 x Walkway Footprints 300 x 100mm **5** 9507

Retractable Barrier Posts

Use these stylish retractable barrier posts to manage crowds in shops, hotels or anywhere needing an orderly queuing system. Each 1015mm high post comes complete with 3.4m of retractable 50mm wide webbing stored in the head. Simply pull out and attach to additional posts or wall brackets. Includes a belt lock and slow retract braking system for safety purposes. Available in both polished or black powder coated stainless steel.

1015mm high post with 355mm diameter base providing excellent ballast of 9kg. Other standard webbing and post colours along with printed safety message belts are available upon request.

Post / Belt Colour Polished Stainless Steel Post Black Post Red Belt Blue Belt Black Belt 5 9026 5 9027 5 9028 5 9044 5 9045

Custom Webbing

For custom webbing options please contact us for a quote and specify your message of choice and the colours you wish to use.





Industrial Retractable Barrier Posts

Designed for outdoor use, these retractable posts feature a heavy duty, non-rusting recycled rubber base (480mm dia) and a powder coated stainless steel post (1015mm high) complete with 3.4m of safety chevron webbing (50mm wide) stored in the head. Simply pull out and attach to additional posts or wall brackets. Includes a belt lock and slow retract braking system for safety purposes. Rubber base includes carry handles and post can be removed for ease of handling/storage. Webbing can be supplied with safety messages – please ask for a quote.

1015mm high post with 480mm diameter base providing excellent ballast of 9kg







Wall Bracket



This plastic wall bracket is for use with our retractable barrier posts.

Secure the clip at the end of the webbing to this wall bracket to create a barrier.

The plastic bracket is easily fitted to the wall with screws.

5 9035

Retractable Wall Mounted Barrier



50mm wide retractable webbing supplied in a black powder coated steel housing with wall screw fixings and a receiver clip supplied as standard.

Perfect for environments where you want a flexible retractable barrier without taking up any floor space. Longer length belts and printed safety messages are available on request.

Belt Colour	3m	4.6m	
Red	5 9020	5 9494	
Black	5 9022	5 9495	
Red & White	5 8926	5 9493	
Black & Yellow	5 8927	5 9492	

Sign Frame on a Post





Universal chain post and base with 300 x 250mm sign frame. Supplied complete with your sign of choice.

Please state required message when ordering.

			5	5
rame Colour		Post Colour		Code
	White		Red & White	5 9631
	Yellow		Black & Yellow	5 9632
	Red		Red & White	5 9633

Pre-Printed Wall Mounted Barrier Messages

Wall mountable retractable barriers with popular messages printed onto the fabric. A very effective system for restricting access with a choice of belt lengths available.







Chain Posts

Plastic posts and chains offer a lightweight, flexible option for cordoning off areas quickly and easily, making them perfect for temporary hazards such as spillages or for preventing access to areas during cleaning or hazardous work activities. The posts and bases are easily detached for ease of storage.

Universal Chain Post & Base



An ideal, low cost solution for cordoning off areas both internally and temporarily in outdoor environments. Quickly and easily deployed.

Use with plastic chains and chain links below (sold separately).

We recommend a maximum of two metres of plastic chain between posts.

- Corrosion proof plastic construction
- Four chain eyes in cap allows easy directional changes
- Highly visible post colours

Base

Hard Rubber Base Dimensions: 265 x 265mm Weight: 1.6kg

Post

Corrosion proof plastic Dimensions: 87 x 4cm (H x Dia)

Colour

Red & White Black & Yellow







10m Chain Post Kit

This 10 metre post and chain kit provides exceptional value for money. Allowing areas to be cordoned off quickly and easily.

We recommend a maximum of two metres of plastic chain between posts.

Includes: 6 x Posts and Bases 10 metres of Chain 10 x Hooks and Links


Total Weight: 13kg







Plastic Chain



10 metres of polyethylene chain with 6mm links

Can be easily cut to length if required.

Use the S-hook or Connector Link to attach chains to posts.

(Colo	ur
ı	7	

Red & White Black & Yellow

51 x 30 x 8mm

Coloui

Red Black

Chain Links

S-Hook Link

Nylon links for connecting chains to posts

Connector Link

60 x 32 x 8mm

Colour

Code 5 8929 Red Black 5 8930

Heavy Duty Chain Post & Base

A highly stable and extremely effective heavy duty chain post system consisting of a reflective, polypropylene post and recycled PVC base. Suitable for both internal and external use for either temporary or permanent applications.

100mm diameter post includes a retro-reflective red and white finish, providing excellent visibility when light is shone at it. The chain eye on top of the post rotates, guiding the chain to any angle required. Simply thread the chain through the eye and secure to the end posts with a connector link (sold separately). The post twists and locks into the base and easily dismantles for

We recommend a maximum of 2.5 metres of plastic chain between posts.

Base

Recycled PVC base with carry handles Dimensions: 7cm high, 57cm diameter Weight: 8.5kg

Moulded polypropylene with reflective finish and rotating chain eye Dimensions: 1metre height with 10cm diameter Weight: 2.7kg



PPE Stations

Store and display essential PPE with these stations to help ensure all personnel and visitors have instant access to mandatory safety equipment. Each station includes strong black polypropylene hooks from which to hang the relevant PPE, helping to keep it free from damage. The board is manufactured from 10mm foam pvc which can be easily drilled for wall mounting. Customised versions are available upon request.





10mm Foam 540 x 160mm **5** 5982



10mm Foam 540 x 160mm



10mm Foam 540 x 160mm **5** 5980



10mm Foam 540 x 160mm **5** 5979



10mm Foam 80 x 160mm **5** 5977



10mm Foam **5** 5978



10mm Foam 80 x 160mm **5** 5976



10mm Foam 80 x 160mm **5** 5975

Stations with Hanging Rails

Store tools or equipment in a central location with this range of stations. These stations are supplied with a variety of hanging rails, choose from magnetic rails or a hanging rail with hooks.





380mm Magnetic Rail 10mm Foam 440 x 600mm



300mm Magnetic Rail 440 x 600mm

Cleaning Station Clean equipment and return to station after use



Rail with 5 Hooks 10mm Foam PVC 600 x 440mm **5** 5973

Bespoke Options



Contact us for bespoke solutions - including alternative sizes, branding, colourways or hanging rail configurations.

Cleaning Equipment

Our shadow boards have been designed to include the following equipment. We can produce bespoke shadow boards with any selection of equipment shown below.

Broom Head Polypropylene & Polyester Fill 285 x 56mm





Dustpan Brush Polypropylene & Polyester Fill 280 x 35mm **5** 5960

Squeegee 600mm Polypropylene Blade **5** 5974





Handle

This universal handle can be used on our mop, broom and squeegee heads



Aluminium with Polypropylene Grip 1195 x 23mm Dia **5** 5961

Shovel

Polypropylene shock and crack resistant shovel. Strong, light and easily cleaned.



Polypropylene 320 x 260mm 1150mm Height

Mop Head 200g Yarn



Hanging Equipment

The blue hangers and hooks can be slid into the channelled hanging rail to meet your required configuration.

Medium Hanger for Hanging Rail Fits 20-30mm Dia 83 x 86mm 5 5 9 5 6





Magnetic Rail 300 x 35mm **5** 5966



Channelled Hanging Rail Aluminium with Blue End Can 515 x 55mm (Hooks not included) **5** 5955

Plastic Hook for Hanging Rail

55 x 70mm **5** 5958



Metal Hook for Magnetic Rail 20 x 100mm **5** 5968



Magnetic Rail 380 x 45mm **5** 5967




Equipment Hanging Bracket Black Polypropylene Plastic Fix to wall with screws (not included)

Shadow Boards


A Shadow Board is a great addition to any 5S / 6S system, acting as a locator for tools and equipment. The shadow board allows the easy recognition of missing items and helps to ensure everything is stored correctly. Each shadow board is marked for accurate attachment of hooks, hangers and rails.

There are many important benefits derived from using a shadow board system such as: **1.** Systematic storage in an organised manner - makes it easy to locate items when needed, **2.** Improved productivity due to the ease of locating required tools, **3.** Accountability - with each area responsible for their workstation, missing items are quickly identified, 4. Space utilisation is improved by keeping everything stored neatly in one easy to reach location.

All stations on this page are supplied complete with contents listed.




- **4 Piece Station** 10mm Foam 750 x 1800mm
- 1 x Squeegee 1 x 12L Bucket




- **8 Piece Station** 10mm Foam
- 1220 x 1800mm
- 1 х Мор 1 x Broom
- 1 x 12L Bucket
- 1 x Shovel 1 x Dustpan Brush 1 x Squeegee 1 x Wet Floor Sign






- 5 Piece Station 10mm Foam 600 x 2000mm **5** 5972
- 1 x Broom 1 x Dustpan
- 1 x Shovel
- 1 x Wet Floor Sign 1 x Dustpan Brush



- 1 х Мор **6 Piece Station** 10mm Foam 600 x 2000mm **5** 5971
 - 1 x Broom 1 x Dustpan 1 x 12L Bucket 1 x Wet Floor Sign

1 x Dustpan Brush

7 Piece Station 10mm Foam 750 x 2000mm **5** 5983



1 x Mop 1 x Broom

1 x Dustpan

1 x Squeegee 1 x 12L Bucket

1 x Wet Floor Sign

1 x Dustpan Brush



Bespoke Shadow Boards Cleaning Station

We can make bespoke shadow boards that include any configuration of our range of cleaning equipment. Both the shadow boards and equipment come in a range of colours. Contact us for more information.



- 10mm Foam PVC 440 x 600mm
 - 1 x Dustpan

6S Safety Signs

6S is a system for organising spaces so work can be performed efficiently, effectively and safely. This system focuses on putting everything where it belongs and keeping the workplace clean and tidy, which makes it easier for people to do their jobs without wasting time or risking injury.

A neat and tidy workplace will see higher productivity; produce fewer errors/defects; meet deadlines better; be a safer place to work; identify problems earlier; promote stronger communication levels; reduce waste and lower costs. Our range of signs and posters help to promote the importance of 6S.



Rigid Plastic 400 x 600mm **5** 5940



Rigid Plastic 400 x 600mm **5** 5942



Rigid Plastic 400 x 600mm **5** 5941



Rigid Plastic 400 x 600mm **5** 5943



Rigid Plastic 400 x 600mm



Rigid Plastic 400 x 600mm



Rigid Plastic 400 x 600mm



Rigid Plastic 400 x 600mm



Keep all areas clean and tidy

1 5945 K

1 5948 K



A place for everything and everything in its place

1 5946 K



Maintain your workstation in a tidy condition

1 5947 K



1 5944 KP





keeping makes our work safer

1 5949 K



1 5950 K

Quality Control Signs, Labels & Tags

Quality control is a process through which a business seeks to ensure that product / work quality is maintained or improved. For our full range of quality control signs see page 61.





Pack of 10 Matt PVC Tags Supplied with 150mm Cable Ties 80 x 150mm

Spill Kit Station Signs

Regulation 13 of the Control Of Substances Hazardous to Health Regulations 2002 places a duty on employers to provide for appropriate emergency response including immediate remedial action. EN ISO 14001 requires organisations to "establish and maintain procedures to identify potential for and respond to accidents and emergency situations, and for preventing and mitigating the environmental impact that may be associated with them" (Clause 4.4.7).

Our range of signs inform how to effectively respond to any oil, chemical or general fluid spill on site, inline with EU guidelines and legislation to assist with ISO 14001 compliance.











1 6040 **(1)** 2 6040 **(1)**



Spill Kit

1 6046 H 2 6046 H















Non-adhesive barrier tape, ideal

Barrier Tapes













1 6031 **(1) 2** 6031 **(1)**

1 6033 **(1) 2** 6033 **(1)**







Projecting Signs

Identify important locations from several vie points with our projecting signs. The fixings are concealed for a neat finish

Rigid Plastic 150 x 200mm











2 6044



5 8634



Document Holder



Keep important documents clearly displayed and readily available in a central location.

Durable clear polystyrene document holder, pre-drilled for easy wall mounting using the screw fixing kit supplied.

Perfect for storing A4 ring binders.

380x180x105mm (W x H x D)

Document Holding Signs

440 x 600mm - 10mm Foam Board

Keep important documents clearly displayed and readily available in a central location. Help keep staff informed and up to date with all information relating to safety.

These document holders come with a clear polystyrene holder perfect for storing A4 ring binders and other A4 folders.





5 8214

5 8215

Hazardous Substance Warnings

Suppliers of dangerous goods are required by law to label their products with hazard symbols and safety advice. GHS symbols have been developed so that people handling hazardous goods know the nature of the hazard they present. For our full range of Hazard Warning Labels and Posters see pages 98-101.



5 Miscellaneous 8 Quick Fix

Landscape Sizes

■ 300 x 250mm **K** 400 x 300mm

₽ 600 x 400mm **W** 900 x 600mm

Portrait Sizes

3 200 x 150mm 250 x 300mm

Recycling Signs

An extensive range of recycling signage to ensure your workplace identifies bins and areas dedicated to your recycling programme. Waste & Resources Action Programme compliant.

The aim of the WRAP programme is to help businesses, local authorities, community groups and individuals recycle and reuse more, and to reduce food waste. If you can't find the sign you need for your businesses' recycling programme let us know and we will be happy to quote for custom designs.



























































































For our full range of recyclable, PVC-free, eco-friendly signage see pages 90-91.

Recycling and Waste



1 6602 KQ

General waste

1 6608 KQ

Building waste only

1 6604 KQ

Cardboard only

1 6607 KQ

Plastic waste only

1 6610 KQ

Brick waste only

1 6609 KQ

Metal waste only

1 6601 KQ

Scrap metal waste only

1 6606 KQ

Timber waste only

1 6605 KQ

Bespoke Boards

We can create custom signs for site specific recycling programmes.

These boards can include company details, logos, images, include text and advise of a wide range of recyclable materials accepted on your site.

Please supply artwork or provide details of your required design and ask us for a quote.

We are able to manufacture on a wide range of materials (including eco-friendly) and sizes to suit your preference and budget.



Aluminium Roll Top

These highly durable signs are designed to neatly hook over scaffolding and railings.

Paper waste only

5 6602

Metal waste only

5 6601

Building waste only

5 6604

General waste only

5 6666

Custom Roll Top

Create your very own roll top with a custom message

> Custom message and choose your colours

5 6386

Disposal / Littering



Help prevent the attraction of pests, discard unwanted food in the bin

Thank you

1 1773 **© 2** 1773 **©**

Polite Notice



Help keep this area litter free and take all rubbish

Thank you

1 5492 **(30**) 2 5492 **(3**)

Do not feed the gulls Ni

Please place all unwanted food in the bins provided 1 1772 **368** 2 1772 **36**

1 3629 **A 2** 3629 **A**

Don't drop it

Bin it

Warning

No fly tipping

Fly tipping is an offence under the Environmental Protection Act (1990). Offenders may face up to a £50,000 fine and/or a prison sentence

1 1743 KQ 6 1743 K



Danger Tipping exclusion zone

1 4518 GM 2 4518 GM



Shred sensitive documents before placing in bin

1 5640 GM 2 5640 GM

Why are you littering? You are ignorant

You are self absorbed You are lazy All of the above

Don't be a litterbug

15494 KQ



1 5493 KQ



1 5495 KQ 2 5495 B

Energy Saving Signs



2 6036 **A** 8 6036 **A**



Please close and windows when air conditioning is on

1 6628 **A** 2 6628 **A**



in use

1 6629 **A** 2 6629 **A**



1 6622 **A** 2 6622 **A**



not in use



1 6621 **A**2 6621 **A**8 6621 **A**



1 6620 **A** 2 6620 **A** 8 6620 **A**



Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl

6 Aluminium

8 Quick Fix

Landscape Sizes G 300 x 100mm K 400 x 300mm

M 600 x 200mm @ 600 x 450mm **Portrait Sizes**

250 x 300mm 300 x 400mm A 75 x 100mm **3** 150 x 200mm

@ 450 x 600mm

Door Screen Signs





Door Screen Safety Signs offer an innovative solution to warn people of potential hazards and prevent access by fitting a barrier with the appropriate message across a doorway.

- 600 x 450mm flexible PVC sign
- Rubber end caps for maximum grip
- Wipes clean and rolls away for easy storage
- Spring loaded poles (710 to 1010mm to fit most single doorways)
- Warning message prevents access and warns of hazards
- An excellent temporary barrier to prevent access during cleaning or repairs.



Cover up Signs

The Cover-Up Sign provides a clear barrier to faulty equipment such as toilets, vending machines and office equipment. A clear visual message warns of the fault whilst the sign itself provides a physical barrier. Assembled in seconds, using hook and loop fixings. Simply collapse the Cover-Up sign when it is no longer required and store until the next use.

- Floor or wall mounted, wipe-clean material
- Collapsible and reusable for easy storage
- Provides a clear message and physical barrier
- Strong, lightweight and waterproof
- Offers a professional looking solution for short-term maintenance issues

880 x 430 x 350mm Fluted Polypropylene Supplied with suction cups for wall fixing





YOUR MESSAGE HERE **5** 5112



Lightweight Free-Standing Signs











Up to 10 words on both sides

Free-Standing Signs

300 x 575mm - Polypropylene - Provide a clear and appropriate warning of risks with our yellow self standing signs.



78

5 8517

Private Land and Farming Signs

Did you know that farming is statistically the most dangerous industry in the UK? Using the right farm safety signs is necessary to meet legal requirements and protect the landowner from liability if someone is injured on their property, so it's vital to properly display farm signs where required.



Danger Slurry pit 1 5508























1 7590 Q



1 5518 Q





1 5519 Q









1 7685 Q

1 5522 Q

















1 5526 **Q**











Tractor Inspections

The most common causes of serious and fatal injuries in agriculture involve farm vehicles and machinery. To comply with legislation, you should carry out daily checks to make sure the machinery you are about to use, or allow someone else to use, is safe and working correctly. Keeping a record of when an inspection has been carried out is important, they can help show that a tractor is well maintained and regularly checked, proving invaluable in the event of an HSE inspection following an accident. See page 131 - 135 for more information.

Security Signs



1 1714 **G**M 2 1714 GM 7 1714 GM 8 1714 **G**



1 1738 **G** 2 1738 **G**



Warning Barbed wire

1 1720 **G** M 2 1720 **G** 7 1720 **G** M



1 6215 **GMP**



1 1715 GM 2 1715 G 7 1715 GM



1 2065 GL 2 2065 GL



1 4023 GM 2 4023 G



1 2061 **G** L 2 2061 **G** L

This range offers clear, succinct, jargon-free guidance

about security standards and procedures.



This property is patrolled by security guards

1 1730



security patrolled area



1 4220 **E** 2 4220 **E**



1 1706 **E** U 2 1706 EU

Adhesive Tabs

Pack of 4 - 10 x 25mm 5 8724

These doors are alarmed

1 1707 EU 2 1707 EU



will be prosecuted

1 1731



1 1702 **1 2** 1702 **1**

Terrorism Signs

Stay Safe



1 1728 **(1)** (3) 2 1728 **(1)**

STAY

Vehicles & Equipment



are liable to be searched

17530 **@**



ERS ARE LIABLE FOR PROSECUTI

1 3676 **60** 2 3676 **60**



No tools stored in this vehicle overnight

2 1723 **目**

Cars parked here

2 1826 **∃**



No Drones

Use of drones and UAVs over this site is strictly prohibited Anyone found operating a drone over this location will be reported for prosecution and subject to civil legal action

1 3649 KQ






1 4067 KQ



1 1745 **DO** 2 1745 **DO**





1 7532 MQ



without authorisation will be clamped Release fee £50.

1 7539 MQ



or recording devices lowed beyond this poi

13671 **GM 2**3671 **GM**



1 5475 K 2 5475 K



1 1746 HP 2 1746 HP

Property



Private driveway No parking or turning

1 6590 GM



1 7684 GM



1 7014 **G L 2** 7014 **G**



1 6433 Q

1 7003 K





prosecuted

1 7006 K

PRIVATE No public right of way

1 7685 **Q**



17125



1 1703 K

SECURITY NOTICE These premises are under constant surveillance

1 1704 K 2 1704 K

Bespoke Security Signs

If you require one of these signs in a different size, material or including company branding or colourways contact us today for a quote!



CCTV Safety Signs

If your business uses CCTV, you must inform people that they could be recorded. This is usually done by displaying signs, which must be clearly visible and readable. In order to comply with the Data Protection Act 1998, signs must state the purpose of the scheme, and give details of the Data Protection Act Controller (either the person's name or position, or preferably the company's name) together with a contact telephone number or address, if it is not obvious.





























1 1719 **H 2** 1719 **H**













These premises

are under CCTV

surveillance

for your persona

safety and

security

Window Labels

75 x 100mm - Face Adhesive Vinyl

Adhesive on the face, allowing them to be applied to the inside of the window and viewed from outside











security guards

5 1730

5 9790



5 9791



5 9792

Security Eyes

Research indicates that the feeling of being watched can influence peoples' behaviour, leading to a reduction in crime. Use alongside our standard signs to reinforce security and safety messages.



1 1750 **DGJMX**



1 1751 **DGJMX**



1 1752 **DGJMX**

Contractor Pass

Maintain a register of authorised contractors on site for use in case of emergency or for record tracking / invoice verification.

Record the authorised Work Location and Type of Work to be undertaken.

9 pages of 12 passes (108 total) Size: 412mm x 280mm Pass size: 103mm x 84.5mm



Key Control System

A simple paper based key control system to control the allocation of keys.

Keep a record of all key distributions and returns to and from authorised keepers or visitors/contractors

Easily see which keys have been given out by using the tear off notice to keep in absence of a key

Comes with 100 tear off NCR Key Slips



Visitor Management

Organise, record and identify visitors in your premises with this range of products.

The visitor book has perforated top copies which tear off for insertion into badge wallets with a duplicate copy retained for a permanent visitor record. Starter kit includes a synthetic leather padded folder, visitor book with 300 badge inserts and 10 badge wallets with clips.







Pack of 10 Badge wallets



1 5444 **3** 2 5444 **3**

Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous

7 PFT 8 Quick Fix

Landscape Sizes 6 Aluminium **D** 150 x 100mm

■ 200 x 150mm 200 x 200mm

Visitor Book Refills (300)

G 300 x 100mm H 300 x 250mm J 400 x 200mm

K 400 x 300mm 450 x 150mm M 600 x 200mm

P 600 x 400mm Q 600 x 450mm 100 x 100mm

X 200 x 100mm

Portrait Sizes 100 x 150mm 150 x 200mm 250 x 300mm

300 x 400mm 400 x 600mm 450 x 600mm

Room Signs

Staff room

1 7081 **G 2** 7081 **G**

Office

17015 GL 27015 GL

Conference room

1 6425 **G** 2 6425 **G**

Reception

1 7011 GL 2 7011 GL

Site office

1 6408 GM 2 6408 GM 7 6408 G

8 6408 **G**

Staff only

17017 GL 27017 GL

Canteen

17010 GL 27010 GL

Entrance

17579 GM

Reception

17074 GL 27074 G

Suspended Sign Frames

These are perfect solution for way finding signs and can be used either single or double sided. All our suspended frames are supplied with a hanging kit.

Private

17014 GL 27014 G

Kitchen

1 7033 **G** 2 7033 **G**

Goods inward

17021 **GL 2**7021 **GL**

Reception

17070 GL 27070 G

Colour 300x100mm 450x150mm Grey **5** 8681 **5** 8680 White **5** 8700 **5** 8701

Green **5** 8703 **5** 8704

Meeting Room

1 7020 **G** 2 7020 **G**

Please ring for attention

1 7013 GL 2 7013 G

Stores

17046 G L 27046 G L



1 7018 GL 2 7018 GL

Reception

Gate / Door Signs



2 7071 AE



2 7072 AE

Push

17028 A 27028 AE 8 7028 A

Pull

1 7029 A 2 7029 A E 8 7029 A

Please close the door

17042 **D** 27042 **D**

Notice Keep this gate shut

1 7001 K

Custom Signs

We can produce digitally printed specials to include graphics, fonts, photography and colour to suit your needs.

Simply provide us with the relevant artwork and we can deliver in a range of materials and sizes.

See page 148 for information.



Adhesive Pads

For quick installation of rigid plastic signs.

Self Adhesive Tabs 10 x 25mm Pack of 4

More fixing options available on pages pages 136 - 137.



Double Sided Window Stickers

Apply to the inside of a glass window or door so the appropriate message can be seen from both sides.

The image to the back has the self adhesive face for applying to the glass.



150 x 150mm



150 x 150mm



150 x 150mm



150 x 150mm













Toilet Signs



1 7043 **C 2** 7043 **C**

17007 GL 27007 GL 8 7007 G

Toilets 🖣

Ladies

Gentlemen

All Gender



1 7024 **DE** 2 7024 DE



17009 GL 27009 GL



1 7025 DE















Custom Acrylic

Add a contemporary feel

to your business with our

stand-off acrylic signs.



17094 GL 27094 GL













1 7022 **E** 2 7022 **E**





1 7026 **E** 2 7026 **F**

Deluxe Toilet Signs

Stainless Steel



Stand out from the crowd. Perfect for high profile establishments.

Aluminium

Toilets





Aluminium

76mm Dia - Pre-drilled - Fixings Included



Toilets

Staff toilets only

Girls toilets

Boys toilets

1 7080 **G** 2 7080 **G**

1 7087 **G** 2 7087 **G**

1 7086 **G** 2 7086 **G**



Baby Changing

Room

Projecting Signs

Use projecting signs for quick identification of toilets from multiple viewing points. Supplied with drilling guide for a quick and simple installation.



Rigid Plastic 150 x 200mm **5** 7024



Rigid Plastic 150 x 200mm **5** 7025



Rigid Plastic 150 x 200mm **5** 7043




1 7048 **E** 2 7048 **E**











Toilet

Toilet

Toilet

1 7061 G 2 7061 G 7 7061 G M 8 7061 G

1 7057 **G** 2 7057 **G**

1 7058 **G** 2 7058 **G**

1 7053 GL

2 7053 G 7 7053 G

1 7076 V 2 7076 V



1 7051 GL 2 7051 G 7 7051 GL

17077 V 27077 V



1 7027 **F** 2 7027 **F**



Brass 140 x 140mm

5 9052

toilet signs

17054 **E** 27054 **E**

Show a

commitment

to equality in

the workplace

with inclusive

1 7065 **且** 2 7065 **且**



17095 **3** 27095 **3**



17096 **目** 27096 **目**

Bathroom Notices

More information on page 93.



1 6007 **A** 2 6007 **A**





Aluminium **5** 9137

1 3629 **A** 2 3629 **A**



Stainless Steel

1 5487 **G 3 2** 5487 **G 3**



Stainless Steel 5 9136

1 4288 **A** 2 4288 **A**



1 4286 **A** 2 4286 **A**



1 4236 GA 2 4236 GAG 8 4236 GA





Caution Hot water **5** 6098



Not drinking water



Drinking water



Please wash your hands after going to the toilet



1 5436 K Adapt-a-Sign 215 x 310mm



Material Codes

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous



8 Quick Fix

Landscape Sizes A 100 x 75mm C 150 x 150mm

D 150 x 100mm **E** 200 x 150mm

E 200 x 200mm G 300 x 100mm

K 400 x 300mm 450 x 150mm

M 600 x 200mm **V** 300 x 150mm

Portrait Sizes

♠ 75 x 100mm **1**50 x 200mm

Shops, Hotels, Bars and Restaurants















CHALLENGE 25

Age Verification Policy

Wine by the G

17105 **(1)**27105 **(1)**



























17114 **G 3 2** 7114 **G 3**




















Since December 2014 restaurants and food outlets have been required to display details of possible allergens contained in menu items being served.
















Kitchen Signs For our full range of catering safety signs see page 40 or contact us for a quote on a bespoke sign.

Workplaces





















17119 **30** 27119 **30**

GDPR Signs

Article 5 (1F) of GDPR states that personal data should be: "Processed in a way that ensures appropriate security of personal data, including protection against unauthorised or unlawful processing and against accidental loss or destruction or damage, using appropriate technical or organisational measures". This range of signs / posters have been designed to remind employees who deal with sensitive data to protect it by following a range of organisational measures.




Synthetic Paper 420 x 594mm



Synthetic Paper 420 x 594mm **5** 5638



Synthetic Paper **5** 5636



Synthetic Paper **5** 5637



5 5635



1 5640 GM 2 5640 GM

Peel & Stick Labels





A sheet of ten

stickers to advise



1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous

Landscape Sizes B 80 x 80mm G 300 x 100mm

5 4040

K 400 x 300mm M 600 x 200mm @ 600 x 450mm

Portrait Sizes A 75 x 100mm **E** 150 x 200mm

250 x 300mm 300 x 400mm

@ 450 x 600mm

Schools & Offices


































Warning

Trespassing or causing nuisance on a school site can lead to a criminal conviction under Section 547 of the Education Act 1996

7 4231 K



1 5457 **GM 2** 5457 **GM**

Welcome to our playground

Please treat our playground with respect. Children must be supervised at all times whilst using playground equipment at this school. This school will not be held responsible for any injury or accident that occurs through its use outside of normal school hours

1 5478 KP



Please keep right and hold the handrail



Please treat these grounds with respect. Children must be supervised at all times. We will not be held responsible for any injury or accident that occurs on these grounds

15477 KP



Please keep left and hold the handrail

1 5488 G M 2 5488 G M



1 5476 KP





1 5472 **Q**











400 x 700mm



R2 Reflective on Aluminium Composite, complete with channelling

400 x 700mm









1 5479 **Q**

School buses must display one of these signs at the front of the vehicle (at least 250mm x 250mm) and at the rear of the vehicle (at least 400mm x 400mm)

Reflective Aluminium 400 x 400mm 300 x 300mm **5** 8530 **5** 8531

Face Adhesive 300 x 300mm **5** 1687

Free Standing Signs

Browse our full range of double sided free standing signs on page 34. On this page you also have the option to create your own free standing sign.











86

Coaches and Buses

Enables coach and bus operators to inform passengers of the obligations of Motor Vehicles (Wearing of Seat Belts) (Amendment) Regulations.



2 5439



ielf Addlessie v Ninyl

Sheet of 6

Self Addressie v Ninyl 65mm Diameter

Car Park Notices

Car park

1 7575 GM

Visitors only

1 7576 GM

Car Park Products

Browse our full range of car park signs and related products on pages 103-107.

Sheet of 6

Visitors car park

17574 KQ

Please do not park in front of these gates

1 7075 K

Private Car Park

Sheet of 6

This car park is for residents and their visitors only

1 7798 K

CAR PARK

The management cannot accept responsibility for loss or damage of property or vehicles in this car park.

1 7592 KQ **7**7592 Q

Keep clear

17566 GM



1 7106 **(1) 2** 7106 **(1)**

General Notices

All visitors must report to reception

17055 **且** 27055 **且**

All visitors please sign in

17092 **日** 27092 **日**

Notice

Responsibility cannot be accepted for any articles left in this cloakroom

1 7002 K

Notice

Trespassers will be prosecuted

1 7006 K

Notice **Private property** Keep out

1 7003 K

Please

leave this lavatory clean for the next user

17037 **E** 27037 **E**

Notice **Authorised** persons only

17044 EK 27044 EK



17596 K

Reception

1 7597 K

NO BALL **GAMES**

17030 K 67030 K

Garage Signs



Reflective Aluminium 600 x 625mm



MOT Viewing area

1 6510 **M**



MOT **Parking**



Service reception



Customer parking

1 6514 GM

Petrol

Self Adhesive 25 x 25mm **5** 6487

150 x 150mm **5** 6350

Self Adhesive 25 x 25mm **5** 6488 Diesel

150 x 150mm

NOTICE

In the interests of Health and Safety omers are kindly asked to remain in the viewing area while works are undertaken to their vehicle. Please do not enter the garage area unless accompanied by a member of staff.

2 6518 **目**日

Bespoke Labels

We can supply custom labels on sheets or rolls. Advise us of your required design, size and quantity and we'll provide you with a quote.







Material Codes

1 Rigid Plastic 2 Self Adhesive Vinvl

5 Miscellaneous 6 Aluminium

7 PFT 8 Ouick Fix **Landscape Sizes**

■ 200 x 150mm 200 x 200mm

G 300 x 100mm 300 x 250mm

K 400 x 300mm M 600 x 200 mm

P 600 x 400mm 600 x 450mm **Portrait Sizes**

150 x 200mm 250 x 300mm


300 x 400mm 400 x 600mm

Adapt-a-Signs

3mm PVC, with a hard wearing Clear PVC cover - 215 x 310mm.

A cost effective sign solution, allowing you to adapt the sign to manage any changes in personnel or company details. Helps ensure your signs remain up to date at all times. Developed to hold a standard A4 sheet of paper, which you can simply print off with your relevant contact details and insert into the sign frame.









The Adapt-a-Signs system gets rid of unsightly scribbles and unneccessary wastage by enabling a A4 print out to be inserted into the sign to show new personnel instead.

Benefits of the

Adapt-a-Sign System

Scoring out a persons name and scrawling a new one underneath it is unprofessional and unsightly, but equally,

buying a new sign each time there are personnel changes seems wasteful.



5 6004

5 1053









The nearest first aid box is situated:-

norman are:







Your fire wardens are:





3. Print out on A4 page



4. Insert printout into Adapt-a-Sign



5. Replace when details change

Once you have an Adapt-a-Sign in place, the next time there are personnel changes you can simply repeat steps 2-4 which saves time, money and removes confusion.



5 6091

Need a Custom Adapt-a-Sign?

We can provide these in any colour or size.

Simply contact us with the details you require and we will provide you with a quote.

Blank Adapt-a-Sign Frames

Use blank frames to display your own messages. Perfect for displaying escape route plans, information messages or an ideal solution for use in care homes or for anyone living with dementia. It allows you to print a photo of the actual room they are familiar with and recognise rather than displaying a generic door sign that may not be of help. You can also add a photo of the person to help them identify their bedroom etc.







Blue	5 6193
Green	5 6192
Black	5 6197
Red	5 6191
Yellow	5 6194

Braille & Tactile Signs 1.5mm 2-Ply PVC with Self Adhesive Backing

Our braille and tactile signs are manufactured to conform with the DDA Act 1995 and the Equality Act 2010. This legislation requires companies to provide all people equal access to public buildings, as well as to anyone providing a service to the public. Organisations must make "reasonable adjustments", one of which is providing large, well defined braille signs for visually impaired people.

Our braille and tactile signs come with a self adhesive back and are a durable, easy to install, scratch resistant PVC and suitable for internal use. Available in various colours and surface finishes. Laser and routing capabilities offer a high quality finish. Raised letters, symbols and braille help ensure people with visual impairment can read important messages. No need for additional signs as our braille / tactile range can be read by everyone.





225 x 150mm **5** 6491



225 x 150mm **5** 6492



225 x 150mm 5 6121



225 x 150mm **5** 6490



300 x 150mm **5** 6151



150 x 150mm **5** 6109



150 x 150mm **5** 6108



225 x 150mm **5** 6130



225 x 150mm **5** 6131



225 x 150mm **5** 6132



225 x 150mm **5** 6127



300 x 150mm **5** 6149



150 x 150mm **5** 6107



150 x 150mm **5** 6110



225 x 150mm **5** 6493



225 x 150mm **5** 6494



5 6115



150 x 150mm



150 x 150mm



150 x 150mm





150 x 150mm **5** 6118



150 x 150mm 5 6104



150 x 150mm

5 6114

5 6103

5 6106

150 x 150mm **5** 6117



Braille Number

75 x 75mm **5** 6136





Fewer than 1% of the two million visually impaired people in the UK are users of Braille. Many people lose their sight when they are older and may never learn Braille, but they know how to recognise letters by their shape. For these people, the transition of learning to read tactile letters on a sign, is much easier than learning the new coding of Braille. Therefore BOTH tactile and Braille are key elements in helping the visually impaired to read and understand important signage messages.



450 x 150mm

Fire

Exit



450 x 150mm **5** 6186



450 x 150mm





Fire

Exit








300 x 150mm



300 x 150mm



450 x 150mm



450 x 150mm



300 x 150mm



300 x 150mm



300 x 150mm



150 x 225mm **5** 6180



150 x 225mm **5** 6489



150 x 225mm **5** 6178



150 x 225mm **5** 6179



Ramp Access Signs

Often ramps are obscured and out of immediate site, which can lead to confusion and / or time being wasted. Ensure that ramps and disabled access is clearly visible and marked with this range of disabled access signs.







17604 KQ



17606 KQ 67606 K

Material Codes

1 Rigid Plastic 5 Miscellaneous

Eco-Friendly Signs

Our two main materials which are both 100% recyclable have considerable variations in attributes. PET is ultra durable, impact, fire and vandal resistant making them perfect for harsh environments but with a high quality finish. Fluted polypropylene is strong and lightweight making them perfect for temporary installations.



4mm Fluted Polypropylene

100% Recyclable within waste group (PP5) Fluted twin wall polypropylene sheet Perfect for short term / temporary signage Durable, Lightweight and Waterproof Highly cost-effective material



2mm PET

100% Recyclable within waste group (PET1) Resistant to sub zero temperatures down to -20C Sub surface printed makes it vandal resistant Fire resistant (difficult to ignite) to EN13501-1 B – s1, d0 $\,$ Chemical resistance against agents, oils and solvents



Fluted Polypropylene Signs

Additional signs can be found on pages 126 - 127.



600 x 400mm **5** 5757



600 x 400mm **5** 5776



600 x 400mm **5** 5789



600 x 400mm **5** 5758



600 x 400mm **5** 5775



600 x 400mm **5** 5790



600 x 400mm **5** 5753



600 x 400mm **5** 5783



600 x 400mm **5** 5791



Your Logo Here

600 x 400mm **5** 5747



600 x 400mm **5** 5763



600 x 400mm **5** 5781

REDUCE SPEED NOW

Your Logo Here

600 x 400mm **5** 5745

CAUTION CONSTRUCTION **TRAFFIC**

Your Logo Here

600 x 400mm **5** 5762



600 x 400mm **5** 5785



400 x 400mm **5** 5728



400 x 400mm **5** 5729



400 x 400mm **5** 5727





400 x 400mm





400 x 400mm **5** 5744



400 x 400mm **5** 5743



400 x 400mm **5** 5742















Stop. Look. Listen Beware of trucks No access personnel

High visibility

jackets

must be worn

Danger

Deep excavations

Danger

YOUR LOGO HERE





Construction work in progress. Parents are advised to warn children of the dangers of entering this site.



Safety helmets must be worn Protective footwear must be worn



High visibility jackets must be worn



Unauthorised entry to this site is strictly forbidden

YOUR LOGO HERE

1220 x 1220mm **5** 5794





1220 x 1220mm **5** 5793

Eco-Friendly Pack

Twelve Sign Pack Fluted Polypropylene **5** 5820



Your Logo Here











(5)

(5)

400 x 400mm



600 x 400mm



Warning

Warning

Keep out





400 x 400mm 400 x 400mm



600 x 400mm

Custom **Eco-Signs**

Can't see the sign you required?

Don't worry you can order any sign in fluted polypropylene, PET or any other eco-friendly material. Simply go to page 148 for more information.

Eco-Friendly Signs

To help encourage an environmentally friendly approach to signage we now include the appropriate recycling logo on the sign to help identify when one of our signs can be recycled and to help recycling centres correctly identify and process the materials efficiently without the need to send them into landfill.



PET Ultra Durable Signs

















Fire

exit

7 1010 **G**

Fire exit

Fire exit

Fire exit 7 2008 GL

7 2004 GL







7 2003 GL



This door **7** 1619 **B**

7 2007 GL



7 1605 BF

Danger High voltage







7 4009 GM



Anti climb paint

Warning Razor wire

Warning Keep out 7 6404 MP



7 1714 **G**M



7 1715 **GM**



No parking

High visibility jackets must be worn beyond this point

7 3003 GM





No ball games

Hard hats must be worn on this site at all times

7 3407 **GMP**



SITE

CAUTION LORRIES

7 6412 **Q**



Site office



TURNING

CAUTION SITE TRAFFIC



No parking Keep clear

7 7525 Q

7 6431 **Q**



7 6438 **Q**

7 3611 **GMP**



CAR PARK The management cannot accept

responsibility for loss or damage of property or vehicles in this car park.

7 7571 **Q**



7 7053 GL



7 7592 **Q**

7 7051 GL



7 6408 G

7 7524 **Q**

Landscape Sizes B 80 x 80mm **F** 200 x 200mm



7 7061 **G**M





Portrait Sizes 150 x 200mm 250 x 300mm





91

Engraved Signs Aluminium or Brass Effect - Adhesive Backing - Engraved 1.5mm PVC

These signs are manufactured from a 2-ply PVC laminate with a aluminium or brass effect which creates a cost effective, durable and professional finish.




Aluminium Effect 140 x 35mm **5** 9119 Brass Effect 140 x 35mm 5 9118



Aluminium Effect 140 x 35mm **5** 9061 Brass Effect 140 x 35mm **5** 9060



Aluminium Effect 140 x 35mm 5 9089 Brass Effect 140 x 35mm 5 9088



Aluminium Effect 140 x 35mm **5** 9079 Brass Effect 140 x 35mm **5** 9078

Private

Aluminium Effect 140 x 35mm 5 9059 Brass Effect 140 x 35mm **5** 9058

Staff Only

Aluminium Effect 140 x 35mm **5** 9081 Brass Effect 140 x 35mm **5** 9080

Manager

Aluminium Effect 140 x 35mm 5 9085 Brass Effect 140 x 35mm 5 9084



Aluminium Effect 140 x 35mm 5 9065 Brass Effect 140 x 35mm **5** 9064



Aluminium 70 x 140mm **5** 9067

Brass 70 x 140mm **5** 9066



Aluminium 35 x 70mm **5** 9071

Brass 35 x 70mm **5** 9070



Aluminium 70 x 140mm **5** 9069


Brass 70 x 140mm **5** 9068



Aluminium 35 x 70mm **5** 9073

Brass 35 x 70mm **5** 9072





Aluminium Effect 75 x 300mm **5** 9177

Brass Effect 75 x 300mm **5** 9166 Aluminium Effect 75 x 300mm **5** 9178

Brass Effect 75 x 300mm **5** 9167

Custom Engraved Signs

Provide a professional and attractive look throughout a facility with engraved signs which can be supplied in a wide range of materials and sizes. The top layer of this material is removed during the engraving process to reveal the sub-layer that contrasts with the surface colour. Includes a self-adhesive backing for easy installation.

Options	95mm Dia	100 x 75 mm	300 x 100mm	140 x 35mm	35 x 70mm
TEXT Black Text on White	5 1548	5 1554	5 1560	5 1567	5 1573
TEXT White Text on Black	5 1549	5 1555	5 1561	5 1568	5 1574
TEXT White Text on Red	5 1550	5 1556	5 1562	5 1569	5 1575
TEXT White Text on Blue	5 1551	5 1557	5 1563	5 1570	5 1576
TEXT White Text on Green	5 1552	5 1558	5 1564	5 1571	5 1577
TEXT Black Text on Yellow	5 1553	5 1559	5 1566	5 1572	5 1578
TEXT Aluminium Effect		5 1597	5 1599	5 1496	5 1498
TEXT Brass Effect		5 1598	5 1600	5 1497	5 1499



Custom Composite Signs

State the required text when ordering and we'll make your bespoke sign.

This elegant and professional looking selection of signs offer the look and feel of a deluxe brushed aluminium or brass sign but without the added expense by using a 1.5mm brass or aluminium effect composite material.



Aluminium Effect 140 x 35mm Brass Effect 140 x 35mm **5** 8859



Aluminium Effect 300 x 100mm Brass Effect 300 x 100mm



Aluminium Effect 150 x 200mm 5 8860

Brass Effect 150 x 200mm **5** 8861

Aluminium Door Sliders





300 x 40mm - Anodised Aluminium - Self Adhesive Backing

Single Message

Meeting in progress
5 9121

Do not disturb

Examination in progress 5 9114

Your text

Double Message

In Out **5** 9113

Room in use Room available 5 9147

Closed Open

5 9116

Engaged Vacant

5 9117

Deluxe Signs

Sometimes a standard sign is not enough and the location requires something a little more elegant. Our deluxe range offers a choice of finishes to help your signs stand out from the crowd.

Acrylic Visual Impact Door Signs

Stand-offs give your signs extra visual impact as they stand out from the wall or door. Acrylic materials provide a contemporary appearance which is perfect for hotels, retail and high profile establishments. If you can't find the message you are looking for then use the code 5 9688 to create your own.

5mm Clear Acrylic - Sub-surface Frosted Crystal Vinyl - Anodised Aluminium Stand-offs



450 x 150mm **5** 9192



450 x 150mm **5** 9190



450 x 150mm **5** 9191



450 x 150mm **5** 9188



450 x 150mm **5** 9189



450 x 150mm **5** 9187



200 x 200mm **5** 9194



200 x 200mm **5** 9195



200 x 200mm



Custom Visual Impact Signs

Add a contemporary feel with these popular acrylic stand off signs. You can personalise the designs to show any message, image or graphic you require. Simply supply the message / logo or image you wish when ordering.

If you need a different size, call us for a quote



Please state your required text when ordering

450 x 150mm **5** 9688





Acrylic Visual Impact Safety Signs

5mm clear acrylic with subsurface print and a frosted crystal backing.

Includes anodised aluminium stand-offs for mounting. Perfect for contemporary buildings



200 x 150mm **5** 1237



200 x 150mm **5** 1233



200 x 150mm **5** 1234



200 x 150mm **5** 1235





450 x 150mm **5** 9468



450 x 150mm **5** 9467



450 x 150mm **5** 9469



Photoluminescent Acrylic Visual Impact Safety Signs

5mm clear acrylic with subsurface print and a photoluminescent backing

Includes anodised aluminium stand-offs for mounting.



200 x 150mm **5** 1253



200 x 150mm **5** 1256



200 x 150mm



200 x 150mm **5** 1254





450 x 150mm **5** 9472





450 x 150mm **5** 9473



450 x 150mm **5** 9474

Aluminium Visual Impact Door Signs

200 x 50mm - Aluminium - Anodised Aluminium Stand-offs



200 x 50mm **5** 9618



200 x 50mm **5** 9619



200 x 50mm **5** 9616



200 x 50mm



200 x 50mm **5** 9614



200 x 50mm **5** 9615



200 x 50mm **5** 9689





76mm Diameter - Pre-drilled - Fixings Included

Stainless Steel

5 9129

A range of stylish door signs that are ideal for prestigious environments where a high quality finish is essential. Supplied pre-drilled and with screw fixings.



Aluminium

5 9137

Aluminium Stainless Steel

5 9126

5 9139



Stainless Steel **5** 9135 Aluminium





5 9123



5 9138




Aluminium and Brass Safety Signs

Manufactured from anodised aluminium or brass with printed detail. Ideal for prestigious environments. These signs are supplied with a self adhesive backing for easy installation.














































Aluminium or Brass Effect Alternatives

We also offer a more economical option using aluminium or brass effect composite materials - see page 92 for available options.

Engraved

Our range of engraved products are supplied on a 2-ply 1.5mm rigid PVC laminate. This material is heat-resistant and robust to withstand the toughest of environments, making them a cost effective and practical solution for many industrial applications. Engraved signs and tags provide a permanent and effective message, removing the risk of print being scratched or damaged during general cleaning and maintenance. If you can't find the size or shape that you require please contact us for a quote.



Engraved Valve Tags

Pack of 50 - 1.5mm 2 Ply PVC Engraved Valve Tags

Our valve tags are engraved to give better quality than printed, stamped or punched alternatives. The tags are drilled at the top centre allowing you to fix to a ball chain or split ring.

Each pack contains fifty sequential numbers. Please specify the number range required (eg. 1-50)

Numbered with Prefix

Each pack contains fifty sequential numbers with prefix lettering. Please specify the number range and prefix you require (eg. GAS:1-50, T:51-100)

Numbered Only	27mm	38mm
TEXT Black Text on White	5 1500	5 1506
TEXT White Text on Black	5 1501	5 1507
TEXT White Text on Red	5 1502	5 1508
TEXT White Text on Blue	5 1503	5 1509
TEXT White Text on Green	5 1504	5 1510
TEXT Black Text on Yellow	5 1505	5 1511

Number & Prefix	27mm	38mm
TEXT Black Text on White	5 1512	5 1518
TEXT White Text on Black	5 1513	5 1519
TEXT White Text on Red	5 1514	5 1520
TEXT White Text on Blue	5 1515	5 1521
TEXT White Text on Green	5 1516	5 1522
TEXT Black Text on Yellow	5 1517	5 1523





Accessories

Don't forget to order connectors such as split rings or ball chains for tags and fobs



Split Ring Nickel Plated Steel

25mm Dia **5** 5160



Tin Plated Ball Chain Pack of 50

Engraved Key Fobs

1.5mm 2 Ply PVC Engraved Key Fobs

These key fobs are supplied complete with drilled hole for key ring attachment. Larger sized key fobs help prevent risk of keys being lost or left behind and allow additional information to be engraved such as room numbers or contact number. Please specify your text of choice when ordering. Split rings available to purchase separately.

Oval	78 x 150mm	50 x 100mm
TEXT Black Text on White	5 1524	5 1530
TEXT White Text on Black	5 1525	5 1531
TEXT White Text on Red	5 1526	5 1532
TEXT White Text on Blue	5 1527	5 1533
TEXT White Text on Green	5 1528	5 1534
TEXT Black Text on Yellow	5 1529	5 1535

Rectangle	78 x 150mm	50 x 100mm
TEXT Black Text on White	5 1542	5 1536
TEXT White Text on Black	5 1543	5 1537
TEXT White Text on Red	5 1544	5 1538
TEXT White Text on Blue	5 1545	5 1539
TEXT White Text on Green	5 1546	5 1540
TEXT Black Text on Yellow	5 1547	5 1541



Engraved Signs

1.5mm 2 Ply PVC Engraved Adhesive Backed Signs

Ideal for creating door signs, table numbers or industrial tags, the permanently engraved surface has the advantage of being tamper proof, and is less easily damaged by general cleaning and maintenance. This range of signs are supplied with a strong self-adhesive backing for ease of installation. Please specify your text of choice when ordering.

Options	95mm Dia	100 x 75mm	300 x 100mm	140 x 35mm	35 x 70mm
TEXT Black Text on White	5 1548	5 1554	5 1560	5 1567	5 1573
TEXT White Text on Black	5 1549	5 1555	5 1561	5 1568	5 1574
TEXT White Text on Red	5 1550	5 1556	5 1562	5 1569	5 1575
TEXT White Text on Blue	5 1551	5 1557	5 1563	5 1570	5 1576
TEXT White Text on Green	5 1552	5 1558	5 1564	5 1571	5 1577
TEXT Black Text on Yellow	5 1553	5 1559	5 1566	5 1572	5 1578
TEXT Aluminium Effect	-	5 1597	5 1599	5 1496	5 1498
TEXT Brass Effect	-	5 1598	5 1600	5 1497	5 1499







Deluxe Signs



Require something a little more elegant? Our stand-off range help signs stand out from the crowd.

See page 93 for more information.

ID Tags

Use these ID tags for asset marking or equipment checks. Manufactured from durable 0.8mm polypropylene which is resistant to chemicals and high temperatures.

Supplied plain or specify print requirements when ordering.

Options	Self Tie	Wide Tag	
White	5 5150	5 5155	
Red	5 5151	5 5156	
Blue	5 5152	5 5157	
Green	5 5153	5 5158	
Yellow	5 5154	5 5159	



Self Tie Tag 0.8mm Polypropylene 210 x 50mm Pack of 14



Wide Flag Tag 0.8mm Polypropylene 100 x 65mm Pack of 20

Lock Out Tag Out

The term lock out tag out (LOTO) refers to a safety procedure that ensures that machinery and energy sources are properly shut off and not unexpectedly / accidentally started up before the completion of maintenance or servicing work. These energy sources could include electrical, mechanical, hydraulic, pneumatic, chemical, radiation and thermal hazards. The point of a LOTO procedure is to identify and isolate a hazard that may cause injury if it were to start up or release stored energy during the maintenance process.



Hasps

Isolate a piece of equipment with multiple padlocks.

Six (6mm Dia.) holes on the handle for 6 individual padlocks.

25mm Clearance 5 3313 38mm Clearance 5 3314



Padlocks

Thermoplastic padlocks with a steel shackle. Temperature, chemical and corrosion resistant, UV stable.

Every padlock is supplied with a unique key for maximum security.

For keyed alike versions please cal for a quote. Green **5** 3318



Purple **5** 3320



5 3315



5 3321

Yellow **5** 3317



Orange **5** 3316



Blue **5** 3319




Black **5** 3322

Rotating Gate Valve Cover



Gate valve covers are a simple, low cost and highly effective way to prevent unauthorised operation of valves. Valve covers consist of two flattened half moons that slip over the valves hand wheel and completely cover it. Once locked, the cover rotates freely around the hand wheel preventing operation.

Fits Valve Diameter	A. Inner Diameter	B. Inner Height	C. Outer Diameter	D. Outer Height	E.Lock Hole	Code
25 - 70mm	70mm	32mm	76mm	38mm	8mm	5 3336
70 - 130mm	130mm	32mm	140mm	44mm	9.5mm	5 3337
130 - 170mm	170mm	38mm	177mm	50mm	9.5mm	5 3338
170 - 257mm	257mm	50mm	267mm	63mm	9.5mm	5 3339
257 - 355mm	355mm	63mm	368mm	73.8mm	9.5mm	5 3340





Breaker Lockout

This miniature circuit breaker (MCB) lockout device is universal for many makes and models. It requires no tools to fit it on to the MCB and locks out virtually all ISO / DIN circuit breakers throughout the world.

Dimensions: 52.65 x 17.70 x 29.99mm Body: PBT with brass thread insert Cover: PBT and Thermoplastic Screw: Stainless Steel Operating Temperature: -40°C to 70°C Corrosion Resistance" ASTM F883 Grade 6

5 3312



Electrical Plug Lock Out

A simple and effective plug lockout device which is especially developed to secure all types of plugs. Completely encloses electrical plugs to prevent accidental reconnection. When closed the access hole will accept a cable up to a diameter of 25mm





90 x 50 x 50mm Small 180 x 80 x 80mm

5 3304 **5** 3305

Lock Out Tag Out Kit

This Lock Out Kit includes devices for locking off valves and electrical isolators.

- 6 x Red Padlocks (Keyed Alike)
- 2 x Lockout Hasps 3 x Adjustable Cable Lockout 1 x 25-76mm Gate Valve Lockout
- 1 x 50-127mm Gate Valve Lockout 1 x 101-165mm Gate Valve Lockout
- 1 x Ball Valve Lockout
- 6 x MCB Lockout (Standard)
- 2 x MCB Lockout (Wide pins)

5 3331





Portable Lockout Box

Mild steel with red polyester powder coating. Includes key drop facility on lid.

12 Padlock Locators (Padlocks not included) Up to 8mm Shackle Dia.

152 x 230 x 95mm Weight: 1.85kg

5 3332



Cable Lock Out

5 3303

Ideal for use on gate valves or to lockout multiple items. Manufactured from tough thermoplastic with 4mm dia steel cable, vinyl coated. The cable length is 1.8m and the lock out point accepts up to 4 padlocks for multiple lockout applications.


Any slack in the cable can be taken out without the need to remove padlocks



Lock Out Tag Out Stations

Lock Out Stations ensure that LOTO equipment is readily available from a central location. Manufactured from 5mm foam PVC and supplied with contents. The striking black and yellow border ensures that the station is highly visible wherever sited. Corresponding shadow profiles of each item of equipment on the station helps easy inventory checking and highlights when replacements are required.





20 Lockout Station Includes:

20 x Shackle Padlocks (38mm - Red - Keyed Differently)

2 x Hasps (25mm - Red)

80 x Do not Operate Tags

Dimensions: 660 x 520mm

10 Lockout Station Includes:

10 x Shackle Padlocks (38mm - Red - Keyed Differently)

1 x Hasps (25mm - Red)

40 x Do not Operate Tags

Dimensions: 360 x 540mm

Bespoke Stations

For alternative sizes, design and / or contents, contact us for a quote.



4 Lockout Station Includes:

4 x Shackle Padlocks (38mm - Red - Keyed Differently)

1 x Hasps (25mm - Red)

10 x Do not Operate Tags

Dimensions: 280 x 400mm

Double Sided Lock Out Tags











5 5078

5 3423



5 5083

5 5072



5 5082

5 5073











5 5062



5 5076







5 5061

5 3422









5 5065



5 5071



5 3421

5 5068



Lock Out Tag Out Signs

5 5077

















1 6243 **2** 6243





Locked out for safety

Danger

Equipment locked out

Do not

operate

Free Standing Signs

A perfect way to advise staff and other personnel of any type of short term lock out procedure being undertaken.



standing signs can be found on page 34.



Yellow Polypropylene 300 x 575mm **5** 8554



Fluted Polypropylene 300 x 600mm **5** 8555

Projecting Sign

Ensure lockout stations are easily identified and visible. EasiFIX kits are supplied with guide for easy installation. Fixings hidden for neat finish

Rigid Plastic Face: 150 x 200mm **5** 3330



Bespoke Projecting Signs

Need a projecting sign that's not in our catalogue? Don't worry; we can create custom projecting signs to suit your requirements.

5 8117

GHS & COSHH Information

The classification and labelling aspects of CLP/GHS have applied to substances since 1 December 2010 and to mixtures since 1 June 2015. The final deadline fell on 1 June 2017 and applied to mixtures that were already on the market before 1 June 2015 - the transitional period was intended to give suppliers time to either deplete stock that was already on the market or to arrange for re-packaging and re-labelling of goods to be completed before 1 June 2017.





Rigid Plastic 400 x 600mm 5 8136



COSHH Document Holder

Documents

For our full range of

document holding

sians see page 45.


COSHH

Safety

Know Your GHS and CHIP Warning Symbols

Rigid Plastic 400 x 600mm **5** 8165

Recommended Segregation for Storage of Hazardous Substances Where a particular material has the properties of more than one class, the classification giving the more onerous segregation should be given Compressed Gases 2.1 Flammable 2.2 Non-flammable KEEP Separation may not be Separation may not be necessary 2.3 Toxic 4.1 Flammable 4.2 Spontaneously combustible Separation may not be necessary Separation may not be necessary 4.3 Dangerous when w Oxidising Substances 5.1 Oxidising Substano Toxic Substances 1 Separation may not be necessary Separation may not be necessary ISOLATE Rigid Plastic 900 x 600mm









Laminated 50GSM Rigid Cards Pack of 10 **5** 8164

Spill Kit Products

For more spill kit signage and products see page 75 or contact us if you have a bespoke requirement.

Pack of 4 - 10 x 25mm - 5 8724



Hazardous Substance

The carriage of dangerous goods by road, rail, inland waterway, sea and air is regulated internationally by European agreements, directives and regulations, and parallel legislation in the UK. Dangerous goods are assigned to different classes depending on their hazard. The person or business shipping the goods is responsible for classifying, marking and packaging the dangerous goods. ADR sets out the requirements for the classification, packaging and certification of dangerous goods being transported by road.

As well as the requirements specific to their transportation, suppliers of dangerous goods are required by law to label their products and packaged chemicals with hazard symbols and safety advice. Recognised GHS symbols have been developed so that people handling hazardous goods know the nature of the hazard they present.

GHS is the Globally Harmonised System of classification and labelling of chemicals (sometimes also referred to as CLP). GHS came into effect in 2009, phasing out the old black & orange CHIP designs by June 2015. The aim of the GHS regulation is to create a worldwide recognisable system of chemical classification and labelling.

GHS Labels



1 4540 2 4540 U

Roll of 250 Adhesive Labels 50 x 50mm **5** 8141

Roll of 250 Adhesive Labels 100 x 100mm



2 4541 U

Roll of 250 Adhesive Labels 50 x 50mm **5** 8142

Roll of 250 Adhesive Labels 100 x 100mm



1 4542 2 4542 U

Roll of 250 Adhesive Labels 50 x 50mm **5** 8143

Roll of 250 Adhesive Labels 100 x 100mm



1 4543 **1** 4544 **U** 2 4543 U 2 4544 U

Roll of 250 Adhesive Labels 50 x 50mm **5** 8144

Roll of 250 Adhesive Labels 100 x 100mm



Roll of 250 Adhesive Labels 50 x 50mm **5** 8145

Roll of 250 Adhesive Labels 100 x 100mm



1 4545 **1** 4546 **U 2** 4545 **U** 2 4546 U

Roll of 250 Roll of 250 Adhesive Labels 50 x 50mm Adhesive Labels 50 x 50mm **5** 8146 **5** 8147

Roll of 250 Roll of 250 Adhesive Labels Adhesive Labels 100 x 100mm 100 x 100mm



1 4547 2 4547 U

Roll of 250 Adhesive Labels 50 x 50mm **5** 8148

Roll of 250 Adhesive Labels 100 x 100mm



1 4548 **U** 2 4548 U

5 8149

Roll of 250 Adhesive Labels 50 x 50mm

Roll of 250 Adhesive Labels 100 x 100mm

Hazardous Substance Labels



1 4476 2 4476 **EU**

Roll of 100 Adhesive Labels 100 x 100mm **5** 9742



FΙU **1** 4477 2 4477 **F** U

Roll of 100 Adhesive Labels 100 x 100mm

5 9743



1 4513 2 4513 **FU**

Roll of 100 Adhesive Labels 100 x 100mm

5 4513



1 4517 **E 2** 4517 **E U**

Roll of 100 Adhesive Labels 100 x 100mm

5 4517



1 4506 **FU** 2 4506 **FU**

Roll of 100 Adhesive Labels 100 x 100mm

5 9740



1 4516

2 4516 **FU** Roll of 100 Adhesive Labels

100 x 100mm

5 9744

1 4433 **F** U 2 4433 **FU**

Roll of 100 Adhesive Labels 100 x 100mm

5 9738



1 4434 F U

2 4434 **EU** Roll of 100 Adhesive Labels

100 x 100mm

5 9739

Roll of 100 Adhesive Labels 100 x 100mm 5 9745

1 9745 **FU**

2 9745 **FU**



1 4436 **E** 2 4436 **EU**



1 4478 **E** 2 4478 **EU**



1 4432 **E 2** 4432 **E U**



1 4501 **E** 2 4501 **EU**



1 4502 **E 2** 4502 **E U**



1 4438 **E 2** 4438 FU



1 4508 **E 2** 4508 FU

1 4509 **2** 4509 FU **1** 4510 **E**

2 4510 FU





Roll of 250 Adhesive Labels 100 x 100mm **5** 8159



Roll of 100 Adhesive Labels 100 x 100mm



Roll of 100 Adhesive Labels 100 x 100mm



2 4557 EU Roll of 100 Adhesive Labels 100 x 100mm



Roll of 100 Adhesive Labels 100 x 100mm **5** 9838



1 4511 **E** 2 4511 **F** U

ā



1 4512 **E** 2 4512 **E** U

We can supply Hazardous Substance Diamonds

on a magnetic material. Contact us for a quote.



1 4515 **2** 4515 FΙU



1 4435 **E** 2 4435 **E** U

Rolls of Safety Symbol Labels

These self adhesive labels are conveniently supplied in Rolls of 100. All our labels are ready cut and easy to peel off and apply. They can also be supplied as individuals or on sheet format. If you cannot find the label you require we will be happy to quote you for your requirements.





50 x 50mm **5** 9725



50 x 50mm **5** 9720



5 9726

50 x 50mm **5** 9724



5 9721



50 x 50mm **5** 9707











100 x 100mm

Material Codes

5 9700

100 x 100mm 5 9701



100 x 100mm **5** 9703





Landscape Sizes







50 x 50mm **5** 9717



Temporary Reflective Traffic Management Vehicle Marking



Magnetic 1400 x 140mm 5 6331

HIGHWAY MAINTENANCE

Self Adhesive 1300 x 100mm **5** 6499

Magnetic 1300 x 100mm **5** 6520

MOTORWAY MAINTENANCE

Self Adhesive 1300 x 100mm **5** 6519 Magnetic 1300 x 100mm **5** 6521

Magnetic 700 x 140mm 5 6336

HIGHWAY MAINTENANCE

Self Adhesive 800 x 275mm **5** 6522

Magnetic 800 x 275mm



5 6337

MOTORWAY MAINTENANCE

Self Adhesive 800 x 275mm **5** 6523

Magnetic 800 x 275mm **5** 6525

ECE 70 Plates

Aluminium plate with high grade retro-reflective yellow and fluorescent red finish. Manufactured to ECE 70, specifications applicable to all trucks from April 1996.



Aluminium 600 x 200mm **5** 6348







Aluminium 140 x 300mm **5** 6344



Aluminium 300 x 200mm









Aluminium 1200 x 200mm













Aluminium 600 x 140mm **5** 6342

Vehicle Contour Marking


Vehicle contour marking has been mandatory requirement since July 2011. Highly reflective, extremely durable and coated with a suitably strong adhesive which complies with ECE 104



Colour	Curtain Sided	Code	Rigid-Sided	Code
Yellow Reflective	50m x 50mm	5 6353	12.5m x 50mm	5 6332
Red Reflective	50m x 50mm	5 6354	12.5m x 50mm	5 6334

Protruding Loads

Signs for marking overhanging and protruding loads from the sides, front and rear of vehicles, manufactured from 3mm PVC with non-reflective detail.



Protruding Loads Information

The end of a load must be made clearly visible if the length of projection is between 1 and 2 metres. Marker boards are required if the load projects rearwards or forwards by more than 2 metres. Marker boards are required if there is over 305mm lateral projection on either side.

Vehicle Plates

Complies with BS AU 152 specifications for rear marking plates for vehicles. Manufactured from reflective aluminium.

ONG VEHICLE

1265 x 225mm **5** 6295

WIDE VEHICLE

1265 x 225mm **5** 7140



525 x 250mm **5** 6296

WIDE **VEHICLE**

525 x 250mm **5** 7141

SLOW VEHICLE

1265 x 225mm **5**7142

WIDE LOAD

1265 x 225mm 5 7144



525 x 250mm **5** 7143



525 x 250mm **5** 7145



Vehicle Inspections

Pre-drive vehicle checks can help companies to improve safety, comply with legislation and reduce maintenance costs by spotting potential faults early.

To view our full range of checklists, including vehicle inspections please see pages 131 - 135.

Gas Cylinder Signs



GAS **CYLINDERS**

1 4440 **E** 2 4440 **E**



1 4439 **E** 2 4439 **E**



1 4430 **U 2** 4430 **U**

Gas Cylinder Tags

- Matt PVC
- 80 x 150mm
- Double Sided
- Pack of 10Includes 150mm cable ties





5 4539

Hazchem Placards

700 x 400mm - Reflective

When ordering these ready made Hazchem plates, advise the SPECIALIST ADVICE / TELEPHONE NUMBER you wish to display.

Petrol / Renzine



Aluminium 5 6358 Self Adhesive 5 6359

Kerosene



Aluminium **5** 6362

Self Adhesive 5 6363

Diesel / Gas Oil



Aluminium **5** 6360

Self Adhesive 5 6361



Multi-Load Placards

Under the Carriage of Dangerous Goods by Road Regulations 1996, reflective placards displaying the Emergency Action Code in the upper sector must be displayed at the rear of the vehicle. *Specify your required action code and UN number when ordering



Reflective Aluminium 400 x 300mm **5** 6365 Reflective Self Adhesive 400 x 300mm **5** 6366


Custom Hazchem Placard

This system allows you to create your own Hazchem or multi-load placard, produced to your exact specifications.

When ordering: specify the letters and numbers you require. Please note the letters to choose from are E, P, R, S, T, W, X and Z. The numbers range from 0-9

Select your hazard warning symbol from those shown on page 90

Specify the SPECIALIST ADVICE / TELEPHONE NUMBER you wish to display.



Aluminium 5 6238 Self Adhesive 5 6239

Site Marking Placards

These signs should be used to highlight storage areas containing hazardous substances.



Aluminium 850 x 250mm **5** 6267 Self Adhesive 850 x 250mm **5** 6268



Aluminium 850 x 250mm **5** 6269 Self Adhesive 850 x 250mm **5** 6672



Aluminium 610 x 300mm **5** 6259 Self Adhesive 610 x 300mm **5** 6373



Aluminium 610 x 300mm **5** 6374 Self Adhesive 610 x 300mm **5** 6375

Embossed ADR Plates

0.8mm Stainless Steel - 400 x 300mm

Embossed hazchem plates, displaying the hazard indication number and UN number with reflective orange background to ADR specifications. Can be placed inside the placard holder (5 6285) on the front and rear of the vehicle.





5 6696

30

5 6698

Kerosene

Diesel / Gas Oil

30 1202

5 6697

Alternative designs can be supplied, please call us and provide details for a quote – please note that due to the manufacturing process involved for embossed ADR plates and placards extended lead-times will apply.

We will advise when quoting.


Placard Holder



Designed to be used with multi-load placards, hazchem plates and vehicle plates. Manufactured from 1mm black powder coated stainless steel. Plates and placards are sold separately.

Black Stainless Steel 400 x 300mm **5** 6285 Black Stainless Steel 700 x 400mm **5** 6286

Hazard Warning Vehicle Plate



Under ADR Regulations, plates must be displayed at the front of any vehicle carrying dangerous goods and at rear if dangerous goods are contained in packages.

Aluminium 400 x 300mm **5** 6364 Self Adhesive 400 x 300mm **5** 6237 Reflective Magnetic 400 x 300mm **5** 6338

Plate Cover

Place a cover over the plate when no hazardous goods are on board.



ADR Fabric Cover 400 x 300mm **5** 6328

Folding Vehicle Plates


Can be folded and locked in place when the vehicle is not carrying any hazardous goods.



Non - Reflective PVC 250 x 250mm



Reflective Aluminium 400 x 300mm **5** 6327



Reflective Aluminium 400 x 300mm **5** 6700



External Speed Restriction Stickers

A range of speed restriction / speed limit stickers to apply to a van, lorry or coach when they have a speed limiter fitted. Self-adhesive vinyl is easily applied to clean, dry surfaces.



Please be aware the road speed limits for this vehicle are

40

Single carriageways **Dual carriageways**

(50) (60)

2 1808 **目**

Motorways

Please be aware the road speed limits for this vehicle are

(50)

Single carriageways **Dual carriageways**

60

Motorways

(70) 2 1809 **E**

I'm sticking to the speed limit Please keep a safe distance

2 1816 **目**



















External Vehicle Stickers

These stickers should be applied to the outside of a van, lorry or coach to highlight safety warnings. Self-adhesive vinyl is easily applied to clean, dry surfaces.











No tools stored in this vehicle

overnight

2 1723 **囯**

Please leave enough room for these doors to fully open

2 1810 **目**

Keep clear

Disabled access required for this vehicle

2 1815 **目**













2 1812 **3**



2 1831 **3**



Self Adhesive Vinyl 1000 x 50mm **5** 1833

This sign should be displayed on the sideguards of a HGV to comply with the direct vision standard for vehicles entering and operating in Greater London. The direct vision standard is a HGV safety permit for vehicles with a gross weight of over 12 tonnes.

Warning

This vehicle makes

wide turns

Internal Vehicle Stickers

Remind drivers of their legal duties and responsibilities with this range of dashboard stickers.















2 3059 **GA** 2 3670 A



2 3008 GA











5 3040



Don't see the message you're looking for? Contact us with your requirements to receive a quote. We can also quote for magnetic signs and logos for temporary application to vehicles.

2 1829 **DE**

Speed Restriction Signs



Car parks on private land are managed using the laws of contract or trespass, whilst car parks operated by local councils are generally regulated by law. Typically, a principle sign will be displayed near the entrance to the car park describing who the car park is for, and if there are time or speed limits and details of any charges or free periods that may apply. Additional signage in and around the car park may provide more information relating to height restrictions, traffic flow and any designated parking bays.



6 7501 N



1 7502 N 6 7502 N





1 7535





1 7536 Q

1 7549 N 6 7549 N





1 7553 **N**



17598 EN



1 7538 Q



1 7512 **Q 6** 7512 **Q**



1 7543 Q



1 7513 **Q 6** 7513 **Q**

Information & Restrictions

Car park

1 7575 GM



1 7683 **G M 2** 7683 **G M**

Visitors only

1 7576 GM

Visitor parking

1 7078

Keep clear

1 7566 GM

Director parking

17079

Reserved

17583 GM

Customer parking

1 7088

Customer car park

1 7063 KQ

PRIVATE CAR PARK

This car park is for the use of residents and their visitors only. Vehicles parked here without permission will be clamped.

17534 K

Visitors car park

17574 KQ

Private Car Park

This car park is for residents and their visitors only

Deliveries

17798 K

Residents parking only

1 7582 K

Private Car Park

Unauthorised parking will result in a parking violation ticket and fine

1 7797 K

Staff car park

17066 KQ



17848 HK 67848 HK

Private car park

1 7568 KQ




17606 KQ 67606 K

Way Finding

Deliveries



1 7594 K 1 7595 K



1 7018 GL 2 7018 GL



Reception

1 7597 K

Goods inward

17021 GL 27021 GL



Our suspended frames are supplied with a suspension kit for fitting. They're the perfect solution for way finding signs.

Colour 300x100mm 450x150mm **5** 8681 **5**8680

Material Codes

1 7579 GM

1 Rigid Plastic 2 Self Adhesive Vinyl 5 Miscellaneous 8 Quick Fix

Landscape Sizes B 80 x 80mm


□ 150 x 100mm **■** 200 x 200mm

E 200 x 150mm **G** 300 x 100mm **K** 400 x 300mm

M 600 x 200mm **Q** 600 x 450mm **U** 100 x 100mm **N** 400 x 400mm **S** 200 x 75mm

Portrait Sizes 🛕 75 x 100mm 150 x 200mm **Verge Signs** 450 x 150mm - 2mm Aluminium sign supplied on a 800mm pole

A quick and easy solution for parking and information signage. Can be simply sunk into the grass verge using the pole spike for temporary use or can be set into concrete for extra stability and permanent fixtures. When ordering customised verge signs please state the message, logo or number you wish to display.



Flat No.

Welcome to

* Your message / logo here

*State number required

text / logo

Custom Verge Signs

If you don't see the message you require, we can also supply custom verge signs in alternative sizes or with any message you may require. We can also add logos, images or reflective material to the sign to maximise impact. If you have a specific requirement please contact us and provide the relevant details and we will be happy to provide you with a competitive guote.



5 6543 *State text required

Your message / logo here

Your message,

ogo, registration or name here

*State text

required

5 6577

5 6587

require

104

5 6536

Electric Vehicle Parking

Raise awareness of the correct use of electric car charging points - identify location, and prevent unauthorised vehicles from parking in spaces specifically reserved for the charging of electric vehicles. Easily identifiable using the official DoT (Department of Transport) symbol and in green to highlight the benefits to the environment.













Pavement Sign

This eco-friendly, portable, high performance sign is ideal for pavement and forecourt messages and promotions. Manufactured from durable aluminium and recycled plastic. These pavement signs give off a perfect display in all types of weather. It has a large display area of 460 x 820mm on aluminium which is securely locked into the base with a blue wedge. The base provides an excellent ballast and has been tested in winds over 70mph.

Standard product has a single sided display. Contact us for a quote if you require a double sided display. Recycled PVC Base and Aluminium - 465 x 867 x 540mm (W x D x H) - Weight: 8.9kg.









Cone Signs

Reflective Polypropylene - 600 x 450mm Use with 750mm / 1000mm cones (not included)













Custom Cone Sign

Our custom cone sign is an ideal solution for car park or roadside messages.

To customise this sign simply supply the message, logo or any other information required when



5 8079

Our full range of cone signs are on page 111.

Temporary Speed Bump Signs

This range of signs help to slow traffic to the required speed limit. Display inside a metal sign frame found on page 113.



17599 KQ

17497 KQ





1 7521 **Q 6** 7521 **Q**





Speed bumps ahead

17498 KQ

Bird Deterrent Spikes Pack of 3 Polycarbonate Spikes - 333 x 90mm

Birds often find refuge in parking lots and perching on street lights, creating a mess on the cars and the surrounding area. Bird deterrent spikes are a simple but effective solution to prevent birds from perching and nesting. Manufactured from transparent polycarbonate these spikes are designed to blend in and are rounded so not to harm birds or maintenance personnel. Spikes can be fitted by the use of screws or with double sided weather resistant tape.



Acrylic Tape

Double sided high bond adhesive tape



25mm x 33m

5 8105

Material Codes

1 Rigid Plastic 5 Miscellaneous

6 Aluminium

Landscape Sizes 400 x 300mm @ 600 x 450mm

Portrait Sizes 400 x 600mm

Material Information

Security



1 7106 **(1)** 2 7106 **(1)**

Do you want this sign with a different message? Contact us for a quote

CAR PARK

The management cannot accept responsibility for loss or damage of property or vehicles in this car park.

17592 KQ 77592 Q



Cars parked here without authorisation will be clamped

1 7532 MQ

SECURITY NOTICE

These premises are under constant surveillance

1 1704 **K 2** 1704 **K**



Cars parked here without authorisation will be clamped Release fee £....

1 7533 **M** *State value

Users of this car park do so at their own risk.

The management will not accept responsibility for any damage, accidents or losses.

17540 KQ 67540 KQ



Cars parked here without authorisation will be clamped Release fee £50.

1 7539 MP



Security Signs

For our extensive range of CCTV and security signage please refer to pages 80-81.

Alternative Signs

To create your own bespoke message please contact us for a quote or refer to page 148 for more information.



Maximum Headroom Highlighting



Reflective Aluminium 1200 x 150mm **5** 6496 State headroom required



Reflective Aluminium 600 x 150mm **5** 6497



Reflective Aluminium 600 x 150mm

Headroom Bollard

Safely and effectively warn drivers of restricted height conditions ahead at car parks, buildings or facilities with restricted clearance.

Lightweight polyethylene construction minimises the risk of damage to vehicles.

Easily installed No sharp edges Reflective for clear visibility 2 x Suspension chains (2 x 2m)

Polyethylene 950 x 100mm Diameter 5 6323



Free Standing Car Park Signs

Rigid Plastic - 600 x 450mm - Complete with steel Frame and Clips



5 8528



5 7796



5 8527

Caution Icy conditions Please drive carefully

Bicycle Parking Signs



1 7694 GM



1 7693 GM



1 7695 **G** M



17692 **G**M



Wall Mounted Bike Rack

This individual wall mounted bike rack is ideal for areas with limited space. Providing security and organisation to bicycle parking.

Zinc plated steel construction (16mm dia tube).
Suitable for bicycles up to tyre width 50mm.
Adjustable through 180 degrees.
Wall mounting – fixings included.
Fully assembled, compact and flexible design.
Size: 335 x 90 x 285mm (H x W x D)

5 8059

Free Standing Bike Rack

A range of compact bike racks ideal for domestic bicycle parks, housing estates, schools etc.

Zinc plated steel construction (16mm dia tube). Suitable for bikes with tyre width of up to 50mm. Accessible from both sides

Fully assembled, supplied with ground fixings.

DescriptionRack for 3 (HxWxD): 255 x 720 x 330mm
Rack for 4 (HxWxD): 255 x 1025 x 330mm
Rack for 5 (HxWxD): 255 x 1340 x 330mm



Ice Detector Signs

Reduce the risk involved with costly slip and fall accidents on your property by installing our Ice Detector Signs. These Ice Detector signs are a early warning system that can be used in any outdoor area, including car parks, railway stations, depots, roads, hospitals, retail locations, airports, walkways and outdoor workplaces. These signs incorporate a temperature sensitive blue reflector, which gradually revolves into sight when the temperature reaches 2°C and by -1°C is in full view. It requires no power and is virtually maintenance free.

The signage system will lower the personal injury financial risk involved with costly accidents and helps make up part of the employers' Duty of care' charter to their employees. A simple visual indicator of imminent freezing conditions. The Ice Detector Sign has a three stage indication process utilising a temperature sensitive blue reflector, which revolves into place when temperatures start to move below 2°C.

As illustrated on information panel 5 8199, when the temperature is above 2°C, the grey indicator will show that conditions are normal. As the temperature drops, the reflector will transition to show that conditions are becoming colder and the threat of potential freezing conditions are therefore a possibility. When the temperature drops below -1°C then the reflector display will be fully blue.

Our signs are manufactured from 3mm thick aluminium composite, making them lightweight and durable. Each sign is equipped with channelling on the rear for post mounting. They should be positioned in a way to ensure they are clearly seen at eye level, to provide the quickest indication of the temperature outside of any building or car parking facility when entering or exiting the building.



165mm Diameter Ice Detector mounted on 3mm Aluminium Composite 300 x 500mm



165mm Diameter Ice Detector mounted on 3mm Aluminium Composite 300 x 500mm



Information Panel (Ice Detector not Included) 3mm Aluminium Composite 300 x 500mm





Stencils

Laser cut clear PET (polyethylene) stencils - 100% recyclable, high chemical resistance – allowing them to be re-used after numerous paint applications. Hard wearing with high impact strength.

Bespoke designs can be created (maximum size of 600 x 900mm) - contact us with details for a quote. Ideal for repeating key safety messages throughout car parks and warehouses by simply painting over the stencil at required locations.



600 x 400mm **5** 9662



600 x 400mm **5** 9537



600 x 400mm **5** 9589



600 x 400mm **5** 9660



600 x 400mm **5** 9649



600 x 400mm 5 9612



600 x 400mm **5** 9602



600 x 400mm **5** 9585



600 x 400mm **5** 9613



44

300 x 400mm **5** 8441



300 x 400mm **5** 9648



600 x 400mm **5** 9536



45

0 - 9 (10 piece kit) **5** 9642 A-Z (26 piece kit) **5** 9643



400 x 300mm **5** 9647



0 - 9 (10 piece kit) **5** 9640 A-Z (26 piece kit) **5** 9641



A-Z and 0-9 (36 piece kit)

46



A-Z and 0-9 (36 piece kit)



Material Codes

400 x 600mm

Portrait Sizes

🕽 250 x 300mm

Material Information

For information on our most popular materials and the locations they are most suitable for see page 4-5.

RA1 & R2 Traffic Signs

From 1st July 2013, any permanent sign directing traffic as listed in the Traffic handbook must be CE Marked.

This means road traffic signs erected on a public highways need to be manufactured in accordance with the CE Marking Standard. All of our permanent road traffic signs are manufactured in accordance with Chapter 8 & TSRGD quidelines. Our reflective material meets the specification of classes RA1 (for temporary use) and R2 (for permanent siting) under BS EN 12899. All signs on this page are supplied complete with channelling for post mounting.



Fig. 670 600mm Diameter R2 57708 RA1 **5** 6566



Fig. 670 600mm Diameter **RA1** 4567 **R2 5** 7709 **5** 6567



Fig. 670 600mm Diameter **RA1** | **R2** 6568 | **5**7710 **5** 6568



Fig. 670 600mm Diameter RA1 R2 6569 57711 **5**6569



Fig. 670 600mm Diameter **R2 5**7712 RA1 **5**6570



Fig. 616 600mm Diameter RA1 R2 **5**7715 **5**6573



Fig. 601.1 750mm Octagon RA1 | R2 57824 | 57724



Fig. 612 600mm Diameter RA1 | R2 56575 | 57717



Fig. 613 600mm Diameter RA1 R2 56574 57716



Fig. 615 600mm Diameter RA1 | R2 57819 | 57719



Fig. 625.1 600mm Diameter RA1 R2 57823 57723



Fig. 652 300 x 450mm RA1 | R2 57831 | 57731



Fig. 811 700 x 800mm RA1 R2 57838 57738



Fig. 965 395 x 430mm **R2 5** 7454



Fig. 606 600mm Diameter RA1 | R2 5 6 5 6 2 | 5 7 7 0 4



Fig. 606 600mm Diameter **5**7703



Fig. 610 600mm Diameter **5**7701



Fig. 610 600mm Diameter **5**7702 **5**6560



Fig. 611.1 600mm Diameter **R2 5** 7721



Fig. 955 300mm Diameter RA1 R2 **5**7742



Fig. 956 300mm Diameter RA1 R2 57843 57743



Fig. 602 600mm Triangle RA1 R2 57829 57729



Fig. 557.1 600mm Triangle RA1 R2 **5**7752



Fig. 530A 750mm Triangle RA1 R2 **5**6594



Fig. 544 600mm Triangle RA1 | R2 57893 | 57793



Fig. 545 600mm Triangle RA1 R2 57894 57794



Fig. 521 600mm Triangle RA1 R2



Fig. 522 600mm Triangle RA1 R2 57859 57759



Fig. 517 600mm Triangle RA1 R2 57864 57764



Fig. 517 600mm Triangle **RA1 5** 7865 **R2 5** 7765



Fig. 544.1 600mm Triangle RA1 R2 RA1 | R2 57892 | 57792



Fig. 512 600mm Triangle RA1 R2 57860 57760



Fig. 512 600mm Triangle RA1 R2 57861 57761



Fig. 562 600mm Triangle RA1 R2 57869 57769



Fig. 544.2 600mm Triangle RA1 R2 57891 57791



Fig. 661A 320 x 250mm RA1 | R2 57832 | 57732



Fig. 660.9v 355 x 275mm RA1 R2 57450 57451



Fig. 660.9v 355 x 275mm RA1 R2 **5**7452 **5**7453



Fig. 966 535 x 230mm R2 **5**7455

Permanent road signs must be (CE) marked

All of our R2 reflective signs are supplied complete with CE marking. All our signs are manufactured from 3mm traffic grade Aluminium Composite, a lightweight and weather resistant material ideal for external use. Aluminium Composite has no scrap value and therefore the risk of theft is reduced.

Need a different traffic sign or symbol?















Contact us and we can provide you with a quote.













RA1 Zintec Traffic Signs

How well signs are seen dictates how drivers react. That's why the brightness and clarity of signage is so important. Manufactured using engineering grade (Class RA1) reflective sheeting applied on to 20/22 gauge Zintec plate. These traffic management signs are designed for use with road sign frames as shown on page 113.



Fig. 610 Class RA1 **5** 7946 750x750mm



Class RA1 600mm 750mm



Class RA1 600mm 750mm



Class RA1 Fia. 7001 **5**8075 600mm **5**7924 750mm



Class RA1 600mm 750mm







Class RA1 Fig. 7018 600 x 450mm **5**7950 1050 x 750mm



Fig. 562

5 8071

57920

Class RA1 Fia. 7018 **5**7951 600 x 450mm 1050 x 750mm **5**7902



Fia. 554

5 8073

57922

Fig. 7018 Class RA1 **5**7952 600 x 450mm **5**7903 1050 x 750mm



Fig. 7010.1 Class RA1 **5**7956 600 x 450mm 57907 1050 x 750mm



Fig. 7010.1

5 7957

57908

Class RA1 600 x 450mm 1050 x 750mm

NEW ROAD LAYOUT AHEAD

Fig. 7014 Class RA1 **5**7958 600 x 450mm

1050 x 750mm

57909



Class RA1 Fig. 2702 **5**7953 600 x 450mm 1050 x 750mm **5**7904



Fig. 2702 Class RA1 **5**7954 600 x 450mm 1050 x 750mm **5**7905



Class RA1 Fig. 2702 **5**7955 600 x 450mm 1050 x 750mm **5**7906



Fig. 7011 Class RA1 **5**7962 600 x 450mm 1050 x 750mm **5**7913



Fig. 7301 Class RA1 **5**7963 600 x 450mm 1050 x 750mm **5**7914



Fig. 7010.1 Class RA1 **5**7964 600 x 450mm 1050 x 750mm **5**7915

HEAVY

EMPORARY ROAD SURFACE

Class RA1 600 x 450mm

Fig. 7010.1 **5**7959



Class RA1 600 x 450mm 1050 x 750mm



Class RA1 600 x 450mm 1050 x 750mm

Fig. 7000.1

57934



57961 **5**7912



Fig. 7302 Class RA1 **5**7965 600 x 450mm **5**7916 1050 x 750mm

Class RA1

850 x 355mm

57935



Class RA1 600 x 450mm 1050 x 750mm



Class RA1 Fig. 511 **5**7967 600 x 450mm **5**7918 1050 x 750mm

RA1 Zintec Supplementary Plates

57929

These supplementary plates are for use with the frame **5** 8761 (see page 113) - Additional plates available on request.

Class RA1

850 x 355mm

Fig. 7010.1

57960

Weed spraying

Class RA1

850 x 355mm

Tree cutting

Class RA1

850 x 355mm

Hedge cutting

Grass cutting

Class RA1

850 x 355mm

End

Zintec is a durable, rust resistant steel sheet that is

What is Zintec?

Fig. 511

5 7966

57917

covered in a thin layer of zinc using an electromagnetic process, making it extra strong and providing a smooth finish. As a result Zintec proves a great option for temporary traffic signs when you know they will spend time being stored or transported between use

Custom RA1 Zintec Signs and Supplementary Plates

We can manufacture zintec signs and supplementary plates with custom designs and wording so if you can't find your message of choice please advise us and we will produce to your specifications. For alternative sizes please contact us for a quote.

57930



Your Message

600 x 450mm **5**8205 1050 x 750mm **5**8204

Your message her

850 x 355mm **5**8069



58207 600mm 750mm **5**8206

Need a different size? Call us for a quote.

Lollipop Sign

Composite reflective sign on a 1500mm collapsible pole. Ergonomic handle, rubber feet and storage bag. Ultra compact, unique one-piece folding design.



Fig. 7000.1 **5** 7948

Description Diameter

Stop / Go Stop - Works Stop - Children Material

Reflective Composite

Pole Length Code

600mm Reflective Composite 1500mm **5**8089 **5**8090 450mm Reflective Composite 1500mm **5**8091 450mm 1500mm

Reflective Signs

Available on various materials (aluminium, zintec & aluminium composite) with a choice of reflective finish. RA1 reflective (engineering grade) for temporary traffic signs.



Class	Reflective Material	Material	Usage
RA1	Engineer Grade: Lower reflectivity level sheeting, lower cost	20 / 22 Gauge Zintec Plating or 3mm Traffic: Aluminium Composite	Temporary Traffic Signs
R2	High Intensity Prismatic: Retains a high reflectivity level over time	3mm Traffic Dibond: Aluminium Composite	Permanent Traffic Signs

Re-Flex Frame

A plastic sign frame that is compatible with our pre-drilled Re-Flex Signs. The modular design enables workers to quickly assemble signage on site. The system removes the need for stocking multiple frame shapes and sizes because interchangeable signs can be installed on the same frame.

Four antiluce droplock fasteners make changing signs fast and simple and eliminate the need for wingnuts, road frame clips and other additional small accessories which get lost and / or damaged.

Due to the frame being an all-plastic design it will not conduct electricity, corrode over time and removes the risk of theft for scrap metal. The frame is made using recycled plastic materials and can be recycled at end of life.

Highly resistant to wind: Category C (19 mph) winds without ballast Category B (39 mph) winds with a 9kg weight Ultra-durable sign frame is resistant to cracking Lightweight and stackable 3.3kg design reduces weight and space taken up in works vehicles

Collapsed Frame Dimensions: H 935 x W 800 x D 35mm **5** 7470





Improved Design

Please note:

Re-Flex frame and sign faces are sold separately.

Rectangular Re-Flex Signs

600 x 450mm - Pre-drilled 3mm Polypropylene with RA1 Engineering Grade Reflective Face



5 7561

CAUTION **HEAVY PLANT** CROSSING

All drivers and visitors must

report to site office

5 7528

5 7526



5 6452

5 7483

5 7563

NO PARKING IN THIS AREA

5 7571

5 7508

We apologise for any inconvenience caused .

5 6419

CAUTION SITE ENTRANCE

5 6431

CAUTION LORRIES TURNING

5 6438

5 7509

Site Speed Limit

5 7480

CAUTION CONSTRUCTION TRAFFIC.

5 6450

CAUTION MUD ON ·ROAD·

5 7590



5 7510



5 7481

PEDESTRIAN **CROSSING** POINT

CAUTION SITE TRAFFIC

5 7525



5 6426



5 7482

CAUTION **PEDESTRIANS** CROSSING

5 7608



5 7607



5 6427



5 7788

Triangular Re-Flex Signs

750 x 850mm (H x W) - Pre-drilled 3mm Polypropylene with RA1 Engineering Grade Reflective Face



5 7484



5 7485

5 7486



5 7487







Reflective Cone Signs

Lightweight Reflective Polypropylene cone sign for use on a 750mm / 1000mm traffic cone (not included). The fixing loops on the rear of the sign allow quick and easy attachment to cones. A perfect solution for providing temporary messages on site.



Custom Cone Signs

Customise these signs by

quoting the relevant code

and supplying the required

600 x 450mm Rectangular Cone Signs






























5 8208











CAUTION



750 x 750mm Square Cone Signs













750 x 850mm 5 8078

Vehicle Warning Triangle

EC approved reflective warning triangle to advise road users of a breakdown or hazard ahead. Supplied in a handy plastic storage case for ease of storage.

Dimensions: 440x30x400mm

5 7799




Traffic Cones

Available in a choice of 3 sizes, can be stacked to save space.

Manufactured from recycled materials. Supplied complete with a reflective sleeve. These cones conform to BS EN 13422:2004.

Height Code 500mm **5** 7663 750mm 5 7664 1000mm **5** 7665



Chapter 8 Roll-up Sign Kit

A compact, lightweight pack of eight reflective roll-up signs, as required for road works under Chapter 8 of The Traffic Signs Manual. This kit saves space and weight compared to rigid signs and frames. Supplied in two storage bags for easy transportation. The kit also includes site layout guidance from the "Safety at Street Works" Red Book.

Kit includes tripods and the following 750mm signs:

2 x Men at Work 1 x Road Narrows Offside

2 x Men at Work - End 1 x Road Narrows Nearside 2 x Keep Right

• Wind Tunnel tested to 60mph

• Weight: 30kg (3.7kg per sign)







Fold-up Road Signs

These signs have been designed specifically for short to medium term work-zones, they are compact and easy to store and transport when collapsed. Tripods are manufactured from rust-proof aluminium and all metalwork has bright zinc plating to prevent corrosion. The sign faces are constructed from reinforced grey PVC with a reflective material protected by a clear PVC top layer for additional durability. These signs have a ground clearance of 300mm (as specified by UK Road Sign Legislation).

Triangular One piece unit





Size	Code
600mm	5 6555
750mm	5 7645



600mm **5** 7634 750mm **5** 7646



600mm **5** 6556 750mm **5** 7647

Bespoke Fold-up Signs

Alternative sizes and sign faces are available upon request and can be printed with any road sign design from UK or EU specification.

Please allow 2 - 3 weeks for delivery of bespoke signs.



Triangular with Space for Supplementary Text



These fold up signs are supplied with your selected sign message and with space below to attach your supplementary text (sold separately) - choose from the options to the right and simply attach to the fold up sign using the press studs.



Code Size 600mm **5** 6545 750mm **5** 7642



Code Size 600mm **5** 7638 750mm **5** 7639



Size Code 600mm **5**7600 750mm **5** 7635

Supplementary Text Rust proof press studs

End

5 6546

Overhead Works

5 6548

Hedge cutting

5 6551

Gully emptying

5 6554

Grass cutting

5 6547

Tree cutting

5 6550

Road sweeping

5 6553

Your Message

5 7682

Triangular Set Up


Lightweight and easy to erect. These signs fold up for compact storage and transportation purposes.



The shackle at the top of the tripod locks



The press stud strap holds the sign front legs open and keeps the sign face tautface neatly when rolled up for easy transportation and storage



Six rustproof press-studs enable easy fixing of interchangeable supplementary text or variants



Rectangular Two piece unit





600 x 450mm



600 x 450mm Includes reversible arrow



Circular Two piece unit



600 x 600mm **5** 7631



600 x 600mm 5 7661

ROAD CLOSED

1050 x 750mm **5** 6558



vehicles

600 x 900mm **5**7678



vehicles

600 x 900mm **5**7679

Circular with Reversible Arrow



The reversible option on this fold up sign allows the arrow position to be changed and allows one sign to be used for either a keep left or keep right message. The arrow can be removed and attached using the rust free press studs to ensure the correct direction is shown. An economical and flexible solution to traffic management.


750 x 750mm 5 7681

Rectangular / Circular Set Up

Lightweight and easy to erect. These signs fold up for compact storage and transportation purposes.



At the top of the sign panel there is a concealed hook on springs that provides tension to keep the sign taut.



The bar at the bottom of the sign panel extends to hook under the spacer bolts on the front legs of the tripod.




A hook on the back leg of the tripod enables a ballast to be used in volatile conditions




Single Sided Sign Frames

Grey Zinc Painted Steel







Road Frame Clip



Keep signs securely in the frame with our Road Frame Clips. Zinc plated steel for protection against corrosion. Minimum recommended number of clips per frame is four.

5 8755


Double Sided Sign Frame

This robust double-sided frame is an ideal solution for temporary outdoor signs in car parks, construction sites, event sites and workplaces.

Manufactured from angle iron mild steel with grey zinc coating to protect from corrosionn this sign frame is designed to hold two $600 \times 450 \, \text{mm}$ signs (one either side) for maximum awareness.

We recommend the use of at least four road frame clips per sign (sold separately)

Iron mild steel with grey zinc coating ${\bf 5}~8550$



Base Plate

Recommended for

anchoring of posts.

plate approximately

600mm below the

surface and tighten

an extra stable post.

the post to create

Base plate is Zinc

coated steel.

secure and level

Install this base





Tamtorque Clamps & Driver



Designed to give a quick and reliable fix to round, square or hexagonal posts every time and can be easily reused and readjusted.

No need to cut the band to size which means no sharp edges that could snag or cut.

Manufactured from strong stainless steel with a hardened tamper resistant screw with a unique seven sided socket. These clamps can only be tightened or released with a tamtorque driver.

70-100mm Dia: **5** 8772 100-130mm Dia: **5** 8774 130-190mm Dia: **5** 8778

190-250mm Dia: **5** 8780 Tamtorque Driver: **5** 8770

Back-to-Back Clips



Stainless Steel
76mm Diameter
5 8725

Steel
50mm
5 8689

50mm Diameter 5 8689



Steel Stainless Steel 76mm Diameter 5 8699 Stainless Steel 76mm Diameter 5 8686

Grey Steel Posts

Grey painted steel pole for sign attachment available in a range of different lengths and diameters.

76mm Diameter

3.6 meter long: 5 8684 3.0 meter long: 5 8678 2.5 meter long: 5 8675 1.75 meter long: 5 8688

50mm Diameter

3 meter long: **5** 8769 2.5 meter long: **5** 8676 1.5 meter long: **5** 8800



Sign Fixings

For more sign fixing options and accessories see pages 136 - 137



Post Caps

Grey plastic cap, which fits onto the end of a post for a professional looking finish.

Grey Plastic 50mm Diameter **5** 8750

Grey Plastic 76mm Diameter **5** 8685



Non-Reflective Site Traffic Signs



1 7567 **N**



1 7504 N 6 7504 N



1 7503 N 6 7503 N 1 7502 N 6 7502 N



1 7501 N 6 7501 N



1 7546 N 6 7546 N



1 7547 N 6 7547 N





1 7545 N



1 7557 N



1 7555 N



1 7551 N



1 7554 N



1 7553 N



1 7559 N





1 7507 N 6 7507 N



1 7556 N 6 7556 N



1 7544 N 6 7544 N



1 7550 N 6 7550 N



1 7549 N 6 7549 N



1 7505 N 6 7505 N



1 7511 N 6 7511 N



1 7506 N 6 7506 N



1 7508 KQ 6 7508 KQ



1 7509 KQ 6 7509 KQ



1 7514 **Q 6** 7514 **Q**



1 7515 **Q 6** 7515 **Q**



1 7512 **Q 6** 7512 **Q**



1 7513 **Q 6** 7513 **Q**

All drivers and visitors must report to reception

1 7524 **Q 7** 7524 **Q**



1 7543 Q



1 7523 Q



1 7516 **Q**



1 6419 **Q**



1 7522 Q

All drivers and visitors must report to site office

1 7528 Q 6 7528 Q



1 7510 KQ 6 7510 KQ



1 5432 KQ



1 7591 **Q**



17499 KQ



1 7500 KQ



1 7612 **Q**



1 6417 MQ



1 6434 **Q**



1 6450 Q



1 6451 Q



1 4338 Q



1 7529 **Q**

1 7594 K



1 6475 Q



1 6476 Q



1 6477 Q



CAR PARK


1 6462 **Q**




1 6440 P



Deliveries 1 7595 K









Non-Reflective Site Traffic Signs

WORKS **TRAFFIC** ONLY

1 7666 Q



1 6426 **Q**

TRAFFIC 1 6427 Q



1 7624 **Q**



1 7520 Q



1 7584 **@**

WORKS **ACCESS**

1 7527 Q



1 7525 Q 6 7525 Q 7 7525 Q

SITE

SITE **ACCESS**

WORKS

1 6437 **Q 6** 6437 **Q**

SITE **ENTRANCE**

1 6452 Q 6 6452 Q

CAUTION HEAVY PLANT CROSSING

1 7526 Q 6 7526 Q

CAUTION SITE **ENTRANCE**

1 6431 Q 6 6431 Q 7 6431 Q

CAUTION LORRIES TURNING

1 6438 Q 6 6438 Q 7 6438 Q

CAUTION CONSTRUCTION TRAFFIC

1 6470 Q 6 6470 Q

NO UNAUTHORISED **VEHICLES ALLOWED BEYOND THIS POINT**

1 7519 **Q 6** 7519 **Q**

NO **PARKING**

1 7518 **Q 6** 7518 **Q**

NO REVERSING WITHOUT A BANKSMAN

17668 Q 67668 Q

NO PARKING IN THIS AREA

1 7571 KQ 6 7571 Q 7 7571 Q

NO PARKING BEYOND THIS POINT

1 7570 KQ

NEW ROAD LAYOUT AHEAD

1 7541 **Q**

NO CONSTRUCTION TRAFFIC BEYOND THIS POINT

1 7610 **Q**

NO ACCESS TO CONSTRUCTION TRAFFIC

1 6430 Q

REVERSING **PROHIBITED UNLESS UNDER** DIRECTION

1 6432 Q

CAUTION MUD ON ROAD

1 7590 Q

PEDESTRIAN **CROSSING** POINT

1 6471 Q 6 6471 Q



PEDESTRIANS

LOOK RIGHT

1 7569 Q 6 7569 Q

CAUTION **PEDESTRIANS** CROSSING

PEDESTRIAN

WALKWAY

1 7608 Q 6 7608 Q

CAUTION SPEED RAMPS

1 7521 **Q 6** 7521 **Q**

REDUCE SPEED NOW

1 7617 **Q 6** 7617 **Q**

NO PARKING IN FRONT OF THESE GATES

1 7517 **Q 6** 7517 **Q**

PEDESTRIANS LOOK LEFT

1 7667 Q 6 7667 Q



1 7562 Q



1 7564 Q

1 7749 Q 6 7749 Q

ACCESS

1 7607 Q 6 7607 Q

PEDESTRIANS

1 7561 **Q 6** 7561 **Q**

PEDESTRIANS

1 7563 Q 6 7563 Q

FOOTWAY CLOSED

1 7609 Q 6 7609 Q

CAUTION RAISED **IRONWORKS**

1 7623 Q



1 7622 **Q**



1 6472 Q



1 7542 KQ

PEDESTRIANS **PLEASE USE** OTHER FOOTWAY

face up to a £50,000 fine

and/or a prison sentence

1 6453 **Q**

1 1743 KQ





No unauthorised entry

CAUTION



All visitors must report to reception

1 7611 **Q**

CAUTION TEMPORARY ROAD SURFACE

1 7618 **Q**



Keep clear

No

parking

1 3221 Q 7 3221 Q

Reversible Arrow Signs

These Rigid PVC or Aluminium signs are supplied with a detachable arrow and plastic wing nut that allows the arrow to be rotated to indicate the desired direction. Simply screw the wing nut tightly to secure in position.

Sign: 600 x 450mm Arrow: 400 x 120mm



Rigid Plastic 5 7686



Rigid Plastic 5 7687





7 6412 Q 8 6412 K



1 7531 K

Material Codes

1 Rigid Plastic 5 Miscellaneous 7 PET

6 Aluminium 8 Quick Fix

Landscape Sizes K 400 x 300mm M 600 x 200mm

N 400 x 400mm P 600 x 400mm

Q 600 x 450mm

Portrait Sizes Q 450 x 600mm

Material Information

For more information on our most popular materials, sizes and the locations they are most suited for see page 4-5.

Site Safety

It is important to understand the messages on construction site safety signs; they are displayed to deliver a clear health and safety message. Failing to abide by a sign could result in the loss of your job, or even your life. Signs come in many forms, from site hoarding and entrance points, to way guidance and will often consolidate several key safety messages onto one site safety board to avoid excessive sign clutter. Site signs deliver important information to warn of hazards or requirements that must be followed.



1 6412 KQ 7 6412 Q 8 6412 K



Think safety Act safely Be safe

1 6445 **Q**



1 6419 **Q**



1 6404 MP 2 6404 MP Banner with Eyelets 1270 x 610mm **7** 6404 MP **5** 5087 8 6404 MP

Fluted Polypropylene 600 x 400mm Includes Company Logo **5** 5785



1 6429 **2** 6429 M







1 6218 GM 2 6218 GM



1 6457 **GM**



Safety footwear

must be worn

on this site

1 6217 GM 2 6217 G Warning A

Danger

Keep away

Keep out

Use ear protectors

in this area

1 6215 GMP



Mandatory Signs



1 5018 GM G C 2 5018 GM G Floor Graphic 400 x 600mm **5** 8730



1 5216 MGCP 2 5216 MGC

6 5216 M **7** 5216 **M 8** 5216 **G** Floor Graphic 400 x 600mm **5** 8820



1 6402 MP PVC Banner 1270 x 1270mm **5** 5115



Hard hats must be worn on this site at all times

1 6401 **M P 7** 6401 **M**



Approved personal protective equipment must be worn at all times

1 5221 **G M 2** 5221 **G M**



1 1632 FGMN 2 1632 FGMN



1 5003 GM G C 2 5003 GM G C

8 6216 GM



1 6229 P 6 6229 P





1 6236 P 8 6236 P

PVC Banner with Eyelets 1270 x 610mm **5** 5089



1 5019 **EKP** 2 5019 **EK** 6 5019 P



1 6411 KQ



1 5210 **目**K **2** 5210 **目**K



1 5235 K 2 5235 K 8 5235 K



1 5486 MP



Contractor Pass System

Maintain a register of authorised contractors on site for use in case of emergency or for record tracking/invoice verification. Issue specific and clear ID for the contractor to display whilst on site (badge wallets sold separately). Ensure that Contractors have given commitment to site induction processes, and rules and regulations whilst on site. Record the authorised Work Location and Type of Work to be undertaken. Prompt for additional Permit to Work for where activity is high hazard or potentially hazardous. Includes notifications of Health and Safety instructions and Fire Register, whilst a data protection sheet keeps visitors' data confidential.

Includes 108 passes Folded Pass: 103mm x 84.5mm - Book: 412mm x 280mm Badge wallets with clips **5** 6073

Branded & Bespoke Signage

To add company branding, use a different material or to create a truly unique sign message please refer to page 148.

Danger

Scaffolding

incomplete

Warning Signs



Danger Men at work

1 4201 GMP 2 4201 GM

Rigid Plastic A4 (210 x 297mm) **5** 8376

Self Adhesive A4 (210 x 297mm) **5** 8377



Danger People at work

4334 **GMP** 2 4334 GM

Rigid Plastic A4 (210 x 297mm) **5** 4328

Self Adhesive A4 (210 x 297mm) **5** 4329



Rigid Plastic A4 (210 x 297mm) **5** 8360

Self Adhesive A4(210 x 297mm) 5 8361



Vehicles unloading

1 4261 GMG(P) 2 4261 GMG(P) 8 4261 GG

1 4244 **30** 1 6442 **Q**



Danger Men working below

1 4203 GMP



1 4202 GMP 2 4202 GM



Danger

Men working on plant



Warning Hazardous area

1 4240 GM 2 4240 GM 8 4240 G



Caution High noise level



Danger Open pit

1 6503 GM 2 6503 GM



Danger Open manhole



Warning

2 4262 **G**



Danger People working below

1 4336 **GMP**



Danger People working overhead

1 4335 **GMP**



Danger People working on plant



Warning



Caution Arc welding

1 4212 **GM⊕(**3 4212 **G**



Danger Test area

1 4230 **G** 2 4230 **G**



Danger Quarry workings



Warning Beware of moving vehicles

1 6459 GM 2 6459 GM



Warning Battery charging in progress

Projecting Sign Face: 150 x 200mm **5** 4301



1 6456 GM

1 4409 GMP 2 4409 GM

1 3666 GM 2 3666 GM

0

PVC Banner 1270 x 610mm **5** 6456

Danger

Asbestos hazard

Warning

Danger of crushing

Warning

Look out for

overhead loads



Danger Demolition work in progress

Warning

Fragile roof

1 6403 MP 2 6403 M

PVC Banner 1270 x 610mm **5** 5088



Danger Risk of falling

1 4494 GM 2 4494 GM

8 4494 G



Danger Deep excavations

1 4204 GMQP 2 4204 GM



Warning Overhead crane

1 6455 GM 2 6455 G



Warning Stand clear of suspended loads



Warning **Pedestrians**

No Smoking

No alcoho

1 5932 **G (3 2** 5932 **G (3**

Prohibition Signs



No unauthorised persons allowed beyond this point

1 3202 GMG&P 2 3202 GMG&P 8 3202 GG&

Floor Graphic 400 x 600mm **5** 8740

Children must not

play on this site



PVC Banner

No exit

1 3215 **GGG** 2 3215 **GGG**

1270 x 610mm



No vehicles beyond this point

1 3212 **G 3** 2 3212 **G 3** 3212 **G 3**



incomplete Do not use

1 6443 **(2)**



on site without prio official approval

1 3645 **(3)**



1 3668 **3 3 3** 668 **3 3**

1 6405 MP 2 6405 P



E 200 x 150mm 200 x 200mm

G 300 x 100mm K 400 x 300mm M 600 x 200mm

to all unauthorised

persons

P 600 x 400mm Q 600 x 450mm **Portrait Sizes**

2 400 x 600mm

5 Miscellaneous 6 Aluminium

1 4337 **GM**

Welding in progress

1 4497 GM 2 4497 GM 8 4497 G



1 6418 GMP 2 6418 G



Warning Site traffic



1 4518 **G**M 2 4518 GM

150 x 200mm 300 x 400mm


117

Bespoke Site Safety Board

Creating your own site safety board has never been easier. Follow the three simple steps below and we can create a bespoke board showing your messages of choice with (or without) your company branding to ensure everyone understands your site specific rules and obligations. Manufactured on 5mm foam PVC these large format boards are perfect for positioning at site entrances to reinforce key safety messages and raising brand awareness in the process. If the templates below don't suit your needs then we are happy to quote for alternative sizes and materials.

Step One: Choose your Board

Select the board size needed and whether you require it to include your company logo / branding and contact details.



Space for four of the signs below

Without Logo

5mm Foam PVC

600 x 900mm

5 8039


Branded 5mm Foam PVC 600 x 1200mm



Space for eight of the signs below

Without Logo 5mm Foam PVC 1200 x 900mm 5 8048

Branded 5mm Foam PVC 1200 x 1200mm 5 8047



Space for four of the signs below

Without Logo 5mm Foam PVC 600 x 1000mm 5 8034

Branded 5mm Foam PVC 600 x 1200mm 5 8019

Step Two: Choose the Messages

5 8030

Select the messages you wish to display on your board. You can select from the following (our most popular site safety signs) however if you require a different sign you can include alternative sign messages found throughout this catalogue by choosing option P and quoting the appropriate sign code.

No admittance

for unauthorised

personnel



Speed and

parking restrictions

must be observed

Danger

Demolition work

in progress

Protective footwear must be worn

























Any message of your choice

Step Three: Supply Logos, Artwork and/or Visuals

If you have selected a branded site safety board, please supply a high resolution copy of your logo, contact details and/or project information. EPS, PDF or Ai logo files are ideal however a clean, non pixelated high resolution jpeg should suffice (around 1500 x 1500 pixels).





This shows an example of the branded board design 5 8047 and includes a choice of 8 messages



For our range of standard pre-printed site safety boards see pages 120 - 122.

Site Safety Boards

Choose from our standard range of site safety boards. You can add company logo, project and contact details using the "Branded" codes.

Material Information

Foam PVC is a lightweight, rigid and durable material, easily drilled or screwed through, perfect for both indoor and outdoor use making it ideal for site boards. Has the added benefit of being difficult to ignite and is self-extinguishing.

4mm fluted twin wall polypropylene sheets offer a budget option for short term site boards. 100% recyclable, lightweight and waterproof, easily drilled for fixing to fencing, and hoardings









No admittance for unauthorised personnel



This is a hard hat area



Protective footwear must be worn



High visibility jackets must be worn

Without Logo 5mm Foam PVC 600 x 900mm

Branded 5mm Foam PVC 600 x 1200mm **5** 8022



Parents are advised to warn children of the dangers of entering this site

personnel

This is a

hard hat area

Protective

footwear

must be worn

5mm Foam PVC

1200 x 1200mm

Branded

5 8027





Use ear protectors

Danger

Demolition work

in progress



High visibility jackets must be worn



Danger Look out for overhead loads

Without Logo

SITE SAFETY



High visibility iackets must be worn



Protective footwear must be worn



This is a hard hat area



Danger Stop. Look. Listen.

Beware of trucks

5mm Foam PVC 600 x 1000mm 5 8036

Children must not

play on this site

Branded 5mm Foam PVC 600 x 1200mm **5** 8023

THINK SAFET



5 8035

No unauthorised entry



All visitors and delivery drivers must report to the site office







Without Logo

5mm Foam PVC

1200 x 900mm

Safety helmets, safety footwear and high visibility clothing must be worn at all times on this site



on this site

You must be safety inducted to start work




appropriate


respiratory protection where

Danger of underground services

Check before you dig

All visitors & drivers





Report all accidents immediately



Protective footwear must be worn



Without Logo

1200 x 1000mm

5 8097

Safety helmets

are provided for

your safety and

must be worn

5mm Foam PVC

1200 x 1000mm **5** 8038

Branded 3mm Foam PVC

1200 x 1200mm



Danger Stop. Look. Listen. Beware of trucks

High visibility

jackets

must be worn

Danger

Deep excavations



No access for unauthorised personnel

Fluted Polypropylene

1220 x 1220mm

Without Logo

5mm Foam PVC 900 x 1000mm

Branded

5mm Foam PVC 900 x 1200mm

Fluted Polypropylene 1220 x 1220mm

Lost Time Accident Boards

These displays are the perfect solution to communicate a construction sites excellent track record for safety.



Days since

the last lost time accident on this site

Without Logo

5mm Foam PVC 900 x 600mm **5** 8033

Branded

5mm Foam PVC 900 x 700mm 5 8032

ZERO IN ON SAFETY This plant has had cutive accident free days **Hear it** See it Report it YOUR LOGO

Branded

5mm Foam PVC 700 x 900mm

5mm Foam PVC

1200 x 1200mm **5** 8028

Our lost time accident boards come with two sets of Rigid PVC numbers, which slide into holders allowing quick and easy daily updates.

Bespoke Lost Time Boards

Alternative designs and messages can be created. Need a custom made Lost Time Board? ask for a quote.

Site Safety Boards

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



Construction work in progress. Parents are advised to warn children of the dangers of entering this site.



Safety helmets must be worn



Protective footwear must be worn



High visibility jackets must be worn



Unauthorised entry to this site is strictly forbidden

1 6447 QW 7 6447 Q Fluted Polypropylene 1220 x 1220mm **5** 5794

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



Construction work in progress. Parents are advised to warn children of the dangers of entering this site.



Safety helmets must be worn



High visibility jackets must be worn



Unauthorised entry to this site is strictly forbidden

1 6420 QW 7 6420 Q Fluted Polypropylene 1220 x 1220mm **5** 5796

SITE SAFETY

All visitors and contractors must report to site office to receive a site induction



High visibility jackets must be worn



Protective footwear must be worn



No unauthorised access



Any person caught pilfering or causing damage on this site will be liable for prosecution



Maximum site speed

1 6597 QW 7 6597 Q

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



Construction work in progress.

Parents are advised to warn children
of the dangers of entering this site.



Safety helmets must be worn



Unauthorised entry to this site is strictly forbidden

1 6414 QW 7 6414 Q

120

Fluted Polypropylene 900 x 600mm **5** 6388

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



Construction work in progress. Parents are advised to warn children of the dangers of entering this site.



Safety helmets must be worn



Protective footwear must be worn



Unauthorised entry to this site is strictly forbidden

1 6413 QW 7 6413 Q

SITE SAFETY

Under the Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain permission to proceed onto the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all times.



Warning Dangerous site



All visitors must report to the site office



Approved personal protective equipment must be worn



No unauthorised access

1 6416 QW 7 6416 Q Fluted Polypropylene 1220 x 1220mm **5** 5793

SITE SAFETY

Health and Safety at Work Act 1974 all persons entering this site must comply with all regulations under this act. All visitors must report to the site office and obtain s to proceed onto the site or any work ares. Safety signs and procedures must be observed and personal protection and safety equipment must be used at all time



Safety helmets must be worn at all times



Safety footwear must be worn at all times



High visibility clothing must be worn at all times



Vehicles must not enter the site without the authority of the site supervisor



Unsupervised reversing in and out of site is strictly forbidden

10

Maximum site speed

1 6596 QW 7 6596 Q

SITE SAFETY



Heavy plant and machinery operate on this site



Vehicles must not enter the site without the authority of the site supervisor



Unsupervised reversing in and out of site is strictly forbidden

Speed and parking restrictions

must be observed



Fluted Polypropylene 900 x 600mm

5 6389


1 6415 **QW 7** 6415 **Q**

7 0413

Construction Site Sign Packs

- Comprised of the most commonly used construction signs
- Easy and economical way of purchasing construction site signs
- Each pack is supplied in an easy to store outer wrap
- All signs made from Rigid Plastic except where stated







CAUTION **ENTRANCE** WORKS

WORKS

CAUTION LORRIES TURNING

CAUTION TRAFF<u>IC</u>

600 x 200mm

600 x 450mm

5 6390

Sign Pack 2 (7 Signs)



900 x 600mm

300 x 100mm

Site agent

Site office

300 x 100mm

No hat No hat No boots No vest No job

400 x 300mm

Site office

300 x 100mm

Site office

300 x 100mm **5** 6391

Sign Pack 3 (7 Signs)



900 x 600mm

Site agent

300 x 100mm 300 x 100mm



400 x 300mm

Site office

300 x 100mm

Site office

300 x 100mm **5** 6392

Sign Pack 4 (5 Signs)



900 x 600mm

Safety helmets must be worn

Protective footwear must be worn High visibility jackets must be worn

Unauthorised entry to this site is strictly forbidden

900 x 600mm



Site office

Hard hats must be worn on this site at all times

400 x 600mm



400 x 300mm



5 6393


Sign Pack 5 (7 Signs)



600 x 450mm

All drivers and visitors must report to site office

600 x 450mm





900 x 600mm

5 6678

Branded Sign Pack (12 Signs)

This pack is manufactured from Fluted Polypropylene and we can supply all these signs with your logo and details for no additional cost.

Welcome to

Your Logo Here





Protective footwear must be worn

High visibility jackets must be worn

Your Logo Here



400 x 400mm 400 x 400mm

(5

5

Site speed







All drivers and

visitors must report to site office

600 x 400mm



1220 x 610mm

1220 x 1220mm



5 Miscellaneous

7 PET

Landscape Sizes

Information Boards & Courtesy Signs



5mm Foam PVC **5** 8051



5mm Foam PVC **5** 8052



5mm Foam PVC **5** 8050



5mm Foam PVC 600 x 900mm **5** 6600




5mm Foam PVC 600 x 900mm **5** 6599



5mm Foam PVC 600 x 900mm **5** 6679



Create a notification of street works with this bespoke courtesy sign. Supplied complete with four bungee ties (300mm) for easy fixing to barriers. Specify details when ordering: include text, layout and logo - as required.




Fluted Polypropylene 810 x 610mm **5** 5138

Reflective Fluted Polypropylene 810 x 610mm **5** 5139



5mm Foam PVC 600 x 900mm



Aluminium Roll Top Signs 400 x 600mm

Manufactured from aluminium, these durable roll top signs are designed to neatly hook over scaffolding and railings and display the appropriate message.



Hooped Banners 440GSM PVC Fabric Banner

Stitched fabric hoops allow the insertion of a scaffold tube to secure the banner. Excellent advertising opportunities for scaffold companies or to portray safety messages.











The perfect option to include

company advertising whilst

scaffolding is in place. Please supply artwork or any relevant 1270 x 610mm details when ordering.

1270 x 1270mm

1270 x 1270mm

1270 x 1270mm

Scaffolding Inspection Kits

All kits are supplied in a reusable box enabling books to be stored / filed securely.

Replacement components (tags, books and seals) can be purchased independently as and when required.

For the full range of equipment inspection systems see pages 131 - 135.





5 1320



Daily Kit

2 x Status Tag 11 x Check Books 300 x Tamper Evident Seals 1 x Wallet & Pen **5** 1321

Scaffolding Signs

1270 x 1270mm







1 3645 (3(2)

Scaffolding Tags

These double sided scaffold tie tags are ideal for highlighting important safety information on fixed scaffolding. Supplied in packs of 10 and come with 150mm cable ties.





Matt PVC 80 x 150mm **5** 3444

1 Rigid Plastic 5 Miscellaneous

Matt PVC

Worker ID Tags

Worker ID products provide paramedics and first-responders with critical medical information for faster and more appropriate treatment. It also provides important contact information to allow responders to notify loved ones of the situation immediately. With the ID tag's security seal, workers can be sure their personal information remains secure until required.

Made from durable, reflective, water-resistant and non-conductive materials and can stand up to tough conditions. Helmet safe adhesive backing and the synthetic paper ID tag inside is 100% waterproof, so vital information stays dry and safe.





Standard Worker ID Tag 70mm x 15mm



Worker ID Tag with Data Window 85 x 20mm

Site Amenity Signs

Site office

1 6408 GM 2 6408 GM 7 6408 G 8 6408 G

Staff only

1 7017 GL 2 7017 GL

Stores

1 7046 GL 2 7046 GL

General Notices

Your Logo Here

We take our responsibilities seriously

This project aims to minimise its impact on the environment through reducing, reusing and recycling and sourcing materials from sustainable sources wherever possible

1 6683 KQ 2 6683 K

Assess the Risk

valuate Solutions

rminate the Danger

You are Safe

1 1749 KQ

No tools stored in this vehicle overnight

2 1723 **目**

All visitors must report to reception

No job 1 6435 K

1 6684 KQ 2 6684 K

please sign in

17092 **日** 27092 **日**

Toilet **P**

1 7061 G 2 7061 G 7 7061 G M 8 7061 G

Site manager

Mess room

Your Logo Here

We take our

responsibilities seriously

This project aims to work to the highest standards within the industry. We are committed to providing a well presented site perimeter, offices, welfare facilities and storage area. We aim to manage and minimise any disruptions

No hat

No boots

1 6446 GM 2 6446 GM

Toilets -

1 7053 GL 2 7053 G 7 7053 GL

Site office

1 6410 GM 2 6410 GM

Drying room

Your Lego Here

We take our

responsibilities seriously

This project aims to provide a safe and

positive environment. We are committed to behave in a professional and courteous

nanner and have an active part in developing the construction industries future

No hat

No boots

No vest

No job

1 6424 GM 2 6424 GM

1 6685 KQ 2 6685 K

1 6444 KQ

Toilets

1 7051 **G L** 2 7051 **G** 7 7051 **G** L

Site office

1 6409 GM 2 6409 GM



1 7018 GL 2 7018 GL

Spot a Hazard

ind the Cause

17055 **且** 27055 **且**

All visitors

Notice **Authorised** persons only

17044 EK 27044 EK

Your Logo Here

We take our responsibilities seriously

Nothing you do on this site today will be as important as going home to your family and loved ones tonight

1 6686 KQ 2 6686 K

Notice

Trespassers will be prosecuted

1 7006 K

Custom Made Signs

We can create custom signs to include company branding or site specific information. Advise us of your requirements for a quote or refer to page 148 for more information.

Near Miss Station

Take a proactive approach to improving site safety and ensure that all near misses and incidents are recorded and acted upon with this near miss station. Includes a suggestion box to store near miss slips (Slips sold separately).

10mm Foam PVC



Near Miss Slips

Allow near miss incidents to be recorded and show the actions taken to eliminate repeat occurrences.

Pack of 10 Matt PVC 80 x 150mm





Reverse

Suggestion Box

Fabricated in yellow polystyrene with a clear acrylic A5 sign holder on the front (insert your message of choice). The pocket behind the holder can be used to store your near miss tags. Sliding door at the rear gives access to remove the contents. The box is freestanding but can also be wall mounted.

Yellow Polystyrene with a Clear Acrylic front W 275 x H 275 x D 100mm with 145mm Wide Slot

Near Miss Record Book Station

A near miss record book is an ideal way to keep track of incidents that almost result in injury, allowing you to improve your health and safety measures in the future. Ensure your employees make good use of the record book by wall-mounting it with this station (pre-drilled for easy mounting). (Books ordered separately - see page 45).

3mm Thick Plastic 360 x 220 x 15mm



Notice Boards


A range of notice boards manufactured from 5mm foam PVC. Helps to ensure everyone is aware of site rules and procedures at all times. They include clear document wallets to place relevant documentation inside. A Health & Safety Law Poster is also included on each board. If documents are removed from the wallet a "Missing" message will be displayed.

Branded Notice Boards

We can add company details and branding to our range of Notice Boards or if you're looking for something completely bespoke we can provide you with custom Notice Board designs to suit your needs. Contact us now for a quote.



Notice Board 1



Document Wallets for:

- · Register & Contact Details
- Company H&S Policy Insurance Certificate
- Hot Works Permit
- 5mm Foam PVC 1430 x 1075mm

5 8178

- Site Rules
- Excavation Permit
 Asbestos Permit
- · Other Permits
- Electrical Works Permit
- Confined Spaces PermitWorking at Height Permit
- Hazardous Substances Permit

Notice Board 3



Document Wallets for:

- Register & Contact Details
- Company H&S Policy
 H&S Minutes
- Fire Log Book
- Fire Point Location Plan
 - Accident Report Book
 Employee Hand Book
 - Accident Statistics
- - Site Rules

Includes a printed Fire Action Notice

5mm Foam PVC 1430 x 1075mm **5** 8177

Document Holder Signs


Keep important safety documents clearly displayed and readily available in a central location by using Safety Document Holders.

Our document holders come with a durable clear polystyrene document holder perfect for storing A4 ring binders and other A4 folders.

See page 45 for more information.



Notice Board 2



Document Wallets for:


- Open Door PolicyCompany H&S PolicyInsurance Certificate

- F10 Notification Form
- · Site Rules · Fire Point Location Site Plan Fire PlanFirst Aid Policy
 - · Emergency Contact List

 Any Other Information Includes a printed Fire Action Notice

5mm Foam PVC 5 8021

Notice Board 4



Document Wallets for:

- Register & Contact Details
- Sité Inspection RegisterConstruction Phase Plans
- Fire PlanFirst Aid Plan
- Site Rules
- F10 Notification Form
- Project Plan
 4 x Risk Assessment / Method Statement

5mm Foam PVC 1430 x 1075mm


Document Holder

Keep important documents clearly displayed and readily available in a central location.

Durable clear polystyrene document holder, pre-drilled for easy wall mounting using the screw fixing kit supplied.

Perfect for storing A4 ring binders

380x180x105mm (W x H x D) 5 9899



Site Saver Safety Signs

This range of signs are manufactured using a 4mm thick fluted polypropylene material. This low-cost material allows us to provide you with your own branded signs at an affordable price (perfect for temporary site signage - strong, lightweight and waterproof). Send your high resolution logo at time of ordering for inclusion on site saver signs at no extra cost. If you can't see the sign you require please contact us as we can produce any design on a variety of materials.

5 5748

5 5753

5 5759

5 5768

5 5771

5 5775

CAUTION

MUD ON

ROAD

Your Logo Here

WORKS

TRAFFIC

ONLY

Your Logo Here

PEDESTRIANS

LOOK LEFT

Your Logo Here

CAUTION

SPEED

RAMPS

Your Logo Here

OUT

Your Logo Here

THIS ENTRANCE

MUST BE

KEPT CLEAR

Your Logo Here



Your Logo Here

PEDESTRIANS

Your Logo Here

FOOTWAY

CLOSED

Your Logo Here

Children must not

play on this site

Your Logo Here

All drivers and

visitors must

report to site office Your Logo Here

All drivers and

visitors must

report to reception

Your Logo Here

Your Logo Here

Site Saver Safety Signs

4mm Fluted Polypropylene - 600 x 400mm

CONCEALED

ENTRANCE

Your Logo Here

WORKS

TRAFFIC

Your Logo Here

NO REVERSING

WITHOUT A

BANKSMAN

Your Logo Here

NO UNAUTHORISED

VEHICLES BEYOND

THIS POINT

Your Logo Here

ONE WAY

Your Logo Here

Permit to work

Your Logo Here

ntractors must obtain a valid rmit to work on this site

5 5752

5 5754

5 5763

5 5767

5 5770



Your Logo Here

5 5745



5 5755



5 5762



Your Logo Here

5 5765



Your Logo Here

5 5769



5 5785



Bespoke Site Saver Sign

option – just supply the artwork or

ordering. If you require a different

sized sign please call for a quote.

details of what is required when

Create your own message or company advert with this flexible

5 5786



5 5781



Your Design Here





Free Branding

Our site saver signs include the option to add a logo. Supply it when ordering. Signs can also be supplied unbranded.



5 5751

5 5758

5 5761

5 5787

5 5778

5 5777

5 5791

5 5747



5 5757



Your Logo Here

5 5760



Your Logo Here

5 5784



5 5772

THIS EXIT **MUST BE KEPT CLEAR**

Your Logo Here

5 5776





Cable Ties

A range of nylon cable ties for easy attachment to posts or fencing.

Size	10 Pack	50 Pack
150mm	5 8695	5 8696
370mm	5 8698	
770mm	5 8697	

Sign Clip

1220 x 810mm **5** 5805

Easy fixing to posts and fencing without drilling or damaging your polypropylene sign



Step 1 Position the clip on the front of the sian



Step 2
Place thumbs at the end of the clip and press firmly until the nubs pop through to the rear



Step 3
Position the back plate over the nubs at the rear and click into place



Step 4 Insert cable tie for easy attachment to post or fencing

40 x 10mm **5** 8687

Site Saver Safety Signs

To help encourage an environmentally friendly approach to signage we now include the appropriate recycling logo on the sign to help identify when one of our signs can be recycled and to help recycling centres correctly identify and process the materials efficiently without the need to send them into landfill. Don't worry if you can't see the sign you require, you can order any sign in any of our eco-friendly materials. See page 148 for more information.



Site Saver Amenity Signs

4mm Fluted Polypropylene - 400 x 400mm















5 5712

5 5718

5 5730


5 5731

5 5732

our Photo















5 5700















5 5741

Your Logo Remember to send us your high resolution logo

when ordering

Site Saver Signs.













Site Saver Safety Boards

4mm Fluted Polypropylene - 1220 x 1220mm







5 5793







127

Multi-Message Banners

440gsm PVC - Banners include eyelets



Our banners are manufactured from a lightweight, durable and weather resistant material. PVC banners can be rolled up for easy transportation and storage. Perfect for site safety and advertising messages. Banners include eyelets for easy fixing to fencing with cable or bungee ties.



Branded 1270 x 810mm **5** 5137



Branded 1270 x 810mm **5** 5127

Without Logo 2440 x 1270mm **5** 5085



Branded 1270 x 810mm Without Logo 2440 x 1270mm





Branded 1270 x 810mm **5** 5118



Branded 1270 x 810mm **5** 5124



Branded 1270 x 810mm **5** 5125

Without Logo 2440 x 1270mm **5** 5084



Branded 1270 x 810mm **5** 5144 **Without Logo** 2440 x 1270mm **5** 5145

Site Safety Banners

440gsm PVC - 1270 x 610mm - Banners include eyelets



5 5088



5 3215

Car park

5 5093



5 5089



5 5092



5 6456



5 2011

Entrance

5 5094





5 5091





5 2012

Way out

5 5095



5 5090



5 6470

We can also manufacture our banners on perforated mesh pvc material for use in exposed outdoor locations where wind may be an issue. This material has tiny holes allowing air to pass through and reduces the wind-loading on structures. Please call for a quote.



Cable Ties Nylon cable ties for

easy attachment. 10 Pack 50 Pack

JIZE	IV Fack	JU Faci
150mm	5 8695	5 8696
370mm	5 8698	
770mm	5 8697	



Bungee Ties

A pack of four shock cord bungee ties for easy attachment.

Pack of 4 300mm Lengths 5 5141

Bespoke Banners

We can create custom banners using supplied images, logos etc. When ordering these banners please supply your design and other details in a high resolution format.

Contact us quoting the following codes:

Size	Code
1270 x 610mm	5 5096
1270 x 1220mm	5 5097
2440 x 1270mm	5 5098

Your essage



This image shows an example of the bespoke banner - code 5 5129 (to the right) and includes company logo, project and contact details. This example shows 8 messages (however a maximum of 10 messages can be added).



Branded 2440 x 1270mm **5** 5129

Maximum of 10 messages - Please confirm requirements when ordering

Barrier Tape

Heavy duty, non adhesive polyethylene barrier tape creates an instant, high visibility cordon. Each roll is supplied in a handy dispenser carton.



Non-Adhesive Polythene 70mm x 500m 5 8620



Non-Adhesive Polythene 75mm x 200m **5** 8612




Non-Adhesive Polythene 70mm x 500m



Non-Adhesive Polythene 75mm x 200m



Non-Adhesive Polythene 75mm x 200m 5 8611



Non-Adhesive Polythene 75mm x 200m



Non-Adhesive Polythene 75mm x 200m **5** 8613



Non-Adhesive Polythene 75mm x 250m





Non-Adhesive Polythene 75mm x 250m **5** 8608



75mm x 250m





Reflective Barrier Tape

Complete with retro-reflective warning stripes for added night time visibility.

Non-adhesive Reflective Polythene 75mm x 250m **5** 8649







Barrier Tape Dispenser

Hand held dispenser with a serrated cutting edge. Allows quick deployment of barrier tape.

5 8652

Underground Warning Tape

Mark the position of buried pipes and cables with underground tape.

High visibility 100% virgin grade plastic with resistance to fading and high resistance to acids, alkalis and oils.



150mm x 365m



150mm x 365m **5** 8637



150mm x 365m

Folding Barrier

One piece, lightweight, portable folding barrier system, conforming to ÚK traffic signs manual Chapter 8, supplied ready assembled with 3 or 4 sides. Single sided reflective red and white flexible panels.

3-Sided

4-Sided **5** 7988 **5** 7989



Extending Barrier

Space saving metal barrier. Stands 1 metre high and expands to 3 metres in length.

Concertina design allows the barrier to be quickly extended for immediate use. Made of steel, assembled with rivets with lacquered paint finish. Ø25 mm post, Ø 30 mm feet

Weight: Approx 8kg 3000 x 1000mm **5** 7994



Cone Barrier Barrier Tape Post This handy Cone Barrier unit fits over the top of most

This is a highly effective, low cost solution to create a safety barrier, and can be used to cordon off areas where there is work in progress.

They are suitable for motorway maintenance, road-works and Health & Safety barriers.

Chevron Webbing 150mm x 3.65m One unit required per cone 5 7983 *Cones not included



This red painted steel post is simply pushed into the ground for the quick and easy deployment of barrier tape.

The forged steel pointed tip enables easier insertion into earth.

Once the posts are in position simply wrap your barrier tape of choice around the post to secure an area quickly and efficiently - ideal for construction sites or event management.

12mm Diameter Steel 1200mm height 1.8kg weight 5 8619 *Tape not included



Additional barrier tape messages and designs are available upon request so if you cannot see the message you require please specify the wording, colours and width/length that you would like and we will advise of availability and price. Custom print jobs may incur extended lead-times.















A simple tagging and checklist system designed to improve safety, reduce maintenance costs and comply with legislation.

The ability to monitor and record equipment helps improve safety and maintenance programmes, whilst saving money and maximising efficiency by allowing faults to be identified early and arranging repairs before they develop into something more serious and costly.

This simple but highly effective Safe Equipment Management System allows pre-use inspections to be completed on workplace equipment and the findings clearly displayed for all to see, removing any doubt as to when the last check was completed. This enables inspectors to spot potential faults, before they develop into a more costly or serious defect.

A perfect addition to any safety or maintenance management programme and meets requirements of PUWER (Provision & Use of Work Equipment Regulations), LOLER (Lifting Operations and Lifting Equipment Regulations) and WAHR (Working at Height Regulations).

We now also offer a paperless option in the form of the "TakeAIM" app.

Complete workplace inspections directly on a smart phone / tablet by accessing comprehensive checklists

for each asset. Each checklist allows users to add photos and notes to back-up their inspection findings.

This system allows companies to inspect any type of equipment digitally.

An online dashboard manages the data and gives management easy and instant access to all data. TakeAIM enables data to be analysed to help spot trends and any recurring issues, helping with planning maintenance and ensuring replacement parts are available when required.

To find out more please quote product code "TAKEAIM" to arrange a call-back.

Checks for all workplace equipment

Good to Go Safety have supplied companies worldwide with millions of equipment inspections and we now offer a paperless option in the form of the "TakeAIM" app.

Annual Kits

Regular equipment inspections can help identify potential faults before they develop into costly and dangerous defects.

The frequency of inspections can be defined by a wide range of variants. On occasion, legislation will set out the specific time period that checks must be made or alternatively a risk assessment may define how often an inspection should be carried out (based upon the level of risk and the potential outcome if a fault goes undetected).

Using the Good to Go Safety system will help you improve safety, reduce maintenance costs and enable you to comply with the relevant legislation. Kits are supplied in a reusable box enabling books to be stored / filed securely. Replacement components can be purchased independently as and when required.



Daily Inspection Kit

The daily inspection kit provides you with everything required to carry out 275 inspections (ideal for one year of daily inspections).

Within the kit you will receive:

2 x Status Tag - Attach to the equipment and show its status.

11 x Check Books - (275 checklists) allowing one to be completed each week and the findings displayed inside the status tag.

300 x Tamper Evident Seals - Deter and identify unauthorised access to the status tag

1 x Wallet - Store the current book and provide a suitable writing surface when completing checklists

Pallet Truck:

Scaffold Tower:

Fixed Scaffolding: 51321

51338

51314

MEWP:

Harness: 51327

Bespoke: **5**1334

51324

Excavator:

Podium Steps:

Fleet Vehicle:

1 x Pen - Store inside the wallet to ensure there is always a way to record findings



51344

51332

51329



51356



5 1353	Tow Tractor:	5 1359	
5 1350	Straddle Carrier:	5 1394	

Weekly Inspection Kit

Forklift: 51313

Ladder: 51315

Racking: 51316

The weekly inspection kit provides you with everything you require to carry out fifty inspections (ideal for one year of weekly inspections).

Within the kit you will receive:

- 1 x Status Tag Attach to the equipment and show its status.
- **2 x Check Books** (50 checklists) allowing one to be completed each week and the findings displayed inside the status tag.
- **100 x Tamper Evident Seals** Deter and identify unauthorised access to the status tag
- **1 x Wallet** Store the current book and provide a suitable writing surface when completing checklists
- 1 x Pen Store inside the wallet to ensure there is always a way to record findings



Telehandler: 51372

51347

51341

Tractor:

Trailer:



Overhead Crane:

Forklift Platform:

Loader Crane:



Forklift: 51309	Pallet Truck: 5 1337	MEWP: 5 132	Excavator:	5 1343	Telehandler:	5 1371	Overhead Crane:	5 1352	Tow Tractor:	5 1358
Ladder: 5 1311	Scaffold Tower: 5 1310	Harness: 5132	Podium Steps:	5 1331	Tractor:	5 1346	Forklift Platform:	5 1349	Straddle Carrier:	5 1393
Racking: 51312	Fixed Scaffolding: 51320	Bespoke: 5133	Fleet Vehicle:	5 1328	Trailer:	5 1340	Loader Crane:	5 1355		

How it Works

One of the many reasons why people like to use Good to Go Safety is its simplicity and ease to integrate into a company's safety and maintenance programme. Simply attach a tag to the relevant equipment and select the appropriate check book to start carrying out the inspection at a frequency of your choice. Inserting the completed checklist into the tag on the equipment provides a clear visual breakdown of what was checked and when – removing any assumptions or uncertainties. A duplicate copy is retained in the book for management records and providing invaluable evidence in the event of an accident.

Tag it

Attach a universal status tag to the piece of equipment. Ideally at the point of entry.



Check it

Use the appropriate check book to complete a comprehensive inspection.



Record it

Complete the inspection checklist and record all findings. Sign and date.



Insert it

Remove the top sheet of the checklist, fold where prompted and insert into the status tag.



Secure it

Fit a tamper evident seal to provide additional security and ensure findings are legitimate.



Display it

The universal status tag will now display the date and the findings of the inspection.



Components & Accessories

Good to Go Safety has three main components, the Universal Status Tag, Inspection Check Books and Tamper Evident Seals, these components make up our simple and effective preventative maintenance system. The Good to Go System can help detect damaged or faulty equipment early and can help to prevent accidents and/or reduce maintenance costs whilst ensuring that legislative requirements are met (PUWER, LOLER, WAHR) and more.

Universal Status Tag

Attach to workplace equipment (usually at the point of entry) and advise employees when the equipment is safe to use or quarantined following an inspection. Unlike other tagging systems this tag has been designed to attach to all types of equipment. The channelled base allows a flush fitting onto scaffold tubes and the small sleek design ensures that it doesn't interfere with daily equipment use.

Due to being manufactured from tough, durable, UV stable, weather resistant polypropylene it can withstand harsh condition - whether attached to fixed scaffolding during a thunderstorm or attached to a ladder being tossed around in the back of a van, this status tag can resist it all.

The highly visible yellow design ensures staff are reminded to complete pre-use checks. When the tag is empty the window displays a "Do Not Use" message - this means an inspection has not been completed and the equipment should not be used. Once an inspection has been completed the status tag holds the top sheet of the checklist and the window will display the date and the equipment's status.

The design includes two sleeves to enable cable tie attachment. Four holes for riveting or screwing onto equipment and the design is lightweight enough to ensure that adhesive can be used as a fixing option.

Polypropylene 120 x 52 x 13mm (H x W x D) **5** 1301



Inspection Check Books

Each of the Good to Go Safety Check Books have been specifically designed to provide comprehensive inspections for workplace equipment in order to help meet the relevant legislation, industry guidelines and best practice.

Each check book includes 25 inspections. Once an inspection has been completed, the top sheet (white) is removed from the book, folded at the prompted lines and placed inside the tag to display the current status of the equipment...either "Do Not Use" or "Good to Go". The secondary sheet (yellow) is a carbon copy which should be retained within the book.

Carbon copies can provide invaluable evidence of your Safe Equipment Management System (SEMS) history in the event of an accident.

Every check list requires a name, details of the asset in question and lists a series of questions regarding the asset. Each checklist has a unique sequential number to aid audits and management documentation.

Useful guidance can be found within the inside sleeve of the Check Book to help highlight what inspectors should be looking for during the inspection.

Custom options are available. Please let us know if you have a specific requirement for equipment we don't currently offer.



Provide a visual indicator that an inspection has been completed and verified

by a competent inspector. Using the Seals ensures the findings within the

Status Tag are not tampered with and the correct status is always shown.

and a new Seal is inserted by a competent inspector.

Forklift: 51302	Pallet Truck: 5 1336	MEWP: 5 1322	Excavator: 5 1342	Telehandler: 51370	Overhead Crane: 51351	Tow Tractor: 5 1357
Ladder: 5 1304	Scaffold Tower: 5 1303	Harness: 5 1325	Podium Steps: 51330	Tractor: 5 1345	Forklift Platform: 51348	Straddle Carrier: 51392
Racking: 51305	Fixed Scaffolding: 51319	Bespoke: 5 1317	Fleet Vehicle: 51306	Trailer: 51339	Loader Crane: 51354	

Wallet & Pen

A useful accessory to protect the Good to Go Safety Check Book from general wear and tear whilst in use.

The wallet is PVC coated to help protect the checklist from contaminants such as water, dust or oil. The wallet also provides inspectors with a solid writing surface whilst they are on the move.

The Check Book (not included) slips into a secure sleeve on one side of the wallet and on the other side there are useful guidance notes regarding the Good to Go Safety system.

The ball point pen is stored inside a tight sleeve within the wallet ensuring it is always available during inspections.



A simple solution to provide additional security measures to equipment safety.

easier when pulled forward.

Manufactured from blue

the yellow status tag.

acetal thermoplastic to offer

maximum visibility against

The design enables the arrow

head to fit snug into the status tag

and the neck has been hollowed in order to help the seal to snap

Tamper Evident Seals

Polypropylene olied in boxes of 100



PVC Coated 250 x 235 x 3mm (Flat) 250 x 115 x 8mm (Folded)

Dispensers

Setting up a warehouse, factory or site in an efficient and organised manner is beneficial for a number of reasons. Not only does it assist in inventory control and time management, but it also streamlines the entire process of completing inspections, from re-ordering and auditing to selecting and storing.

Information Station

This wall mounted information station provides details of the Good to Go Safety equipment inspection process whilst offering easy access to check books from an organised central location.

Ideal for warehouses, factories or within site offices where equipment inspections can be misplaced or damaged.

The information station comes with five acrylic check book dispensers. Each dispenser holds up to ten check books (not included) ensuring that even busy warehouses have enough space for fifty check books.

The dispensers not only keep your check books organised, but they also provide visual awareness when replacement books are required to be ordered. Supplied with a high bond adhesive backing for easy application to the board but can also be screwed into place.

The board is manufactured from 10mm Foam PVC which ensures the information station is strong and sturdy whilst also enabling easy drilling for wall mounting.

Adding your company logo is included in the cost of the information station. Remember to supply us with a high resolution file when placing your order.

10mm Foam PVC 700 x 750mm



Bespoke Information Station

If you require to show a different equipment type or wish to have a completely bespoke information station please contact us for a quote.



Document Holding Signs 10mm Foam Board - 440 x 600mm

Keep important safety documents clearly displayed and in a readily available place. These displays help companies organise their important documents and help staff remain informed and up to date regarding all workplace information. Signs are supplied with a clear polystyrene document holder.

5 8218








Document Holder

A durable clear polystyrene document holder which is pre-drilled for easy wall mounting using the supplied fixing kit.



Polystyrene 380 x 180 x 105mm (W x H x D)

Acrylic Dispenser

This acrylic check book dispenser holds up to ten check books (not included) ensuring that equipment inspections are easy accessible from a central location whilst ensuring they are not misplaced or irrevocably damaged.

The dispensers not only keep your check books organised, but they also provide visual awareness when replacement books are required to be ordered.

The acrylic dispenser is self standing but is also pre-drilled for simple wall mounting.

External Dimensions: 165 x 117 x 76mm (H x W x D) Internal Dimensions: 160 x 109 x 65mm (H x W x D)



Weather Resistant Folder

These industrial strength pockets are perfect for storing check books and manuals on outdoor equipment.

The press seal fastening keeps those important inspection checklists clean and dry and always on location.

The folder comes with a high bond adhesive backing strip for semi permanent fixings to your equipment.

Clear PVC Holds A4 documents 5 8109



Inspection Posters

420 x 594mm - These posters are printed on an eco-friendly, PVC-free synthetic paper that supplies excellent tear and water resistance properties.

Reinforce the importance of completing pre-use inspections on workplace equipment with these workplace safety posters. This range of posters have been designed in order to provide strong visual reminders to employees and highlight components included in the Good to Go Safety inspection check books. A perfect addition to your safe equipment management systems.



















1386



1365



1367



1369



1387



1388



1363











1362

1389

External Fitting

Whatever the sign, we can supply the necessary fixings to ensure it is clearly visible using sign frames, adhesives, posts and clips, screws and cable ties.



Grey Steel Posts

Grey painted steel pole available in a range of different lengths and diameters

76mm Diameter			
3.6 metre	5 8684		
3 metre	5 8678		
2.5 metre	5 8675		
1 75 metre	5 8688		

50mm Diameter 3 metre **5**2.5 metre **5**1.5 metre **5**



Post Caps

Grey plastic cap, which fits onto the end of a post for a professional looking finish and helps prevent water ingress.

Grey Plastic	
50mm Dia	
E 0750	

Grey Plastic 76mm Dia 5 8685

Road Frames

Sign frames include a 300mm ground clearance to meet recommendations for UK road sign regulations.

Manufactured from Grey Zinc Painted Steel.

See page 113 for more options and additional information.



600 x 680mm 750 x 850mm

750 x 850mm with Supp Plate

40 75

5 8757

5 8756

5 8761

Square 400mm **5** 8551 750mm **5** 8758

ROAD CLOSED

Rectangle 600 x 450mm 1050 x 750mm

m **5** 8553



Anti-Rotational Clip

Simple installations are achieved by inserting the 'foot' into the sign channel, and twisting the clip through 90°. The bolt then secures the other end. Raised pips on the inner help prevent sign rotation.

Stainless Steel 50mm Diameter **5** 8640

Stainless Steel 76mm Diameter **5** 8682



Base Plate

Recommended for secure and level anchoring of sign posts. Install this base plate approximately 600mm below the surface and tighten post to create a stable post. Zinc coated steel base plate.

Steel 50mm Diameter 5 8699 **Steel** 76mm Diameter **5** 8686



2 Piece Saddle

Saddle that slides into the sign channel. The saddle accepts all bands up to 19mm (3/4") and as the band tightens the saddle clamps tightly against the channel holding the sign securely in place.

70 x 30 x 30mm **5** 8754



Back-to-Back Clips

Allows 2 signs to be fitted back to back to a steel post. Back to Back clips are fitted with M8 bolts. Two clips are required per channel whether one or two post mounting. Supplied in pairs.

Stainless Steel 50mm 5 8689 Stainless Steel 76mm 5 8725



Banding Tool, Buckle and Straps

Has a tensioning capability of 2,400lbs and a built-in cutter for use with banding straps up to 19mm wide. Firstly, push band through buckle teeth towards the operator, ears up. Pass band around object and again through buckle. (For best results repeat this operation to obtain double banding). Anchor end of band by folding back under buckle. Take up slack. Then place band in slots of tool and push nose of tool against the buckle. Grip band with clamping lever and apply tension by turning handle. Maximum pressure is being applied when there is no appreciable movement of band between nose and clamping block. Then you can swing tool over buckle. This movement increases tension of band and, to avoid breakage, handle must be reversed slightly as tool is swung over, whilst maintaining band tension. Cut band with cutter lever and slide tool off in same position (or tension will be lost). Finally, hammer ears down over cut band.

Banding Tool 5 8751

Banding Strap 19mm x 30m **5** 8752 Banding Buckle Pack of 10 5 8753

Tamtorque Clamp and Driver

These tamtorque clamps are manufactured from stainless steel and have been designed for clamping signs to all types of posts. They give a quick and reliable fix to round, square or hexagonal posts every time. It removes the need to cut the band to size and therefore have no sharp edges, which can snag or cut. Unlike other banding systems, the tamtorque clamp can be easily reused or readjusted. Tamtorque clamps are manufactured from high strength stainless steel and have a hardened tamper resistant screw with a unique recessed seven-sided socket. This means that they can only be tightened or released with a special Tamtorque driver. An auto locking safety buckle ensures the free end of the band is safely tidied away.

Attach to sign channel with a 2-piece saddle (sold separately)

Tamtorque Clamps 70 -100mm

5 8772 **5** 8774

100-130mm | 130-190mm 5 8774 | 5 8778 190-250mm **5** 8780 2 Piece Saddle 70 x 30 x 30mm 5 8754 Tamtorque Driver 5 8770



Installation Guide



1. Thread the band through the two-piece saddle and around the post.



2. Screw the band through the housing using the driver or power tool.



3. Push any remaining band into the buckle for a safe, tidy finish.



4. Hold down any excess band while finally tightening.



5. Tamtorque can be released and re-positioned if required.

Internal Fitting

Whatever the sign, we can supply the necessary fixings to ensure it is clearly visible using sign frames, adhesives, posts and clips, screws and cable ties.



Adapt-a-Sign Frames

Adapt-a-Sign frames enable you to print off your own message and insert inside. A perfect solution for displaying constantly changing information.

Clear PVC with 10mm coloured border

215 x 310mm Holds A4 sheet

Colour Black Code **5** 6197

Red **5** 6191 Green **5** 6192

Blue Yellow **5** 6193 **5** 6194



Suspended Frames

This impact resistant polyvinyl plastic frame is an ideal solution to hanging signs. It can be used both single and double sided and is supplied complete with suspension kit for easy installation.

300 x 100mm 450 x 150mm 600 x 200mm White **5** 8700 5 8701 **5** 8702

Grey **5** 8681 5 8680 **5** 8674

Red **5** 8706 **5** 8707



Ceiling Button

Self Adhesive White Plastic 20 x 20mm - Pack of 10 **5** 8106



Fixing Clip

Clear Plastic 20 x 20mm - Pack of 10 **5** 8104



Magnetic Hook

32mm Diameter 5 8087



Large Fixing Clip

White Plastic 20 x 30mm - Pack of 10 5 8727



Adhesive Pad

Self Adhesive Tabs 10 x 25mm - Pack of 4



Hook & Loop Dots

Self Adhesive Tabs 20mm Diameter - Pack of 10



Double Sided Tape

Acrylic High-Bond Tape 33m x 25mm **5** 8105



Sign Adhesive

Silicone 310ml **5** 8694





Suspension Kit

For easy attachment of lightweight signs to ceiling.

Two 150mm Wire Hooks Two Self Adhesive Ceiling Buttons **5** 8100



Chain Suspension Kits

Polished chain for a prestigious ceiling fixing.

- 2 x 500mm Brass Chain
- 2 x Ceiling Buttons
- 2 x 500mm Chrome Chain
- 2 x Ceiling Buttons **5** 8679



Ceiling Hook Holder

Ideal for suspending signs up to 10kg

36mm Diameter x 60mm

2 x 150mm Wire Hooks 5 8110 - Supplied in Pairs - Screws not included



Poly Top Screws

Pack of 12

Black

5 8781 | **5** 8777 | **5** 8773 | **5** 8771 |

Red Green Blue

Yellow | White **5**8779 **5**8775

Pack of 10 150mm 370mm 770mm

Cable Ties

5 8695

5 8698

5 8697

Pack of 50 **5** 8696



Sign Clips

Sign clip for site saver signs. Easy fixing to posts or fencing. **5** 8687



300mm Length Pack of 4 **5** 5141

Coronavirus Site Safety

A range of signs to help keep your site, employees and visitors safe in line with current COVID-19 government guidelines. It is important that site safety signs display a clear message so that employees and visitors understand the site requirements.





SITE SAFETY - COVID 19

Do not enter this site if you or anyone in your

household have any symptoms of COVID 19

The measures necessary to minimise the risk of

spread of infection rely on everyone on this site to

take responsibility for their actions and behaviours

The policies put in place to protect our staff from Coronavirus are not optional. They must be complied with at all times

Failure to follow these guidelines

may result in disciplinary procedures

1 8461 W

900 x 600mm





900 x 600mm



Do not enter this site if you or any symptoms of COVID 19





Wash and sanitise your hands regularly and thoroughly



Keep a safe distance of at least 2 metres





Failure to follow these guidelines ay result in disciplinary procedure



Fluted Polypropylene 450 x 600mm **5** 8463



Fluted Polypropylene 450 x 600mm

SITE SAFETY - COVID 19

inyone in your househo

any symptoms of COVID 19

Wash or sanitise hands

frequently and thoroughly

Wear masks

Wear gloves

Keep a safe distance

of at least 2 metres



1 8459 W

Catch it

Bin it

Fluted Polypropylene 900 x 600mm **5** 8459



Coronavirus









Sanitise your hands



Maintain a safe distance



Cover your face

1 1261



1 8452 **(3) 2** 8452 **(3)**



Kill it 2 5028 **3**

Self Adhesive Vinyl 150 x 200mm - Pack of 5

SANITISATION STATION

gloves surfaces

hands

tissues

PREVENT THE SPREAD OF CORONAVIRUS

1 8447 Q

Fluted Polypropylene 600 x 450mm

Projecting Sign

Identify a sanitisation station quickly and easily from several viewing angles by using this projecting sign

Rigid Plastic Face: 150 x 200mm CV0031



Eco-Friendly Material



100% recyclable, lightweight and weather resistant.

Free Standing Signs These double sided, free standing

signs are ideal to attract staff and customers' attention. Yellow warning signs are recognised throughout the UK to highlight potential danger, therefore are much more likely to be adhered to by customers and staff. These self standing signs help remind the public of their responsibilities in terms of social distancing, considered vital to ensuring the safety of others.

Yellow Polypropylene 300 x 575mm



Coronavirus Information Signs

Research has revealed that 80% of people in the UK feel safer in venues with clear, professional COVID-19 signage. The study has revealed that people are more likely to shop in stores with clear instructions on social distancing measures. The findings also indicate that brands risk reputational damage from inadequate COVID-19 signage.


































1 1263 **(3)** 2 1263 **(3)**



















Floor Graphics

Sub-surface printed and over laminated in durable anti-slip polycarbonate film. Ideal for high traffic areas to remind staff and visitors of safety procedures and safe social distances.



400 x 400mm

400 x 400mm



400mm Dia



400mm Dia



400mm Dia **5** 8783



400mm Dia **5** 8280



400mm Dia **5** 8281

External Floor Graphics

We can supply floor graphics on a high quality external grade material for application to textured outdoor ground surfaces such as asphalt, concrete and pavements.

If you require external floor graphics please contact us for a quote.



ADD DESIGN HERE

400mm Dia **5** 8862



400mm Dia 2m



400mm Dia **5** 8566





300 x 300mm 5 8486



300 x 300mm **5** 8487



300 x 300mm 5 8488



300 x 300mm **5** 8491



300 x 300mm CV0042



300 x 300mm CV0044



300 x 300mm 5 8268



Blue Green

CV0012 CV0013 Orange CV0014 CV0015 Red Purple CV0016





CV0018

200 x 200mm 200 x 200mm



200 x 200mm CV0019 CV0020





200mm Dia



Have you washed your hands



200 x 200mm



200 x 200mm



CV0017

200 x 200mm



200 x 200mm



200 x 200mm



or colours



CV0043



CV0045



600 x 200mm **5** 4995

PLEASE WAIT HERE TO CONFORM WITH SOCIAL DISTANCING

200 x 200mm CV0025







CV0023

1000 x 50mm **5** 8615



CV0024









1000 x 100mm 5 8467



1000 x 50mm



1 8440 N 2 8440 N



2 8434 **E**





2 8435 **E**



1 8268 N 2 8268 N







1 8475 **E** 2 8475 **E**

1000 x 50mm **5** 8616

Coronavirus Flyer



To view our full range of Coronavirus safety signage and products, please contact us and request a copy of our latest COVID-19 Flyer.

Our COVID-19 Flyer has hundreds of additional designs to choose from



1 8485 N 2 8485 N













Table Cards

Double Sided 150 x 100mm


Ideal for helping maintain a safe social environment in retail and hospitality sectors. Manufactured from Rigid PVC.







CV0033





SANITISING

Door Hanger

SANITISED

Ideal for hotels and bed & breakfasts.

Simply place this sign on the door handle to confirm if a room has been cleaned or not.

Double Sided 440 Micron Matt Rigid 80 x 205mm CV0032

PPE & Hygiene Signs

A range of signage designed to improve safety in schools, shops and workplaces by encouraging good hygiene practices and wearing of PPE where appropriate.



1 8414 **(1)** 2 8414 **(1)**



1 8413 **(1) 2** 8413 **(1)**



Please wash your hands regularly throughout the day

1 8938 **(1) 2** 8938 **(1) (3)**



2 1081 U





1 1090 **G** 2 1090 G



What YOU need to do

Wash your hands regularly Wash hands for at least 20 seconds wit scritising get. Do this after using the toi such as the kettle and before and after

2. Don't touch your face

Signs and symptoms of Coronavirus Headache, dry cough, lever / muscle pain and diffe

Synthetic Paper 420 x 594mm **5** 5000



KEEP A SAFE DISTANCE WHEN USING THE STAIRS

1 8406 **(1)** 2 8406 **(1)**



1 8476 **(1) (3) 2** 8476 **(1) (3)**





1 8473 **(1) (3) 2** 8473 **(1) (3)**



1 8585 **(1) 2** 8585 **(1) (3)**



1 1269 **(1)** (2) 1269 **(1)** (3)



1 8477 **(1)** (3) 2 8477 **(1)** (3)



1 8479 **(3** 2 8479 **(3**



1 8451 **Q** Fluted Polypropylene 600 x 450mm



2 5027 **E** Self Adhesive Vinyl Pack of 5



2 5026 **目**

Self Adhesive Vinyl Pack of 5



1 8256 HK 2 8256 HK



1 Rigid Plastic 5 Miscellaneous 2 Self Adhesive Vinyl

Material Codes

I 200 x 150mm 200 x 200 mm

G 300 x 100mm **H** 300 x 250mm

K 400 x 300mm N 400 x 400mm Q 600 x 450mm U 100 x 100mm

Portrait Sizes ② 250 x 300mm ③ 300 x 400mm

Stairway, Floor Level & Dwelling ID Signs

To assist the fire and rescue service in identifying each level of a building, storey identification signs indicate the level by "Floor Number" and should be located on every landing of a fire-fighting stairway and every fire-fighting lobby (or open access balcony) into which a fire-fighting lift discharges. Storey ID signs should be supplemented by dwelling indicator signs (positioned directly below the Storey ID sign), which provide information as to the dwellings (flats or maisonettes) located on the storey in question.





3 2177 **4** 2177 **4**



3 2170 **□ 4** 2170 **□**

Floor

3 2174 **4** 2174 **4**



3 2178 **4** 2178 **4**

Floor

3 2171 L 4 2171 L

Floor

3 2175 **□ 4** 2175 **□**

Stairway C

Floor

3 2172 **L 4** 2172 **L**

Floor

3 2176 **L 4** 2176 **L**

Stairway D

32180 **4**2180 **4**



3 2173 L 4 2173 L



Photoluminescent Rigid Plastic 450 x 150mm 5 2181

Photoluminescent Self Adhesive Vinvl 450 x 150mm 5 2182

Hospitals and Health Services

Some hospitals / health services still display fire exit signs with flames. NHS organisations are now expected to comply with the standard ISO 7010 signage, as found on page 15-17.



3 2088 GLM 4 2088 GL



3 2090 GLM 4 2090 GL



3 2108 GL



3 2092 GLM 4 2092 GL



3 2086 GLM 4 2086 GL



3 2107 GL



3 2083 GLM 4 2083 GL



3 2120 GL



3 2084 GLM 4 2084 GL



2 2121 GL 3 2121 GL



3 2081 V 4 2081 J V



3 2082 V 4 2082 J V



3 2110 E



Inclusive Emergency Escape Design

Although not currently ISO 7010 registered this design encorporates both a running man and man using a wheelchair to illustrate an inclusive emergency escape message. Both characters are moving in unison to escape; They display the same urgency and appear to be travelling at the same speed. *Registered designs reproduced under license ©®



3 2164 G L 4 2164 G L



3 2165 G L 4 2165 G L



3 2162 G L 4 2162 G L



32163 **G L 4**2163 **G L**

Emergency Escape for Disabled Persons

This range of signs is specifically designed to assist the safe evacuation of physically disabled people in the event of an emergency. These signs meet the requirements of BS9999:2017 - Code of practice for fire safety in the design, management and use of buildings.



3 2096 **3**



3 2095 **G** 4 2095 **(3**



Refuge

point 3 2146 GL



3 1227 GL

3 2089 GL



3 2087 GL



Directional Emergency Escape Signs

Emergency escape signs are provided to guide you from wherever you are in a building, via a place of relative safety (the escape route) to the place of ultimate safety (the assembly area). It must not be assumed that everyone will know all safe routes through the building. Emergency escape signs should comply with BS EN ISO 7010:2020 to ensure maximum levels of understanding. The old EC Directive (92/58/EEC) designs should no longer be used due to their low comprehension credentials.



3 2004 GLM 4 2004 GLM Photoluminescent Rigid 900 x 300mm



3 2003 GLM 4 2003 GLM Photoluminescent Rigid 900 x 300mm



3 2007 **GLM** 4 2007 G L M Photoluminescent Rigid 900 x 300mm



3 2008 GLM 4 2008 GLM



3 2001 GL 4 2001 GL



3 2005 GLM 4 2005 GL



3 2002 G L 4 2002 G L



32006 **GLM 4**2006 **GL**



3 2012 **GLM 4** 2012 **GLM**



3 2010 GL 4 2010 GL



3 2014 GLM 4 2014 GL



3 2016 **GLM 4** 2016 **GLM**



3 2011 **GLM 4** 2011 **GLM**



3 2009 GL 4 2009 GL



3 2013 GLM 4 2013 GL



3 2015 GLM 4 2015 GLM



3 2072 **FU** 4 2072 **FU** 3 2060 FU 4 2060 FU



3 2043 FU 4 2043 FU



3 2034 CFU 4 2034 CU



3 2037 CFU 4 2037 CU

3 2038 CFU 4 2038 CFU



3 2035 CFU 4 2035 C



3 2040 CF 4 2040 C

Regulations state that "text only" signs should not be used on their own. They must be used alongside a running man graphic and, where appropriate,

a directional arrow



3 2041 **E**

4 2041 **E**

Exit

3 2122 **E** 4 2122 **E**



3 2042 E 4 2042 E

3 2057 JVX 4 2057 JVX

3 2036 JLVX 4 2036 J V X



3 2056 JVX 4 2056 J V X



3 2033 JLVX 4 2033 JVX Photoluminescent Rigid Plastic 800 x 400mm

5 2127



3 2047 G L 4 2047 G L





3 2048 G L 4 2048 G L



3 2050 G L 4 2050 G L



3 2065 **G L 4** 2065 **G L**



3 2064 G L 4 2064 G L




32061 **GL 4**2061 **GL**



Photoluminescent 150 x 50mm

Photoluminescent Rigid Plastic 450 x 150mm



3 2045 **G 4** 2045 **G**



3 2051 **G L 4** 2051 **G L**



3 2062 G L 4 2062 G L



3 2099 J 4 2099 J Place behind a push bar to highlight the bars location.



3 2046 **G 4** 2046 **G**



3 2052 G L 4 2052 G L



3 2147



Material Codes

3 Photoluminescent Rigid Plastic 4 Photoluminescent Self Adhesive **Landscape Sizes**

G 300 x 100mm J 400 x 200mm

450 x 150mm **M** 600 x 200mm

U 100 x 100mm **V** 300 x 150mm

X 200 x 100mm

Intermediate Emergency Escape Markers

In addition to the requirement for installing exit signs at 1.7m - 2.2 metres from the ground, ISO 16069:2017 recommends that additional intermediate markings positioned at a maximum height of 400mm from the floor may also be required. Subject to a full risk assessment, additional escape guidance should be provided through the use of both continuous guidance lines and safety signs to ensure there is an uninterrupted safety sign system to aid safe evacuation from a building.



4 2150 X V





4 2152 X V



4 2153 X V



4 2154 X



Class C Photoluminescent Safety Tapes

10 Metre Roll - Self Adhesive Vinyl - Perfect for highlighting door frames and fire fighting equipment



5 8644 40mm width



5 8641 40mm width 5 8642 80mm width



5 8653 40mm width 5 8654 80mm width



5 8650 40mm width 5 8651 80mm width



5 8656 40mm width **5** 8657 80mm width



5 8658 20mm width 5 8659 40mm width 5 8660 80mm width



Deluxe Class D Floor Markers

Aluminium back provides extra strength and durability in high traffic areas. Anti-slip surface. Photoluminescent Class D aluminium with adhesive backing.



125mm Dia **5** 8664



175 x 110mm **5** 8665



90mm Dia **5** 8663




Class C Floor Markers

Photoluminescent way finding floor markers are an effective method of marking escape routes. These floor markers have an anti-slip surface, strong adhesive backing and come in packs of 20.



75 x 75mm **5** 8670



240 x 90mm **5** 8672



75mm Dia **5** 8671

Projecting Signs

Manufactured from photoluminescent rigid plastic these projecting signs are visible from a number of angles. Projecting signs help in the quick identification of fire fighting equipment and suitable fire exit routes. Includes drilling guide for simple installation. Designed to conceal fixings for a neat finish. Face: 150 x 200mm



5 8011



5 8009



5 8013



5 8008



5 8007

Door Markers

75 x 300mm - Photoluminescent Rigid Plastic. Install to reinforce the fire escape message. Don't install instead of an fire exit sign above a door.



5 8236

5 8230

5 8231



5 8232 **5** 8233

Fire Safety Signs



3 1013 **B®** 4 1013 **B®**



G(3) **3** 1010 **4** 1010 **G**



G(3) **3** 1011 4 1011 **(9**



3 1014 **G 4** 1014 **G**



3 1007 **G** 4 1007 **G**



3 1031 4 1031



3 1017 CU 4 1017 CU

Fire Extinguisher Location Boards



Extinguisher brackets (*not supplied) should be fixed through the panel and onto the wall.

Select the relevant **D** size Extinguisher ID sign (page 6) and apply to top of board in the space provided. Extinguisher ID sign and bracket not included



3mm Photoluminescent Foam PVC 300 x 800mm **5** 1029

Fire Extinguisher Information Board

Display this sign in communal areas. Do not place directly above extinguishers.





Fire Safety Signs

The Regulatory Reform (Fire Safety) Order 2005 places responsibility of fire safety on employers to ensure that a fire risk assessment has been conducted to establish fire risks and that appropriate actions are taken to reduce them. Failure to comply could lead to severe legal penalties. Under the Regulatory Reform (Fire Safety) Order 2005, any non-automatic fire fighting equipment should be positioned and signed in accordance with BS EN ISO 7010:2020 to ensure maximum levels of comprehension. By positioning an appropriate fire equipment sign at a height between 1.7m - 2m from the floor it helps to locate and identify essential fire equipment in the event of it being obscured by furnishings in the room.
























3 1235 DE 4 1235 DE Acrylic Stand-off 20Ó x 150mm **5** 1254



3 1234 DE 4 1234 DE Photoluminescent Acrylic Stand-off 200 x 150mm **5** 1255







3 1236 **D 4** 1236 **D**



3 1245 **D 4** 1245 **D**















3 1216 **3 4** 1216 **3**











<u></u> [

"

5

3 1119 DE 4 1119 DE



3 1257 **4** 1257



3 1242 **9 4** 1242 **9**



3 1119 **4** 1119



3 1218 **S** 4 1218 **S**



3 1246 **DE**4 1246 **DE**







3 1240 DEG 4 1240 DE

31073 **目 4** 1073 **目**







3 1072 **∃** 4 1072 **∃**

Fire Door Signs

Every fire door should have a "Fire door Keep shut" sign fitted. When doors can be used from both sides a sign is required on both sides. Doors that open on to a fire escape corridor should be locked shut and signed accordingly. The window stickers are all double sided and designed for use on glass doors. They ensure the message is visible from both directions.



3 1610 **B** 4 1610 **B**

Photoluminescent Self Adhesive Vinvl Each: 80 x 80mm Sheet of 6 5 9690



3 1606 BE 4 1606 BF

Photoluminescent Self Adhesive Vinvl Each: 80 x 80mm Sheet of 6 5 9691



3 1618 B 4 1618 B Photoluminescent Self Adhesive Vinvl Each: 80 x 80mm

Sheet of 6 5 9693



3 1616 B 4 1616 B Photoluminescent

Self Adhesive Vinvl

Each: 80 x 80mm

Sheet of 6 5 9692



3 1621 **B** 4 1621 **B**



3 1608 **B** 4 1608 **B**



3 1611 **B** 4 1611 **B**



3 1635 **B** 4 1635 **B**



3 1605 **B** 4 1605 **B**





Photoluminescent Acryllic Extinguisher ID Signs

For prestige locations why not consider our acrylic standoff signs to indicate your fire extinguisher ID.

Manufactured from 5mm clear acrylic with a choice of subsurface print on either a frosted or photoluminescent finish.

See page 93 for more information.

Material Codes

3 Photoluminescent Rigid Plastic 4 Photoluminescent Self Adhesive

Landscape Sizes B 80 x 80mm C 150 x 150mm

■ 150 x 100mm **E** 200 x 150mm

450 x 150mm **U** 100 x 100mm

V 300 x 150mm X 200 x 100mm

Portrait Sizes

150 x 200mm 300 x 400mm

S 75 x 200mm **S** 100 x 200mm

Fire Safety Warnings Signs







3 1220 **3** 1220 **4** 1220 **3**



3 1248 **3** 1248 **3** 1248 **3** 1248 **3** 1248 **3** 1248



Residential Fire Action

Houses of multiple occupancy (HMO) have strict regulations for fire safety and must always have a fire action plan in place.



3 1414 **G** Fire Service Dialled Manually 4 1414 **G**



3 1418 **3** 4 1418 **3** Lift in Building Fire Service Dialled Manually




3 1438 **3 4** 1438 **3 6** Stay Put Policy Lift in Building Fire Service Dialled Manually



2 1416 **(3)** Fire Service Dialled Manually **3** 1416 **(3)**

Multi-Lingual Fire Action Signs





3 1437 Fire Service Dialled Automatically

English, French, German



3 1435 **G** Lift in Building Fire Service Dialled Automatically

English, French, German



3 1436 **Q** Lift in Building Fire Service Dialled Manually **4** 1436 **3**

English, Polish



3 1440 **(3** Lift in Building Fire Service Dialled Automatically **4** 1440 **3**

EasiFIX Fire Action Kits

These Fire Action EasiFIX Kits provide you with two signs in one. The design enables you to pop out the fire alarm symbol from the main sign then simply slip the main fire action sign around a call point. The "popped out" call point symbol should be placed on the wall above alarm at a height of between 1.7 and 2 metres from the floor.

Manufactured from Photoluminescent Self Adhesive Vinyl Main Sign: 150 x 330mm Pop-out: 100 x 100mm



5 1079 Fire Service Dialled Automatically



Automatically



Automatically











Dialled Manually



5 8222 Lift in Building Fire Service Dialled Manually

Fire / Emergency Action Signs



3 1432 **3** 1432 **4** 1432 **3** Lift in Building Fire Service Dialled Manually



3 1426 **3** 1426 **3 1 4** 1426 **3 1** Lift in Building Fire Service Dialled Manually



3 1419 **3 (1)** 4 1419 **3 (1)** Lift in Building Fire Service Dialled Manually



3 1405 **3** 1405 **3** 1405 Fire Service Dialled Manually



3 1420 **3** 1420 **3** 1420 **3** 1420 Fire Service Dialled Manually



3 1439 **G 4** 1439 **G** Fire Service Dialled Manually



3 1403 **(3) 4** 1403 **(3)** Lift in Building Fire Service Dialled Manually



3 1402 **G** 4 1402 **G** Lift in Building Fire Service Dialled Manually



3 1401 **G** 4 1401 **G** Fire Service Dialled Manually



3 1427 **3** 1427 **3** 1427 **4** 1427 Fire Service Dialled Manually



3 1423 **GG 4** 1423 **GG** Fire Service Dialled Manually



Fire Service Dialled Manually **3** 1431 **3**



Lift in Building Fire Service Dialled Automatically



3 1408 **3** 1408 **3** 1408 Lift in Building Fire Service Dialled Automatically



3 1429 **3** 1429 **3** 1429 **3** Fire Service Dialled Automatically



3 1430 **(3**

Custom Signs

Whether it's for a prestigious hotel or an after school club, our custom made signs allow you to get creative and provide a truly unique signage solution. Once you know how you want your sign to look, simply follow the steps below to begin the process of creating a bespoke sign.













1. Choose your Material

When ordering a sign, consideration should be given to the environment it will be located within – is it internal or external? Is it for display in a warehouse or a prestige hotel? Select the required material from the grid below. This grid is not exhaustive so if you can't see the material or size you require please contact us and we will be happy to quote.

Materials	Codes	Details Required for a Custom Sign Quote	Price
Rigid Plastic	CUST001		
Self Adhesive Vinyl	CUST002		
Photoluminescent Rigid Plastic	CUST003	Size: Please refer to our "Popular Size"	
Photoluminescent Self Adhesive Vinyl	CUST004	chart or specify your own	
0.9mm Aluminium	CUST005	1 77	Supplied
2mm PET (Polyethylene Terephthalate)	CUST006	Orientation: Landscape or Portrait	on
Rigid PVC with SAV Backing (Quick Fix)	CUST007	'	Request
3mm Foam PVC	CUST008	Quantity: Please state your required quantity	'
5mm Foam PVC	CUST009		
3mm Aluminium Composite	CUST010	Content: Please specify or provide artwork	
0.9mm Reflective Aluminium	CUST011	, , , , , , , , , , , , , , , , , , ,	
PVC Banner with Eyelets	CUST012		
4mm Fluted Polypropylene	CUST013		

Popular Size	Choices
80 x 80mm	400 x 200mm
100 x 75mm	400 x 300mm
100 x 100mm	400 x 400mm
100 x 150mm	450 x 150mm
150 x 150mm	600 x 200mm
200 x 75mm	600 x 400mm
200 x 100mm	600 x 450mm
200 x 150mm	800 x 600mm
200 x 200mm	900 x 600mm
210 x 297mm	1050 x 750mm
300 x 100mm	1200 x 800mm
300 x 150mm	1200 x 1200mm
300 x 250mm	2400 x 1200mm

2. Supply Information

In order for our sales team to provide you an accurate quote in addition to material type, please provide the following details: Size, Orientation and Quantity.

3. Provide Artwork

With a team of talented graphic designers and printing experts, we will ensure that each custom sign is set up and manufactured to the highest standards.

When ordering your custom sign, simply provide us with the relevant artwork or send us an image, link or sketch your sign idea and we will provide a proof for your review.

1. Sketch & Snap / Scan



Mock up your desired sign, take a picture of it on your phone and send it to us via email. Please don't worry if you're not artistically inclined just remember to include material, colour, text and sizes.

2. Snap & Email



If you've seen a sign you require simply take a photo of it on your phone and send us the picture. We'll then mock up the design based on your instructions and send you a proof to approve, following receipt of your order.

3. Send a Link



Seen a sign you like on a website? Send us the link or a screenshot, along with any additional comments relating to the size, material, or any alterations and we'll provide you with a quote. Please be aware, there may be copyright restrictions.

Image & Logos

Please ensure all images / logos you send are high resolution to acheive a quality print finish. A high resolution file JPEG, PDF, EPS or Ai file of your company logo is ideal. **Taking a logo from a home page of a website will not do.** Low-resolution images are the main reason for slow production of custom specials. Have your logo ready prior to order to ensure quick order turnaround.

If you are finding it difficult to find a high-resolution version of your logo you can sometimes find it via **images.google.com** simply drag your low-resolution logo file into the search bar and Google will search the internet for images that are similar. If there are any higher resolution logos found on the internet they will load. If all else fails we can reproduce your logo so it prints correctly - additional charges will apply.



Page References

Safety Signs Checklist

This checklist can be used to help carry out a safety sign survey of your premises. Although not extensive, it has been designed to help highlight any clear gaps in your current set-up and identify the relevant products to help ensure compliance with British and International Standards. **Upon completion of the checklist, if any of your answers are NO then use the page reference to find the recommended signs to rectify the issue.** You should check the condition of existing signs and replace any that are showing excessive wear and tear, display old symbols or where the graphics are fading as this may make them difficult to read. Look for consistency in terms of graphics / text format to maximise comprehension levels and minimise any risk of uncertainty.

Buckled or Bent Signs



Faded or Sun Damaged Signs



Chipped or Cracked Signs



Incorrect Colours



Old Symbols or Capital Letters



Outside and at Point of Entry into the Building

Is the assembly point clearly identified?	Υ	N	20
If a visitor leaves through a rear fire exit, can he/she find their way to the assembly point?	Υ	N	20
Is the designated smoking area clearly defined?	Y	N	21
Are all parking restrictions clearly identified?	Υ	N	103 - 107
Are any speed restrictions within the grounds clearly marked?	Y	N	86, 87, 103 - 115
Can the roof be accessed and hold the weight of an average person?	Υ	N	29, 55

Entry & Reception

Does the building clearly display at least one updated Health and Safety Law poster?		N	53
Is there a 'No Smoking' sign on display in the building and / or in fleet vehicles?	Υ	N	21, 22
Are facilities provided to ensure equality and inclusivity of all staff / visitors?	Υ	N	82, 83, 89
As a visitor, is it clear if you need to sign in?	Υ	N	81, 86, 114
If there is a CCTV system in use, is there at least one sign stating this?	Υ	N	81
Where CCTV is in operation, is it clear who is running the system and how to contact them?	Υ	N	81
Does the business have a clear way of informing staff of when a fire drill is due to take place?	Υ	N	9

Fire Action, Equipment and Doors

Does every fire alarm call point have a fire action notice above it?	Υ	N	10 - 12
Can all fire alarm call points be seen from a distance?	Υ	N	9
Can all fire extinguishers, hose reels or fire call points be seen clearly from a distance?	Υ	N	6 - 8
Have staff received instructions of what type of fires the fire extinguishers can / not be used on?	Υ	N	6-7
Are fire doors indicated with a 'Fire door Keep shut' sign?	Υ	N	12 - 13
Are all fire doors that open to fresh air clearly marked 'Fire exit Keep clear'?	Υ	N	13, 16
Are emergency door push bars or pads clearly signed with the appropriate symbol?	Υ	N	16, 143

First Aid

Is the location of the first aid equipment clearly marked?	Υ	N	41 - 43
Are first aiders known by all staff members?	Υ	N	41
Does your company have an accident report book?	Υ	N	43

Toilet / Washroom Signs

Are the hot water taps, which could reach a harmful temperature, clearly signed?	Y	N	27
Do 'wash hands' signs currently appear in all washrooms?	Y	N	40, 138 - 141
Are policies on energy saving and recycling clearly indicated?	Y	N	76,77
Are no smoking signs displayed in toilets / washrooms?	Υ	N	22
Can visitors easily locate the toilets / washrooms? Is everyone catered for?	Y	N	83, 92 - 94

Access / Restriction around the Building

Are customers, visitors or new starters aware of areas they are restricted from entering?	Υ	N	23
Are all height hazards clearly marked? (e.g. low ceilings, overhangs or areas with low clearance)	Y	N	29, 33
Are unexpected trip hazards or changes in flooring levels marked?	Υ	N	35
Do all visible hazards have the correct sign next to them?	V	N	26 - 35

Factories and Warehouses

Are there any requirements to wear specific PPE? Is this highlighted at all points of entry?		N	36 - 38
Is all dangerous working equipment clearly marked with measures to be aware of?		N	28, 32, 39, 56
Are all staff / visitors aware that forklifts operate in the area?	Υ	N	28, 56, 58
Are signs in place to warn of potential reversing vehicles?	Υ	N	24, 28, 56
Are there appropriate signs next to any 'Hot Works'?	Υ	N	54
If any part of the building contains Asbestos, is it properly marked and managed?	Υ	N	27, 54
Do all of the triangular warning signs display either 'Danger', 'Warning' or 'Caution'?	Υ	N	26 - 35
Are routine equipment inspections carried out in compliance with PUWER?	Υ	N	131 - 135

Fire Escape Signage

Do all Exit and Fire Exit signs show an ISO 7010 compliant running man?		N	15 - 19, 142 - 144
With the exception of an office with one door out, can fire exit signs be seen from every area?	Y	N	15, 17, 19
Is there a fire exit sign pointing right or left above any door?	Y	N	15 - 19, 142 - 144
Would fire exit signs be visible in smoky / dark conditions for sufficient time to exit the building?	Υ	N	15 - 19, 142 - 144

Notes / Comments









2022 - 2024

SAFETY SIGNS CATALOGUE